

SII GREEN PROCUREMENT STANDARDS

Version 10

January 2020

Seiko Instruments Inc.

Table of Contents

	Page
PREFACE	1
SII GREEN PROCUREMENT STANDARDS	2
[I] DEFINITIONS OF TERMS	3
[II] ENVIRONMENTAL CONTROL SYSTEM STANDARDS	4
[III] PRODUCTION GOODS PROCUREMENT STANDARDS	4
Annex 1 List of Environmental Laws	5
Annex 2 List of Use Prohibition Substances in the Manufacturing Process.	5
Annex 3 List of Use Avoidance Substances in the Manufacturing Process.	5
Annex 4 List of Containing Prohibition Substances in Goods	6
Annex 5 List of Conditional Containing Prohibition Substances in Goods	7
Annex 6 List of Containing Avoidance Substances in Goods	8
Tables: Compound Details (Main Examples)	13
Applicable Standards and Applications of Restricted Chemical Substances	22
QUESTIONNAIRES AND RESULTS	
Form 1 ENVIRONMENTAL CONTROL SYSTEM QUESTIONNAIRE	30
Form 2 PRODUCTION GOODS PROCUREMENT QUESTIONNAIRE	31
Form 3 RESULTS OF RESEARCH ON CHEMICAL SUBSTANCES BEING USED IN THE MANUFACTURING PROCESS	32
Form 4 RESULTS OF RESEARCH ON CHEMICAL SUBSTANCES CONTAINED IN GOODS ..	33

PREFACE

Government regulations related to environmental activities began in Europe and social demands for protecting the environment are intensifying. Requirements for business activities, production, and material procurement (green procurement) that are eco-friendly, such as forming a recycling-oriented society in which energy and resources are recycled and protecting from environmental pollution by managing chemical substances are constantly growing. Since 1999, based on the SII Group (SII) Environmental Policy, we have been promoting our green procurement from production goods to office supplies with the cooperation of our suppliers.

SII also prioritizes procurement of eco-friendly materials from suppliers that proactively act to support environment conservation based on this standard.

SII will continue its eco-friendly production and business activities, so we will be grateful for our suppliers' cooperation based on their understanding the importance of activities for environment conservation.

SII GROUP ENVIRONMENTAL POLICY

ENVIRONMENTAL CONCEPT

The SII Group will continue to harmonize its corporate activities with the global environment, designate the "Three Green" concept consisting of Green Process, Green Products and Green Life as our basic concept, promote and conduct environmental activities, and contribute to the establishment of a sustainable society that can coexist with nature.

ENVIRONMENTAL ACTIVITY GUIDELINES

We will strive to¹

1. Continue to improve our environmental management system and environmental performance, while performing advanced activities that respond to the requirements of society to enhance stakeholder value.¹
2. Not only observe all laws, rules, regulations, agreements and other duties, but also mitigate environmental risks and prevent environmental pollution.¹
3. Carry out our tasks with a focus on the following activities based on "SYO"ism*1:¹
 - 1) Providing products and services that minimize their impact on the environment throughout their lifecycles and can contribute to environmental conservation.¹
 - 2) Proactively promoting eco-friendly, efficient manufacturing.¹
 - 3) Fully enforcing energy conservation measures in the entire business activities and addressing global warming.¹
 - 4) Recognizing the finite nature and the preciousness of resources of the earth, and encouraging their responsible use.¹
 - 5) Reducing risks arising from chemical substances and promoting the elimination of harmful substances.¹
4. Promote SII Green Purchasing and ensure proper and strict management of chemical substances contained in products. ¹
5. Be aware of our impact on biodiversity and all the benefits we receive from it, and make efforts toward biodiversity conservation.¹
6. Raise environmental awareness of all employees and encourage them to protect the environment in their personal lives.¹
7. Make a social contribution to and achieve accountability for environmental protection, while facilitating communication with the society.¹
8. Ask our suppliers for their cooperation in following this policy.¹

*1 "SYO"ism: SII technology philosophy ¹

SII GREEN PROCUREMENT STANDARDS

1. SII Green Procurement Standards

The SII Green Procurement Standards consist of two sections. Each section contains a description of the standards for that type of product or material. They also include a set of survey questions for each supplier except for suppliers that only supply office supplies.

- (1) Environmental Control System Standard
- (2) Production Goods Procurement Standard

2. Scope of Application

These standards apply to all items, both tangible and intangible, that SII procures.

- (1) Tangible goods including raw materials, parts (electrical components, finished goods, and other components), packaging materials, and production equipment.
- (2) Intangible goods including services and work

SII will provide a "Purchase Item List Subjected to Survey" (Note 1) for specific items that are subject to examination for use or inclusion of chemical materials. If SII does not submit such a list, suppliers need not survey materials for use or inclusion of chemical materials.

- (Note 1) Purchase Item List Subjected to Survey
List of procurement items that SII requests suppliers to survey.

3. The following forms must be completed and submitted to SII, but what is instructed by the SII operating division that requested the survey, for specific requirements should be followed.

- (1) Form 1 (See page 30) Environmental Control System Questionnaire*1
- (2) Form 2 (See page 31) Production Goods Procurement Questionnaire*2
- (3) Form 3 (See page 32) Results of Research on Chemicals Substances Being Used in the Manufacturing Process*3
- (4) Form 4 (See page 33) Results of Research on Chemicals Substances Contained in Goods*4

- *1 "Environmental Control System Questionnaire"
SII requires this information to determine the indirect environmental impact of manufactured products.
- *2 "Production Goods Procurement Questionnaire"
SII requires this information to confirm that production goods to be procured are environmentally friendly.
- *3 "Results of Research on Chemical Substances Being Used in the Manufacturing Process"
SII requires this information if you use any item specified in the "Production Goods Procurement Questionnaire" in your production process (excluding coolants and extinguishants).
- *4 "Results of Research on Chemical Substances Contained in Goods"
SII requires this information if any item specified in the "Production Goods Procurement Questionnaire" is contained in products.

4. If necessary, you might be asked to submit materials (such as lists of components in in procured products, analysis data, or SDSs) other than survey sheets, or to submit them in chemSHERPA AI*1 format if SII's customer requests. Please cooperate with the business units on the submission in response to their request.

- *1 chemSHERPA AI :
Information Communication Sheet for disclosure and communication on information of chemical substances in articles, of which Ministry of Economy, Trade and Industry is promoting the development and dissemination.

5. When necessary, SII may conduct on-site audits. We appreciate your cooperation.
6. Chemical substances specified herein are independently selected and classified by SII taking into consideration existing legislation and future rules and regulations. These are subject to change without notice depending upon the social and legal environment.
7. The SII Green Procurement Standards are subject to revision without notice in the event of changes in the social or legal environment.

Note: Please contact the SII operating division that requested the examination of goods subject to survey.

[I] DEFINITIONS OF TERMS

Use:

Use means to use chemical substances for cleaning products and parts. In other words, use means "to use" chemical substances during manufacturing such that they are not contained in products or parts.

Example) Cleaning parts, etc.

Containing

Containing means "to contain" chemical substances that have been intentionally added to products and parts to meet their functionality and performance. Reaction-type residue like non-reaction monomer and impurities are excluded. □

If an impurity in a chemical substance for which a threshold level is specified exceeds an acceptable value, the chemical substance is judged to contain a prohibited substance.

Not-containing:

This means that the parts and materials making up a product do not contain chemical substances, whether intentionally or otherwise.

Contents concentration:

This is the chemical substance concentration and is calculated using the equation below.

Contents concentration = weight of the target chemical substance / weight of the part that contains the target chemical substance

The unit is ppm (parts per million), or wt% (weight percent).

Note that the definition of "weight of the part" used when calculating the contents concentration differs depending on the applicable laws, so see the threshold level column or remarks column for the target chemical substance.

Intentional addition

Intentional addition means intentionally making products or parts contain substances in order to suffice specific features, appearance, or quality. Intentional addition must be reported by filling Form 4 "Results of

Research on Chemical Substances Contained in Goods" on page33, regardless of the contents concentration.

Impurity:

This is a substance included in natural raw materials that cannot be completely removed during the process in which the materials are used as industrial materials for manufacturing.

This term also refers to by-products, catalyst residue, and other substances generated during the synthetic reaction processes of materials and drugs.

Examples)

- Lead impurities in lead-free solder
- Monomer components that cannot be completely removed from synthetic resin materials

Homogenous material:

Material that cannot be mechanically resolved into different material.

Examples)

In the case of a power cable, the homogenous materials are external covering, internal covering, and core.

If a marking such as model name is printed on the external coating, the ink is also regarded as homogenous material.

Article:

An object of which specific form, appearance or design given in production significantly determines the functions of final use, rather than the functions performed by the chemical composition.

Example) Substrates, capacitors, electric motors, gears and plastic cases are articles.

CAS No.:

Unique Nos. of chemical substances designated by the Chemical Abstract Service, a division of the American Chemistry Society.

IEC62474:

The international standard concerning disclosure procedure of contained chemical substances provided by IEC (International Electrotechnical Commission).

Candidate List:

The list of SVHCs (Substances of Very High Concern) which are candidate substances for authorization under REACH Regulation.

[III] ENVIRONMENTAL CONTROL SYSTEM STANDARDS

No.	Items	Criteria	Applied Suppliers	
			Obtained ISO-14001, etc.	Not yet obtained ISO-14001, etc.
1	Certification of ISO14001	Obtained ISO14001 or other third-party standard certification (e.g., Eco Action 21, Eco Stage). If not yet obtained, it is desirable to be "under preparation" or "under contemplation" to obtain the certification.	↓	↓
2	Environmental policy	Have an environmental conservation/preservation policy.	—	○
3	Environmental goals	Have concrete goals for environmental conservation/preservation.	—	○
4	Action plan	Have an action plan to achieve the goals.	—	○
5	Organization	Establish an organization to promote environmental conservation/preservation.	—	○
6	Education & Training	Provide employees with an environment-related education and training program.	—	○
7	Internal audits	Internally conduct environmental audits.	—	○
8.1	Control system	Have a system to supervise legislative and voluntary regulations.	—	○
8.2		Be aware of and comply with applicable laws and regulations (See Annex 1 on page 5 for environmental laws).	○	○
8.3		Have a system to control and save energy (e.g., lighting and facilities energy-saving program).	○	○
8.4		Have a system to control and minimize wastes (e.g., separated disposal and zero-emissions).	○	○
8.5		Have a system to control chemical substances (e.g., to update information on chemical substances being used).	○	○
8.6		Introduce or try to introduce a product assessment scheme (e.g., check that environment consideration is taken in the design and production phases).	○	○
8.7		Have a system to collect and recycle used products and packaging materials.	○	○
9	Disclosure	Have a system and tools to disclose information (e.g., Internet, environmental pamphlets and reports).	○	○
10	Biodiversity	To be actively involved in (or support) biodiversity conservation.	○	○

[III] PRODUCTION GOODS PROCUREMENT STANDARDS

Products: Finished or semi-finished products, which provide their intended functionality and performance as they are.

Parts: Items that should be integrated or processed into or for SII products (units/parts, electronic parts, and outer cases).

No.	Items	Criteria	Goods covered by this standard		
			Packaging	Parts	Products
1	No harmful substances	No packaging materials (outer boxes, buffer materials, etc.) contain heavy metals (cadmium, hexivalent chrome, mercury and lead).	○		
2	Use prohibition of	No exterior packaging, buffer materials and bags use polyvinyl chloride.	○		
3	Resources saving	No excessive packaging. Measures are taken to reduce packaging volume (less packaging compared with similar products or parts).	○		
4	Indication of materials	Plastic packaging materials (mainly styrene foam used as cushions) bear indication of materials. Comply with ISO-11469, DIN-6120 or other appropriate standards. ISO11469-compliant marking example: >PS< Polystyrene	○		
5	Reduction of foams	The use of styrene foam is minimized or it is substituted with other materials: e.g., cardboard buffers, pulp molds	○		
6.1	Use of harmful substances	No material specified in Annex 2 (page 5) is used in any manufacturing process.	○	○	○
6.2		Use of materials specified in Annex 3 (page 5) is avoided in any manufacturing process.	○	○	○
7.1	Containing of harmful substances	No material shown in Annex 4 (page 6) is contained.	○	○	○
7.2		Containing of materials specified in Annex 6 (page 8 to 12) is avoided.	○	○	○
7.3		Conditional containing prohibition substances specified in Annex 5 (page 7) is not contained.	○	○	○
8	Indication of materials	ISO11469 or other standard is marked on plastic materials. Ex) Outer cases of products		○	○
9	Compliance with laws	The procurement goods comply with legislative controls under the Recycling Law, Energy Saving Law and other applicable laws. Ex) Rechargeable batteries, computers			○
10	Resources saving	Resources are efficiently used. (Use of recycled parts and resources, miniaturization of goods)			○
11	Energy saving	Power consumption is low in both operation and standby modes. Compliance with energy saving programs, such as Energy Star program.			○
12	Wastes	The separability and degradability at the time of disposal is taken into account to ensure proper disposition of goods.			○

Annex 1 List of Environmental Laws

No.	
1	Laws related to air pollution prevention
2	Laws related to water pollution prevention
3	Laws related to noise control
4	Laws related vibration control
5	Laws related to offensive odor prevention
6	Laws related to waste disposal
7	Laws related to ozone layer protection
8	Laws related to handling and storing of hazardous chemical substances
9	Laws related to recycling and reuse
10	Laws related to energy saving
11	Laws related to occupational safety and health
12	Other (Local regulations, etc.)

Annex 2 List of Use Prohibition Substances in the Manufacturing Process

More specifically, substances whose use should be prohibited in the manufacturing process (washing).

		CAS No. *	Remark	
Use Prohibition	1	1,1,1-trichloroethane	71-55-6	
	2	CFC group		
	3	HBFC group		
	4	Halon group		
	5	Bromochloromethane	74-97-5	
	6	Tetrachloroethylene	127-18-4	
	7	Benzene * ¹	71-43-2	When contained, see Table N on page 17.
	8	Pentachloroethane	76-01-7	
	9	1,1,1,2-tetrachloroethane	630-20-6	
	10	Hexachloroethylene	67-72-1	
	11	Methyl bromide	74-83-9	
	12	Carbon tetrachloride	56-23-5	
	13	1,1,2,2-tetrachloroethane	79-34-5	
	14	1,1,2-trichloroethane	79-00-5	
	15	1,1-dichloroethylene	75-35-4	

*1 Excluding fuel for cars

Annex 3 List of Use Avoidance Substances in the Manufacturing Process

More specifically, substances whose use should be avoided in the manufacturing process (washing).

		CAS No.	Remark	
Use avoidance	1	1,2-dichloroethane	107-06-2	When contained, see Annex 6 on page 9.
	2	1,2-dichloroethylene	540-59-0	
	3	1,3-dichloropropene	542-75-6	
	4	HCFC group		
	5	HFC group		
	6	PFC group		
	7	Dichloromethane	75-09-2	
	8	Cis-1,2-dichloroethylene	156-59-2	
	9	Trichloroethylene	79-01-6	When contained, see Annex 6 on page 8.
	10	Nitrous oxide	10024-97-2	
	11	Sulfur hexafluoride	2551-62-4	
	12	Chloroform	67-66-3	

Annex 4 List of Containing Prohibition Substances in Goods

(substances that must not contained in goods)		CAS No.	Threshold Level *2	Remark	
Containing Prohibition (CP) Banning the Containing	1	4-nitrobiphenyl and its salt	92-93-3	Intentional addition	
	2	DDT	50-29-3	Not-containing	
	3	Asbestos	Page 13 Table A	Intentional addition	
	4	Aldrin	309-00-2	Not-containing	
	5	Endrin	72-20-8	Not-containing	
	6	Chlordane	57-74-9	Not-containing	
	7	Dieldrin	60-57-1	Not-containing	
	8	Bis(chloromethyl) ether	542-88-1	Intentional addition	
	9	Tributyl tin oxide (TBTO)	56-35-9	Not-containing	
	10	Tri-substituted organostannic compounds (including Tributyl tin and Triphenyl tin)	Page 13 Table B	Intentional addition	
	11	Hexachloro benzene (HCB)	118-74-1	Not-containing	
	12	Polychlorinated naphthalene (1 or more chlorine)	Page 13 Table C	Not-containing	
	13	Polychlorobiphenyls (PCB)	1336-36-3	Not-containing	
	14	Polychlorinated terphenyls (PCT)	61788-33-8	Intentional addition	
	15	Polybrominated diphenylethers (PBDE)	Page 15 Table D	1000 ppm	Contents concentration in homogenous material
	16	Polybrominated biphenyls (PBB)	Page 15 Table E	1000 ppm	
	17	Azo compounds	Page 15 Table F	Intentional addition	*1
	18	2,4,6-Tri-tert-butylphenol	732-26-3	Not-containing	
	19	N,N'-ditolyl-p-phenylenediamine N-tolyl-N'-xylyl-p-phenylenediamine N,N'-dixylyl-p-phenylenediamine	27417-40-9 70290-05-0 28726-30-9	Not-containing	
	20	Chlorinated paraffins (C10-13)	Page 15 Table G	Not-containing	
	21	Mirex	2385-85-5	Not-containing	
	22	Yellow phosphor	12185-10-3	Intentional addition	
	23	Toxaphene	8001-35-2	Not-containing	
	24	Monomethyl-dichloro-diphenyl methane (DBBT)	99688-47-8	Intentional addition	
	25	Di-u-oxo-di-n-butyl-stanniohydroxyborane (DBB)	75113-37-0	Intentional addition	
	26	Monomethyl-tetraclorodiphenyl-methane	76253-60-6	Intentional addition	
	27	Monomethyl-dichloro-diphenyl-methane	81161-70-8	Intentional addition	
	28	Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylethyl)-(UV- 320)	3846-71-7	Not-containing	
	29	Perfluorooctane sulfonates (PFOS)	Page 16 Table H	Not-containing	*3
	30	Dimethyl fumarate (DMF)	624-49-7	Intentional addition	
	31	Cobalt dichloride	7646-79-9	*4	
	32	Formaldehyde	50-00-0	*5	
	33	Dibutyltin (DBT) compounds	Page 16 Table I	1000ppm *6	Contents concentration in the weight of the delivered product
	34	Diocetyl tin (DOT) compounds	Page 16 Table J	1000ppm *7	
	35	Tris(2,3-dibromopropyl)phosphate(TRIS)	126-72-7	Intentional addition	*1
	36	Tris (1-aziridiny) phosphine oxide(TEPA)	545-55-1	Intentional addition	*1
	37	Hexabromocyclododecane(HBCDD)	Page 16 Table K	Not-containing	
	38	Polycyclic aromatic hydrocarbons(PAH)	Page 16 Table L	1ppm *8	*1,*10
	39	Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	1000ppm	Contents concentration in the weight of the delivered product
	40	Tris(1-chloro-2-propyl)phosphate (TCPP)	13674-84-5	1000ppm	
	41	Tris(1,3-dichloro-2-propyl)phosphate (TDCPP)	13674-87-8	1000ppm	
	42	PFOA, PFOA-salts, PFOA-esters	Page 16 Table M	Not-containing	
	43	4,4'-isopropylidenediphenol (bisphenol A:BPA)	80-05-7	*9	
	44	Pentachlorophenol and its salts and esters	87-86-5	Not-containing	
	45	CMR substances in textile products	Page 17 Table N	*10	

*1 Substances that may enter the mouth or directly contact human skin for a long time or short-term repetitive contact.

*2 Threshold level

In cases where the concentration of the material contained in the product or part (reaction-type residue like non-reaction monomer and impurities) exceeds this value, fill Form 4 "Results of Research on Chemicals Contained in Manufactured Goods" on page 33.
Note: The threshold level may be specified independently by the operational division upon customer's request, so please follow what the operational division instructed.

*3 Exceptional applications

- Semiconductor photoresist
- Business-use photographic film

*4 This applies to humidity indicating chemicals that are intentionally added and used for drying agents (such as silica gel).

*5 Intentionally adding this to composite materials (plywood or particle board) is prohibited, as is containing a concentration of 75 ppm or more of fiber or fabric.

*6 When the content concentration exceeds the threshold level. The content concentration used is based on tin concentration.

*7 This applies to fabric and leather products that might touch human skin .
When the content concentration exceeds the threshold value. The content concentration used is based on tin concentration.

*8 The upper limit of inclusion shall be 0.5 ppm for parts used in toys/nursery items.

*9 Content is prohibited if the concentration of thermal paper is 200 ppm or more.

*10 Starting on June 1, 2020, textile products will be subject when they contain CMR substances (carcinogenic, mutagenic , toxic for reproduction) above the threshold.

Annex 5 List of Conditional Containing Prohibition Substances in Goods

(substances prohibited from being contained, with some exemptions)

		CAS No.	Threshold Level	Remark
1	Cadmium / cadmium compounds* ^{1, *4}	Refer to Table O on page 18.	100 ppm	Contents concentration in homogenous material
2	Hexavalent chromium compounds* ^{1, *2, *4}	Refer to Table P on page 18.	1000 ppm	Contents concentration in homogenous material
3	Lead / lead compounds * ^{1, *3, *4}	Refer to Table Q on page 18.	1000 ppm	Contents concentration in homogenous material
4	Mercury / mercury compounds* ¹	Refer to Table R on page 19.	1000 ppm	Contents concentration in homogenous material
5	Bis (2-ethylhexyl)phthalate (DEHP) * ⁵	117-81-7	1000 ppm	Contents concentration in homogenous material
6	Benzyl butyl phthalate (BBP) * ⁵	85-68-7	1000 ppm	Contents concentration in homogenous material
7	Dibutyl phthalate (DBP) * ⁵	84-74-2	1000 ppm	Contents concentration in homogenous material
8	Diisobutyl phthalate (DIBP) * ⁵	84-69-5	1000 ppm	Contents concentration in homogenous material
9	Polyvinyl chloride (PVC) * ⁶	9002-86-2	1000 ppm	Contents concentration in homogenous material

*1: The total amount of lead, cadmium, hexavalent chromium and mercury contained in packaging materials shall be less than 100 ppm at weight ratio.

*2: The amount of hexavalent chromium compounds contained in leather parts in contact with the skin shall be less than 3ppm at weight ratio.

*3: The amount of lead contained in PVC cable shall be less than 100 ppm at weight ratio.

*4: If it is contained in textile products (including textile parts), refer to the Table N on page 17.

*5: We request that management be performed so as to ensure non-containment for auxiliary materials (rubber for binding cables, strings for plastic materials, etc.) used in goods (products, parts, packaging materials, etc.) purchased for production by our company, while also ensuring that phthalic acid esters do not transition due to coming into contact with the soft resins or rubber materials (conductive mats, tape, string, film, belt conveyor mats, etc.) used in the manufacturing processes of suppliers.

*6: "Polyvinyl chloride(PVC)" includes its homopolymer and copolymer.

Cadmium / Cadmium Compounds

	No.	Use of Applications
Exemptions *7 (may be contained)	8(b)	Cadmium and its compounds in electrical contacts.
	13(b)	Cadmium in filter glasses and glasses used for reflectance standards.

Hexavalent Chromium Compounds

	No.	Use of Applications
Exemptions *7 (may be contained)	9	Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0,75 % by weight in the cooling solution.

Lead / Lead Compounds

	No.	Use of Applications
Exemptions *7 (may be contained)	5(b)	Lead in glass of fluorescent tubes not exceeding 0,2 % by weight
	6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0,35% lead by weight and in batch hot dip galvanised steel components containing up to 0,2% lead by weight.
	6(b)-II	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight.
	6(c)	Copper alloy containing up to 4% lead by weight.
	7(a)	Lead in high melting temperature type solders (i.e. lead based alloys containing 85% by weight or more lead).
	7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.
	7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher.
	7(c)-IV	Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors(*8).
13(a)	Lead in white glasses used for optical applications.	

Mercury / Mercury Compounds

	No.	Use of Applications
Exemptions *7 (may be contained)	Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp).	
	3(a)	Short length (≤ 500 mm):3.5 mg may be used per lamp.
	3(b)	Medium length (> 500 mm and ≤ 1 500 mm):5 mg may be used per lamp.
	3(c)	Long length (> 1 500 mm):13 mg may be used per lamp.

Polyvinyl Chloride (PVC)

	No.	Use of Applications
Exemptions (may be contained)	PV1	PVC is required due to a safety standard or for quality retention.
	PV2	There is no substitutable item because of special application or the like.
	PV3	Material is specified based on the customer's requirement.
	PV4	Those which do not contain phthalate compounds.

*7: Exemptions (cadmium, hexavalent chromium, mercury, lead) shall comply with the Exemptions of the RoHS directives (2011/65/EU). If a new exception other than those described above is specified, it will be regarded as an exception. Exemptions relating to batteries shall conform to the EU batteries directive(2006/66/EC(2013/56/EU)).

*8: Discrete semiconductors are the diode also known as individual semiconductors or mono-functional semiconductors. They are a generic term for simple semiconductors such as transistors performing only one function.

Annex 6 List of Containing Avoidance Substances in Goods

(Substances for which containing in goods is to be avoided)

		CAS No.	Threshold Level	Remark	
Containing Avoidance	1	Arsenic / arsenic compounds *4	Refer to Table S on page 19.	1000 ppm or intentional addition	Contents concentration in homogenous material
	2	Beryllium / beryllium compounds*1	Refer to Table T on page 19.	1000 ppm or intentional addition	Contents concentration in homogenous material
	3	Nickel / Nickel compounds *2	Refer to Table U on page 19.	1000 ppm or intentional addition	Contents concentration in homogenous material
	4	Phthalates(except DEHP,BBP,DBP,DIBP)*1	Refer to Table V on page 19.	1000 ppm or intentional addition	Contents concentration in homogenous material
	5	Radioactive substances	Refer to Table W on page 19.	intentional addition	Contents concentration in plasticized material
	6	Brominated flame retardants (except PBB,PBDE and HBCDD)	Refer to Table X on page 20.	1000 ppm or intentional addition	Contents concentration in homogenous material
	7	Chlorinated flame retardants	Refer to Table Y on page 20.	In case of (1) or (2) in the remark column.	(1)1000 ppm total chlorine content by weight in the plastic material (2)900 ppm total chlorine content by weight in the laminate
	8	Red phosphorus *1	7723-14-0	Intentional addition	Except for red phosphorus in the metal
	9	Perchlorate	Refer to Table Z on page 21.	Intentional addition	
	10	Anthracene	120-12-7		
	11	4,4'-methylenedianiline	101-77-9		This is prohibited from being contained in items that might be in direct contact with human skin or the mouth for a long period of time or short-term repetitive contact.
	12	Cobalt dichloride	7646-79-9		This is prohibited from being contained in drying agents (such as silica gel).
	13	Diarsenic pentaoxide*1	1303-28-2		*4
	14	Diarsenic trioxide*1	1327-53-3		*4
	15	Sodium dichromate	7789-12-0 10588-01-9		*3, *4
	16	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2		
	17	Lead hydrogen arsenate	7784-40-9		*3, *4
	18	Triethyl arsenate	15606-95-8		
	19	Anthracene oil	90640-80-5		
	20	Anthracene oil, anthracene paste,distn. lights	91995-17-4		
	21	Anthracene oil, anthracene paste,anthracene fraction	91995-15-2		
	22	Anthracene oil,anthracene-low	90640-82-7		
	23	Anthracene oil, anthracenepaste	90640-81-6		
	24	Coal tar pitch, high temperature	65996-93-2		
	25	Aluminosilicate, Refractory Ceramic Fibres	-		
	26	Zirconia Aluminosilicate, Refractory Ceramic Fibres	-		
	27	2,4-Dinitrotoluene	121-14-2		
	28	Lead chromate	7758-97-6		*3, *4
	29	Lead chromate molybdate sulfate red (C.I. Pigment Red 104)	12656-85-8		*3, *4
	30	C.I. Pigment Yellow 34	1344-37-2		*3, *4
	31	Acrylamide	79-06-1		
	32	Trichloroethylene	79-01-6		
	33	Boric acid	10043-35-3 11113-50-1		
	34	Disodium tetraborate, anhydrous	1330-43-4 12179-04-3 1303-96-4		
	35	Tetraboron disodium heptaoxide, hydrate	12267-73-1		

*1. This may be specified as containing prohibition substance, by each business unit of SII upon request from an SII customer. Please follow the instructions made by each business unit.

*2. Except for alloys (such as stainless steel) .However, make sure that parts and materials (including alloys) that can potentially be in contact with skin for long periods of time have properties of 0.5 µg/cm²/week or less (elution amount).

*3. This only applies to the exemptions for Lead /Lead Compounds and Hexavalent Chromium Compounds shown under Annex 5 on page 7. For other applications, the requirements under Cadmium/Cadmium Compounds and Lead/Lead Compounds and Hexavalent Chromium Compounds on Annex 5 must be satisfied.

*4. If it is contained in textile products (including textile parts), refer to the Table N on page 17.

Annex 6 List of Containing Avoidance Substances in Goods (continued)

(Substances for which containing in goods is to be avoided)

	CAS No.	Threshold Level	Remark		
Containing Avoidance	36 Sodium chromate	7775-11-3	*3, *4		
	37 Potassium chromate	7789-00-6	*3, *4		
	38 Ammonium dichromate	7789-09-5	*3, *4		
	39 Potassium dichromate	7778-50-9	*3, *4		
	40 Cobalt(II) sulphate	10124-43-3			
	41 Cobalt(II) dinitrate	10141-05-6			
	42 Cobalt(II) carbonate	513-79-1			
	43 Cobalt(II) diacetate	71-48-7			
	44 2-Methoxyethanol	109-86-4			
	45 2-Ethoxyethanol	110-80-5			
	46 Chromium trioxide	1333-82-0	*3, *4		
	47 Acids generated from chromium trioxide and their oligomers: • Chromic acid • Dichromic acid • Oligomers of chromic acid and dichromic acid	7738-94-5 13530-68-2		*3, *4	
	48 2-ethoxyethyl acetate	111-15-9			
	49 strontium chromate	7789-06-2		*3, *4	
	50 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNU)*1	68515-42-4			
	51 Hydrazine	7803-57-8 302-01-2			
	52 1-methyl-2-pyrrolidone	872-50-4		*4	
	53 1,2,3-trichloropropane	96-18-4			
	54 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)*1	71888-89-6		*4	
	55 Dichromium tris(chromate)	24613-89-6		*3, *4	
	56 Potassium hydroxy-octaoxidizincatedichromate	11103-86-9		*3, *4	
	57 Pentazinc chromate octahydroxide	49663-84-5		*3, *4	
	58 Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4			
	59 Bis(2-methoxyethyl) phthalate (DMEP)*1	117-82-8		*4	
	60 2-Methoxyaniline;o-Anisidine	90-04-0	In the cases where concentration of contained substance exceeds 1000 ppm, using weight of each article composing supplies as denominator	This is prohibited from being contained in items that might be in direct contact with human skin or the mouth for a long period of time or short-term repetitive contact.	
	61 4-(1,1,3,3-tetramethylbutyl)phenol,	140-66-9			
	62 1,2-Dichloroethane	107-06-2			
	63 Bis(2-methoxyethyl) ether	111-96-6			
	64 Arsenic acid	7778-39-4			
	65 Calcium arsenate	7778-44-1			
	66 Trilead diarsenate	3687-31-8			*3, *4
	67 N,N-dimethylacetamide (DMAC)	127-19-5			*4
	68 4,4'-methylene-bis-(2-chloroaniline)	101-14-4			This is prohibited from being contained in items that might be in direct contact with human skin or the mouth for a long period of time or short-term repetitive contact.
	69 Phenolphthalein	77-09-8			
	70 Lead azide	13424-46-9		*3, *4	
71 Lead styphnate	15245-44-0		*3, *4		
72 Lead dipicrate	6477-64-1		*3, *4		
73 1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2				
74 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4				
75 Diboron trioxide	1303-86-2				
76 Formamide	75-12-7				
77 Lead(II) bis(methanesulfonate)	17570-76-2		*3, *4		
78 TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	2451-62-9				
79 β-TGIC (1,3,5-tris [(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6				
80 4,4'-bis(dimethylamino) benzophenone (Michler's ketone)	90-94-8				
81 N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1				
82 C.I. Basic Violet 3(Hexamethylpararosaniline chloride)	548-62-9		*4		
83 [4-[[4-anilino-1-naphthyl][4-(dimethylamino) phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)	2580-56-5				
84 α,α-Bis[4-(dimethylamino) phenyl]-4 (phenylamino) naphthalene-1- methanol (C.I.Solvent Blue 4)	6786-83-0				
85 4,4'-bis(dimethylamino)- 4''-(methylamino)trityl alcohol	561-41-1				

*1. This may be specified as containing prohibition substance, by each business unit of SII upon request from an SII customer. Please follow the instructions made by each business unit.

*3. This only applies to the exemptions for Lead/Lead Compounds and Hexavalent Chromium Compounds shown under Annex 5 on page 7. For other applications, the requirements under Lead/Lead Compounds and Hexavalent Chromium Compounds on Annex 5 must be satisfied.

*4. If it is contained in textile products (including textile parts), refer to the Table N on page 17.

Annex 6 List of Containing Avoidance Substances in Goods (continued)

(Substances for which containing in goods is to be avoided)

	CAS No.	Threshold Level	Remark
86	Pentacosafuorotridecanoic acid	72629-94-8	
87	Tricosafuorododecanoic acid	307-55-1	
88	Henicosafuoroundecanoic acid	2058-94-8	
89	Heptacosafuorotetradecanoic acid	376-06-7	
90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated - covering well-defined substances and UVCB substances, polymers and homologues	-	
91	4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	Refer to Table AA on page 21.	CAS No. is not stated in the Candidate List, but stated in IEC62474.
92	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	
93	Cyclohexane-1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)	85-42-7	
94	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	25550-51-0 19438-60-9 48122-14-1 57110-29-9	
95	Methoxy acetic acid	625-45-6	
96	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear *1	84777-06-0	
97	Diisopentylphthalate (DIPP) *1	605-50-5	*4
98	N-pentyl-isopentylphthalate *1	776297-69-9	
99	1,2-Diethoxyethane	629-14-1	
100	N,N-dimethylformamide; dimethyl formamide	68-12-2	*4
101	Dibutyltin dichloride (DBT)	683-18-1	For the fabric and leather product that might have contact with human skin, the content concentration exceeding 1000 ppm in tin component is prohibited.
102	Acetic acid, lead salt, basic	51404-69-4	If the contents concentration exceeds 1,000 ppm when the weight of the delivered product is used as the denominator
103	Lead (II) carbonate basic	1319-46-6	
104	Lead oxide sulfate (basic lead sulfate)	12036-76-9	
105	[Phthalato(2-)]dioxotrilead (dibasic lead phthalate)	69011-06-9	
106	Dioxobis(stearato)trilead	12578-12-0	
107	Fatty acids, C16-18, lead salts	91031-62-8	
108	Lead bis(tetrafluoroborate)	13814-96-5	
109	Lead cyanamate	20837-86-9	
110	Lead dinitrate	10099-74-8	
111	Lead oxide (lead monoxide)	1317-36-8	
112	Lead tetroxide (orange lead)	1314-41-6	
113	Lead titanium trioxide	12060-00-3	
114	Lead Titanium Zirconium Oxide	12626-81-2	
115	Pentalead tetraoxide sulphate	12065-90-6	
116	C.I. Pigment Yellow 41	8012-00-8	
117	Silicic acid, barium salt, lead-doped	68784-75-8	
118	Silicic acid, lead salt	11120-22-2	
119	Sulfurous acid, lead salt, dibasic	62229-08-7	*3, *4
120	Tetraethyllead	78-00-2	
121	Tetralead trioxide sulphate	12202-17-4	
122	Trilead dioxide phosphonate	12141-20-7	
123	Furan	110-00-9	
124	Propylene oxide; 1,2-epoxypropane; methyloxirane	75-56-9	
125	Diethyl sulphate	64-67-5	
126	Dimethyl sulphate	77-78-1	
127	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	
128	Dinoseb	88-85-7	
129	4,4'-methylenedi-o-toluidine	838-88-0	
130	4,4'-oxydianiline and its salts	101-80-4	
131	4-Aminoazobenzene; 4-Phenylazoaniline	60-09-3	
132	4-methyl-m-phenylenediamine (2,4-toluene-diamine)	95-80-7	
133	6-methoxy-m-toluidine (p-cresidine)	120-71-8	
134	Biphenyl-4-ylamine	92-67-1	
135	o-aminoazotoluene	97-56-3	
136	o-Toluidine; 2-Aminotoluene	95-53-4	
137	N-methylacetamide	79-16-3	
138	1-bromopropane; n-propyl bromide	106-94-5	This is prohibited from being contained in items that might be in direct contact with human skin or the mouth for a long period of time or short-term repetitive contact.

Containing Avoidance

*1. This may be specified as containing prohibition substance, by each business unit of SII upon request from an SII customer. Please follow the instructions made by each business unit.

*3. This only applies to the exemptions for Lead/Lead Compounds and Hexavalent Chromium Compounds shown under Annex 5 on page 7. For other applications, the requirements under Lead/Lead Compounds and Hexavalent Chromium Compounds on Annex 5 must be satisfied.

*4. If it is contained in textile products (including textile parts), refer to the Table N on page 17.

Annex 6 List of Containing Avoidance Substances in Goods (continued)

(Substances for which containing in goods is to be avoided)

		CAS No.	Threshold Level	Remark
Containing Avoidance	139	Cadmium	7440-43-9	*3, *4
	140	Cadmium oxide	1306-19-0	*3, *4
	141	Dipentyl phthalate (DPP)	131-18-0	*1, *4
	142	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations	-	Placing in market of textile products or components made of textile which contain the substance at the concentration of 100 ppm or higher and are assumed to be water-washed in ordinary conditions of use will be prohibited from February 3,
	143	Cadmium sulphide	1306-23-6	*3, *4
	144	Dihexyl phthalat (DnHP)	84-75-3	*1, *4
	145	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	
	146	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo]]1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	
	147	Imidazolidine-2-thione; 2-imidazoline-2-thiol	96-45-7	
	148	Lead di(acetate)	301-04-2	*3, *4
	149	Trixylyl phosphate	25155-23-1	
	150	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear (DIHP) *1	68515-50-4	
	151	Cadmium chloride	10108-64-2	*3, *4
	152	Sodium perborate; perboric acid, sodium salt	(15120-21-5) (11138-47-9)	
	153	Sodium peroxometaborate	7632-04-4	
	154	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	
	155	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	*5
	156	Cadmium fluoride	7790-79-6	*3, *4
	157	Cadmium sulphate	10124-36-4 31119-53-6	*3, *4
	158	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	-	In the cases where concentration of contained substance exceeds 1000 ppm, using weight of each article composing supplies as denominator
	159	1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5, CAS No. 84-75-3)	68515-51-5 68648-93-1	
	160	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	-	
	161	1,3-propanesultone	1120-71-4	
	162	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	
	163	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	
	164	Nitrobenzene	98-95-3	
	165	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	
166	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	Use is prohibited in the cases where it falls under the scope of application of polycyclic aromatic hydrocarbon (PAH).	
167	4,4'-isopropylidenediphenol (bisphenol A:BPA)	80-05-7	Inclusion of 200 ppm or higher concentration in thermal paper will be prohibited.	
168	4-heptylphenol, branched and linear	-		
169	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2 3108-42-7 3830-45-3		
170	p-(1,1-dimethylpropyl)phenol	80-46-6		
171	Perfluorohexane-1-sulphonic acid and its salts	Refer to Table AB on page 21.	CAS No. is not stated in the Candidate List, but stated in IEC62474.	

*1. This may be specified as containing prohibition substance, by each business unit of SII upon request from an SII customer. Please follow the instructions made by each business unit.

*3. This only applies to the exemptions for Lead /Lead Compounds and Hexavalent Chromium Compounds shown under Annex 5 on page 7. For other applications, the requirements under Cadmium/Cadmium Compounds and Lead/Lead Compounds and Hexavalent Chromium Compounds on Annex 5 must be satisfied.

*4. If it is contained in textile products (including textile parts), refer to the Table N on page 17.

*5. This is prohibited from being contained in fabric and leather products that might touch human skin .

Annex 6 List of Containing Avoidance Substances in Goods (continued)

(Substances for which containing in goods is to be avoided)

	CAS No.	Threshold Level	Remark	
Containing Avoidance	172	chrysene	218-01-9	*4 , *6
	173	benz[a]anthracene	56-55-3	*4 , *6
	174	cadmium nitrate	10325-94-7	*3 , *4
	175	cadmium hydroxide	21041-95-2	*3 , *4
	176	cadmium carbonate	513-78-0	*3 , *4
	177	1,6,7,8,9,14,15,16,17,17,18,18Dodecachloropentacyclo[12.2.1.1.0.0]octadeca-7,15-diene ("Dechlorane Plus" TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	13560-89-9 135821-74-8 135821-03-3	CAS No. is not stated in the Candidate List, but stated in IEC62474.
	178	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear	-	
	179	Octamethylcyclotetrasiloxane (D4)	556-67-2	
	180	Decamethylcyclopentasiloxane (D5)	541-02-6	
	181	Dodecamethylcyclohexasiloxane (D6)	540-97-6	
	182	Lead	7439-92-1	*3 , *4
	183	Disodium octaborate	12008-41-2	
	184	Benzo[ghi]perylene	191-24-2	
	185	Terphenyl hydrogenated	61788-32-7	
	186	Ethylenediamine (EDA)	107-15-3	
	187	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)	552-30-7	
	188	Dicyclohexyl phthalate (DCHP)	84-61-7	*1
	189	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	
	190	Benzo[k]fluoranthene	207-08-9	*4 , *6
	191	Fluoranthene	206-44-0	
	192	Phenanthrene	85-01-8	
	193	Pyrene	129-00-0	
	194	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one	15087-24-8	
195	2-methoxyethyl acetate	110-49-6		
196	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	3050-88-2 31631-13-7 106599-06-8	CAS No. is not stated in the Candidate List, but stated in IEC62474.	
197	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	-		
198	4-tert-butylphenol	98-54-4		

In the cases where concentration of contained substance exceeds 1000 ppm, using weight of each article composing supplies as denominator

- *1. This may be specified as containing prohibition substance, by each business unit of SII upon request from an SII customer. Please follow the instructions made by each business unit.
- *3. This only applies to the exemptions for Lead /Lead Compounds and Hexavalent Chromium Compounds shown under Annex 5 on page 7. For other applications, the requirements under Cadmium/Cadmium Compounds and Lead/Lead Compounds and Hexavalent Chromium Compounds on Annex 5 must be satisfied.
- *4. If it is contained in textile products (including textile parts), refer to the Table N on page 17.
- *5. This is prohibited from being contained in fabric and leather products that might touch human skin .
- *6. Substances that can potentially be in direct contact and frequently in short-term or long-term contact with human skin or oral cavities are prohibited.

Tables: Compound Details (Main Examples)

Table A: Asbestos (Containing Prohibition)

		CAS No.
1	Asbestos	1332-21-4
2	Amosite	12172-73-5
3	Crocidolite	12001-28-4
4	Actinolite	77536-66-4
5	Anthophyllite	77536-67-5
6	Chrysotile	12001-29-5
7	Tremolite	77536-68-6

Table B: Tri-substituted organostannic compounds (including Tributyl tin and Triphenyl tin)
(Containing Prohibition)

		CAS No.
1	Triphenyltin N, N'-dimethyldithiocarbamate	1803-12-9
2	Triphenyltin fluoride	379-52-2
3	Triphenyltin acetate	900-95-8
4	Triphenyltin chloride	639-58-7
5	Triphenyltin hydroxide	76-87-9
6	Triphenyltin fatty acid salts (C=9-11)	18380-71-7 18380-72-8 47672-31-1 94850-90-5
7	Triphenyltin chloroacetate	7094-94-2
8	Tributyltin methacrylate	2155-70-6
9	Bis (tributyltin) fumarate	6454-35-9
10	Tributyltin fluoride	1983-10-4 7304-48-5
11	Bis (tributyltin) 2, 3-dibromosuccinate	31732-71-5 56323-17-2
12	Tributyltin acetate	56-36-0
13	Tributyltin laurate	3090-36-6
14	Bis (tributyltin) phthalate	4782-29-0
15	Copolymer of alkyl(c=8) acrylate, methyl methacrylate and tributyltin methacrylate	67772-01-4
16	Tributyltin sulfamate	6517-25-5
17	Bis (tributyltin) maleate	14275-57-1
18	Tributyltin chloride	1461-22-9 7342-38-3
19	Tributyltin cyclopentane carbonate = mixture	85409-17-2
20	Tributyltin-1,2,3,4,4a,4b,5,6,10,10a-decahydro-7-isopropyl-1,4a-dimethyl-1-phenanthrenecarboxylatemix	26239-64-5
21	Tributyltin bromide	1461-23-0
22	Bis(tributan-1-ylstannyl) but-2-enedioate	24291-45-0

Table C: Polychlorinated naphthalene (1 or more chlorine) (Containing Prohibition)

		CAS No.
1	Naphthalene, chloro derivatives	70776-03-3
2	1-Chloronaphthalene	90-13-1
3	2-Chloronaphthalene	91-58-7
4	1,5-Dichloronaphthalene	1825-30-5
5	1,4-Dichloronaphthalene	1825-31-6
6	1,2-Dichloronaphthalene	2050-69-3
7	1,6-Dichloronaphthalene	2050-72-8
8	1,7-Dichloronaphthalene	2050-73-9
9	1,8-Dichloronaphthalene	2050-74-0
10	2,3-Dichloronaphthalene	2050-75-1
11	2,6-Dichloronaphthalene	2065-70-5
12	1,3-Dichloronaphthalene	2198-75-6
13	2,7-Dichloronaphthalene	2198-77-8
14	Chloronaphthalene	25586-43-0
15	Dichloronaphthalene	28699-88-9
16	Pentachloronaphthalene	1321-64-8
17	Trichloronaphthalene	1321-65-9
18	Hexachloronaphthalene	1335-87-1
19	Tetrachloronaphthalene	1335-88-2
20	1,2,3,4,5,6,7,8-Octachloronaphthalene	2234-13-1

Table C: Polychlorinated naphthalene (1 or more chlorine) (Containing Prohibition)

(continued)		CAS No.
21	1,4,6-Trichloronaphthalene	2437-54-9
22	1,4,5-Trichloronaphthalene	2437-55-0
23	1,4,5,8-Tetrachloronaphthalene	3432-57-3
24	1,2,4,8-Tetrachloronaphthalene	6529-87-9
25	1,2,4,5-Tetrachloronaphthalene	6733-54-6
26	1,2,3,6,7,8-Hexachloronaphthalene	17062-87-2
27	1,2,3,4-Tetrachloronaphthalene	20020-02-4
28	1,3,5,8-Tetrachloronaphthalene	31604-28-1
29	Heptachloronaphthalene	32241-08-0
30	2,3,6,7-Tetrachloronaphthalene	34588-40-4
31	1,2,4-Trichloronaphthalene	50402-51-2
32	1,2,3-Trichloronaphthalene	50402-52-3
33	1,3,5-Trichloronaphthalene	51570-43-5
34	1,2,6-Trichloronaphthalene	51570-44-6
35	1,2,4,6-Tetrachloronaphthalene	51570-45-7
36	1,2,3,5-Tetrachloronaphthalene	53555-63-8
37	1,3,5,7-Tetrachloronaphthalene	53555-64-9
38	1,2,3,5,7-Pentachloronaphthalene	53555-65-0
39	1,2,5-Trichloronaphthalene	55720-33-7
40	1,2,7-Trichloronaphthalene	55720-34-8
41	1,2,8-Trichloronaphthalene	55720-35-9
42	1,3,6-Trichloronaphthalene	55720-36-0
43	1,3,7-Trichloronaphthalene	55720-37-1
44	1,3,8-Trichloronaphthalene	55720-38-2
45	1,6,7-Trichloronaphthalene	55720-39-3
46	2,3,6-Trichloronaphthalene	55720-40-6
47	1,2,3,7-Tetrachloronaphthalene	55720-41-7
48	1,3,6,7-Tetrachloronaphthalene	55720-42-8
49	1,4,6,7-Tetrachloronaphthalene	55720-43-9
50	1,2,3,4,5,6,7-Heptachloronaphthalene	58863-14-2
51	1,2,3,4,5,6,8-Heptachloronaphthalene	58863-15-3
52	1,2,3,4,5,6-Hexachloronaphthalene	58877-88-6
53	1,2,4,7-Tetrachloronaphthalene	67922-21-8
54	1,2,5,6-Tetrachloronaphthalene	67922-22-9
55	1,2,5,7-Tetrachloronaphthalene	67922-23-0
56	1,2,6,8-Tetrachloronaphthalene	67922-24-1
57	1,2,3,4,5-Pentachloronaphthalene	67922-25-2
58	1,2,3,4,5,7-Hexachloronaphthalene	67922-27-4
59	1,2,4,5,6,8-Hexachloronaphthalene	90948-28-0
60	1,2,4,5,7,8-Hexachloronaphthalene	103426-92-2
61	1,2,3,4,5,8-Hexachloronaphthalene	103426-93-3
62	1,2,3,5,7,8-Hexachloronaphthalene	103426-94-4
63	1,2,3,5,6,8-Hexachloronaphthalene	103426-95-5
64	1,2,3,4,6,7-Hexachloronaphthalene	103426-96-6
65	1,2,3,5,6,7-Hexachloronaphthalene	103426-97-7
66	1,2,3,6-Tetrachloronaphthalene	149864-78-8
67	1,2,6,7-Tetrachloronaphthalene	149864-79-9
68	1,2,5,8-Tetrachloronaphthalene	149864-80-2
69	1,2,3,8-Tetrachloronaphthalene	149864-81-3
70	1,2,7,8-Tetrachloronaphthalene	149864-82-4
71	1,2,3,7,8-Pentachloronaphthalene	150205-21-3
72	1,3,6,8-Tetrachloronaphthalene	150224-15-0
73	1,2,3,6,7-Pentachloronaphthalene	150224-16-1
74	1,2,4,6,7-Pentachloronaphthalene	150224-17-2
75	1,2,3,5,6-Pentachloronaphthalene	150224-18-3
76	1,2,4,5,7-Pentachloronaphthalene	150224-19-4
77	1,2,4,5,6-Pentachloronaphthalene	150224-20-7
78	1,2,4,7,8-Pentachloronaphthalene	150224-21-8
79	1,2,4,6,8-Pentachloronaphthalene	150224-22-9
80	1,2,3,6,8-Pentachloronaphthalene	150224-23-0
81	1,2,3,5,8-Pentachloronaphthalene	150224-24-1
82	1,2,4,5,8-Pentachloronaphthalene	150224-25-2
83	Other polychlorinated naphthalenes	-

Table D: Polybromodiphenyl ethers (PBDE) (Containing Prohibition)

		CAS No.
1	Bromodiphenyl ether	101-55-3
2	Dibromodiphenyl ether	2050-47-7
3	Tribromodiphenyl ether	49690-94-0
4	Tetrabromodiphenyl ether	40088-47-9
5	Pentabromodiphenyl ether	32534-81-9
6	Hexabromodiphenyl ether	36483-60-0
7	Heptabromodiphenyl ether	68928-80-3
8	Octabromodiphenyl ether	32536-52-0
9	Nonabromodiphenyl ether	63936-56-1
10	Decabromodiphenyl ether	1163-19-5

Table E: Polybrominated biphenyls (PBB)(Containing Prohibition)

		CAS No.
1	Polybrominated Biphenyls	59536-65-1
2	DibromobiphenylX	92-86-4
3	2-Bromobiphenyl	2052-07-5
4	3-Bromobiphenyl	2113-57-7
5	4-Bromobiphenyl	92-66-0
6	Tribromobiphenyl	59080-34-1
7	Tetrabromobiphenyl	40088-45-7
8	Pentabromobiphenyl	56307-79-0
9	Hexabromobiphenyl	59080-40-9
10	Hexabromo-1,1-biphenyl	36355-01-8
11	Firemaster FF-1	67774-32-7
12	Heptabromobiphenyl	35194-78-6
13	Octabromobiphenyl	61288-13-9
14	Nonabromobiphenyl	27753-52-2
15	Decabromobiphenyl	13654-09-6

Table F: Azo Compounds(Containing Prohibition)

Amines from which azo compounds should not be generated due to chemical dissolution		CAS No.
1	<i>o</i> -anisidine	90-04-0
2	2-naphthylamine	91-59-8
3	3,3'-dichlorobenzidine	91-94-1
4	Biphenyl-4-ylamine	92-67-1
5	Benzidine	92-87-5
6	<i>o</i> -toluidine	95-53-4
7	4-chloro- <i>o</i> -toluidine	95-69-2
8	2,4-toluenediamine	95-80-7
9	<i>o</i> -aminoazotoluene	97-56-3
10	5-nitro- <i>o</i> -toluidine	99-55-8
11	4,4'-methylene-bis-(2-chloroaniline)	101-14-4
12	4,4'-methylenedianiline	101-77-9
13	4,4'-oxydianiline	101-80-4
14	<i>p</i> -chloroaniline	106-47-8
15	3,3'-dimethoxybenzidine	119-90-4
16	3,3'-dimethylbenzidine	119-93-7
17	2-methoxy-5-methylaniline	120-71-8
18	2,4,5-trimethylaniline	137-17-7
19	4,4'-thiodianiline	139-65-1
20	4-methoxy- <i>m</i> -phenylenediamine	615-05-4
21	4,4'-methylenedi- <i>o</i> -toluidine	838-88-0
22	4-amino azobenzene	60-09-3

Amine: Hydrogen atom of ammonia was substituted with hydrocarbon group.

Azo compounds: Has an atomic group of "-N=N-." The term "azo" means nitrogen.

Table G: Chlorinated paraffins (C10-13) (Containing Prohibition)

		CAS No.
1	Alkanes, C10-13, chloro	85535-84-8
2	Alkanes, C10-12, chloro	108171-26-2
3	Alkanes, C12-13, chloro	71011-12-6
4	Alkanes, chloro	61788-76-9
5	Other chlorinated paraffins	-

Table H: Perfluorooctane sulfonates (PFOS) (Containing Prohibition)		CAS No.
1	2-Propenoic acid, 2-methyl-, dodecyl ester, polymers with 2-[methyl]((perfluoro-C4-8-alkyl)-sulfonyl)aminoethyl acrylate and vinylidene chloride	306975-62-2
2	Glycine, N-ethyl-N-[(heptadecafluorooctyl)sulfonyl]-, potassium salt	2991-51-7
3	Perfluorooctane sulfonyl fluoride	307-35-7
4	Other perfluorooctane sulfonates	-

Table I: Dibutyltin Compounds (DBT) (Containing Prohibition)		CAS No.
1	Dibutyltin oxide	818-08-6
2	Dibutyltin diacetate	1067-33-0
3	Dibutyltin dilaurate	77-58-7
4	Dibutyltin maleate	78-04-6
5	Dibutyltin dichloride	683-18-1
6	Other dibutyltin compounds	-

Table J: Dioctyltin Compounds (DOT) (Containing Prohibition)		CAS No.
1	Dioctyltin Oxide	870-08-6
2	Dioctyltin dilaurate	3648-18-8
3	Dioctyltin dichloride	3542-36-7
4	Dioctyltin maleate	16091-18-2
5	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1
6	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	-
7	Other dioctyltin compounds	-

Table K: Hexabromocyclododecane(HBCDD) (Containing Prohibition)		CAS No.
1	Hexabromocyclododecane	25637-99-4
2	1,2,5,6,9,10-Hexabromocyclododecane	3194-55-6
3	rel-(1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane	134237-50-6
4	rel-(1R,2S,5R,6R,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane	134237-51-7
5	rel-(1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane	134237-52-8
6	rel-(1R,2S,5R,6S,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane	4736-49-6
7	rel-(1R,2S,5R,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane	65701-47-5
8	(1R,2R,5R,6S,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane	138257-17-7
9	(1R,2R,5R,6S,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane	138257-18-8
10	(1R,2S,5S,6R,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane	138257-19-9
11	(1R,2S,5S,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane	169102-57-2
12	(1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane	678970-15-5
13	(1R,2S,5R,6S,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane	678970-16-6
14	(1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane	678970-17-7

Table L: Polycyclic aromatic hydrocarbons(PAH) (Containing Prohibition)		CAS No.
1	Benzo[a]pyrene (BaP)	50-32-8
2	Benzo[e]pyrene (BeP)	192-97-2
3	Benzo[a]anthracene (BaA)	56-55-3
4	Chrysen (CHR)	218-01-9
5	Benzo[b]fluoranthene (BbFA)	205-99-2
6	Benzo[j]fluoranthene (BjFA)	205-82-3
7	Benzo[k]fluoranthene (BkFA)	207-08-9
8	Dibenzo[a,h]anthracene(DBAhA)	53-70-3

Table M: PFOA, PFOA-salts, PFOA-esters (Containing Prohibition)		CAS No.
1	Perfluorooctanoic acid	335-67-1
2	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
3	Sodium salt of Perfluorooctanoic acid	335-95-5
4	Potassium salt of Perfluorooctanoic acid	2395-00-8
5	Silver(1+) salt of Perfluorooctanoic acid	335-93-3
6	Perfluorooctanoyl fluoride	335-66-0
7	Methyl perfluorooctanoate	376-27-2
8	Ethyl perfluorooctanoate	3108-24-5

Table N CMR substances in textile products (Containing Prohibition)

		CAS No.	Threshold Level(Contents concentration in homogenous material)	Remark
1	Cadmium and its compounds (Listed under entries 28-30 to Appendices 1-6 in Annex XVII of REACH)	-	1 mg/kg (1ppm) (expressed as Cd metal that can be extracted from the material)	Heavy Metals
2	Chromium VI compounds (Listed under entries 28-30 to Appendices 1-6 in Annex XVII of REACH)	-	1 mg/kg (1ppm) (expressed as Cr VI that can be extracted from the material)	
3	Arsenic compounds (Listed under entries 28-30 to Appendices 1-6 in Annex XVII of REACH)	-	1 mg/kg (1ppm) (expressed as As metal that can be extracted from the material)	
4	Lead and its compounds (Listed under entries 28-30 to Appendices 1-6 in Annex XVII of REACH)	-	1 mg/kg (1ppm) (expressed as Pb metal that can be extracted from the material)	
5	Benzene	71-43-2	5 mg/kg(5ppm)	Benzene
6	Benz[a]anthracene	56-55-3	1 mg/kg (1ppm)	Polycyclic aromatic hydrocarbons(PAHs)
7	Benz[e]acephenanthrylene	205-99-2	1 mg/kg (1ppm)	
8	benzo[a]pyrene	50-32-8	1 mg/kg (1ppm)	
9	Benzo[e]pyrene	192-97-2	1 mg/kg (1ppm)	
10	Benzo[j]fluoranthene	205-82-3	1 mg/kg (1ppm)	
11	Benzo[k]fluoranthene	207-08-9	1 mg/kg (1ppm)	
12	Chrysene	218-01-9	1 mg/kg (1ppm)	
13	Dibenz[a,h]anthracene	53-70-3	1 mg/kg (1ppm)	
14	$\alpha, \alpha, \alpha, 4$ -tetrachlorotoluene; p-chlorobenzotrlichloride	5216-25-1	1 mg/kg (1ppm)	
15	α, α, α -trichlorotoluene; benzotrlichloride	98-07-7	1 mg/kg (1ppm)	
16	α -chlorotoluene; benzyl chloride	100-44-7	1 mg/kg (1ppm)	
17	Formaldehyde	50-00-0	75 mg/kg (75ppm)	Formaldehyde
18	1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, C 7-rich(DIHP)	71888-89-6	1000 mg/kg (1000ppm) (individually or in combination with other phthalates in this entry)	Phthalates
19	Bis(2-methoxyethyl) phthalate(DMEP)	117-82-8	1000 mg/kg (1000ppm) (individually or in combination with other phthalates in this entry)	
20	Diisopentylphthalate(DIPP)	605-50-5	1000 mg/kg (1000ppm) (individually or in combination with other phthalates in this entry)	
21	Di-n-pentyl phthalate (DPP)	131-18-0	1000 mg/kg (1000ppm) (individually or in combination with other phthalates in this entry)	
22	Di-n-hexyl phthalate (DnHP)	84-75-3	1000 mg/kg (1000ppm) (individually or in combination with other phthalates in this entry)	
23	N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone (NMP)	872-50-4	3000 mg/kg (3000ppm)	Solvents
24	N,N-dimethylacetamide (DMAC)	127-19-5	3000 mg/kg (3000ppm)	
25	N,N-dimethylformamide; dimethyl formamide (DMF)	68-12-2	3000 mg/kg (3000ppm)	
26	1,4,5,8-tetraaminoanthraquinone; C.I. Disperse Blue 1	2475-45-8	50 mg/kg (50ppm)	Dyestuff
27	Benzenamine, 4,4' -(4-iminocyclohexa- 2,5-dienylidenemethylene)dianiline hydrochloride; C.I. Basic Red 9	569-61-9	50 mg/kg (50ppm)	
28	[4-[4,4' -bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride; C.I. Basic Violet 3	548-62-9	50 mg/kg (50ppm)	
29	4-chloro-o-toluidinium chloride	3165-93-3	30 mg/kg (30ppm)	Others
30	2-Naphthylammoniumacetate	553-00-4	30 mg/kg (30ppm)	
31	4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	39156-41-7	30 mg/kg (30ppm)	
32	2,4,5-trimethylaniline hydrochloride	21436-97-5	30 mg/kg (30ppm)	
33	Quinoline	91-22-5	50 mg/kg (50ppm)	

Table O: Cadmium / Cadmium Compounds (Conditional Containing Prohibition)		CAS No.
1	Cadmium	7440-43-9
2	Cadmium oxide	1306-19-0
3	Cadmium sulfide	1306-23-6
4	Cadmium chloride	10108-64-2
5	Cadmium sulphate	10124-36-4 31119-53-6
6	Cadmium nitrate	10325-94-7
7	Cadmium nitrate tetrahydrate	10022-68-1
8	Cadmium stearate (cadmium soap)	2223-93-0
9	Cadmium fluoride	7790-79-6
10	Other cadmium compounds	-

Table P: Hexavalent Chromium Compounds (Conditional Containing Prohibition)		CAS No.
1	Sodium dichromate	10588-01-9
2	Potassium dichromate	7778-50-9
3	Chromium trioxide	1333-82-0
4	Lead (II) chromate	7758-97-6
5	Potassium chromate	7789-00-6
6	Calcium chromate	13765-19-0
7	Barium chromate	10294-40-3
8	Strontium chromate	7789-06-2
9	Zinc chromate	13530-65-9
10	Sodium chromate	7775-11-3
11	Lead chromate molybdate sulfate red (C.I. Pigment Red 104)	12656-85-8
12	C.I. Pigment Yellow 34	1344-37-2
13	Ammonium dichromate	7789-09-5
14	Pentazinc chromate octahydroxide	49663-84-5
15	Potassium zinc chromate hydroxide	11103-86-9
16	Dichromium tris(chromate)	24613-89-6
17	Acids generated from chromium trioxide and their oligomers: · Chromic acid · Dichromic acid · Oligomers of chromic acid and dichromic acid	7738-94-5 13530-68-2
18	Potassium chlorochromate	16037-50-6
19	Ammonium chromate	7788-98-9
20	Copper chromate	13548-42-0
21	Magnesium chromate	13423-61-5
22	Calcium dichromate	14307-33-6
23	Other hexavalent chromium compounds	-

Table Q: Lead/Lead Compounds (Conditional Containing Prohibition)		CAS No.
1	Lead	7439-92-1
2	Lead (II) carbonate	598-63-0
3	Lead (IV) oxide	1309-60-0
4	Lead (II,IV) oxide	1314-41-6
5	Lead (II) sulfide	1314-87-0
6	Lead (II) oxide	1317-36-8
7	Lead (II) carbonate basic	1319-46-6
8	Lead hydroxide carbonate	1344-36-1
9	Lead (II) sulfate	7446-14-2
10	Lead (II) phosphate	7446-27-7
11	Lead (II) chromate	7758-97-6
12	Lead titanium trioxide	12060-00-3
13	Lead sulfate, sulphuric acid, lead salt	15739-80-7
14	Lead difluoride	7783-46-2
15	Lead dichloride	7758-95-4
16	Lead(II) acetate	301-04-2
17	Lead (II) acetate, trihydrate	6080-56-4
18	Lead selenide	12069-00-0
19	Lead sulphate, tribasic	12202-17-4
20	Lead stearate	1072-35-1
21	Lead hydrogen arsenate	7784-40-9
22	Lead chromate molybdate sulfate red (C.I. Pigment Red 104)	12656-85-8
23	C.I. Pigment Yellow 34	1344-37-2
24	Trilead diarsenate	3687-31-8
25	Lead diazide	13424-46-9
26	Lead 2,4,6-trinitro-m-phenylene dioxide	15245-44-0
27	Lead dipicrate	6477-64-1
28	Lead(II) dimethanesulfonate	17570-76-2
29	Other lead compounds	-

Table R: Mercury/Mercury Compounds (Conditional Containing Prohibition)		CAS No.
1	Mercury	7439-97-6
2	Mercury(II) chloride	7487-94-7
3	Mercury(II) oxide	21908-53-2
4	Diethylmercury	627-44-1
5	Phenylmercury chloride	100-56-1
6	Mercuric sulfate	7783-35-9
7	Mercuric nitrate	10045-94-0
8	Mercuric sulfide	1344-48-5
9	Mercuric chloride	33631-63-9
10	Dimercury sulphate	7783-36-0
11	Mercury difulminate	628-86-4
12	Mercury diacetate	1600-27-7
13	Other mercury compounds	-

Table S: Arsenic / Arsenic Compounds (Containing Avoidance)		CAS No.
1	Arsenic	7440-38-2
2	Gallium arsenide	1303-00-0
3	Calcium arsenite	27152-57-4
4	Potassium arsenite	10124-50-2
5	Potassium arsenate	7784-41-0
6	Other arsenate compounds	-

Table T: Beryllium /Beryllium Compounds (Containing Avoidance)		CAS No.
1	Beryllium	7440-41-7
2	Beryllium-aluminum alloy	12770-50-2
3	Beryllium chloride	7787-47-5
4	Beryllium fluoride	7787-49-7
5	Beryllium hydroxide	13327-32-7
6	Beryllium oxide	1304-56-9
7	Beryllium phosphate	13598-15-7
8	Beryllium sulfate	13510-49-1
9	Beryllium sulfate tetrahydrate	7787-56-6
10	Beryl ore	1302-52-9
11	Beryllium copper	11108-64-8
12	Other beryllium compounds	-

Table U: Nickel / Nickel Compounds (Containing Avoidance)		CAS No.
1	Nickel	7440-02-0
2	Nickel carbonyl	13463-39-3
3	Nickel oxide	1313-99-1
4	Nickelous carbonate	3333-67-3
5	Nickel sulfate	7786-81-4
6	Nickel sulfide	12035-72-2
7	Nickel (II) chloride	7718-54-9
8	Nickel (II) chloride, hexahydrate	7791-20-0
9	Nickel(II) sulfate, hexahydrate	10101-97-0
10	Nickel(II) sulfate, heptahydrate	10101-98-1
11	Antimony nickel titanium oxide yellow (C.I. Pigment Yellow 53)	8007-18-9
12	Nickel niobium titanium yellow rutile (C.I. Pigment Yellow 161)	68611-43-8
13	Cobalt titanate green spinel (C.I. Pigment Green 50)	68186-85-6
14	Other nickel compounds	-

Table V: Phthalates (Containing Avoidance)		CAS No.
1	Diisononyl phthalate (DINP)	28553-12-0 68515-48-0
2	1,2-Benzenedicarboxylic acid diisodecyl ester (DIDP)	26761-40-0 68515-49-1
3	Di-n-octyl phthalate (DNOP)	117-84-0
4	Diisooctyl phthalate(DIOP)	27554-26-3

TableW: Radioactive substances (Containing Avoidance)		CAS No.
1	Uranium-238	7440-61-1
2	Radon	10043-92-2
3	Americium-241	14596-10-2
4	Thorium-232	7440-29-1
5	Cesium-137	10045-97-3
6	Strontium-90	10098-97-2

Table X: Brominated flame retardants (except PBB,PBDE and HBCDD)

(Containing Avoidance)		CAS No.
1	Poly (2, 6-dibromo-phenylene oxide)	69882-11-7
2	Tetra-decabromo-diphenoxy-benzene	58965-66-5
3	1, 2-Bis (2, 4, 6-tribromo-phenoxy) ethane	37853-59-1
4	3, 5, 3', 5'-Tetrabromo-bisphenol A (TBBA)	79-94-7
5	TBBA, unspecified	30496-13-0
6	TBBA-epichlorhydrin oligomer	40039-93-8
7	TBBA-TBBA-diglycidyl-ether oligomer	70682-74-5
8	TBBA carbonate oligomer	28906-13-0
9	TBBA carbonate oligomer, phenoxy end capped	94334-64-2
10	TBBA carbonate oligomer, 2, 4, 6-tribromo-phenol terminated	71342-77-3
11	TBBA-(2, 3-dibromo-propyl-ether)	21850-44-2
12	TBBA bis-(2-hydroxy-ethyl-ether)	4162-45-2
13	TBBA-bis-(allyl-ether)	25327-89-3
14	TBBA-dimethyl-ether	37853-61-5
15	Tetrabromo-bisphenol S	39635-79-5
16	TBBS-bis-(2, 3-dibromo-propyl-ether)	42757-55-1
17	2, 4-Dibromo-phenol	615-58-7
18	2, 4, 6-tribromo-phenol	118-79-6
19	Pentabromo-phenol	608-71-9
20	2, 4, 6-Tribromo-phenyl-allyl-ether	3278-89-5
21	Tribromo-phenyl-allyl-ether, unspecified	26762-91-4
22	Tetrabromo-chyclo-octane	31454-48-5
23	1, 2-Dibromo-4-(1, 2 dibromo-ethyl)-cyclo-hexane	3322-93-8
24	Tetrabromo phthalic-anhydride	632-79-1
25	1, 3-Butadiene homopolymer, brominated	68441-46-3
26	2-Hydroxy-propyl-2-(2-hydroxy-ethoxy)-ethyl-TBP	20566-35-2
27	2, 3-Dibromo-2-butene-1, 4-diol	3234-02-4
28	Dibromo-neopentyl-glycol	3296-90-0
29	Dibromo-propanol	96-13-9
30	Tribromo-neopentyl-alcohol	36483-57-5
31	Poly tribromo-styrene	57137-10-7
32	Tibromo-styrene	61368-34-1
33	Poly-dibromo-styrene	31780-26-4
34	Bromo-/Chloro-paraffins	68955-41-9
35	Bromo-/Chloro-alpha-olefin	82600-56-4
36	Vinylbromide	593-60-2
37	Tris-(2, 3-dibromo-propyl)-isocyanurate	52434-90-9
38	Tris (2, 4-Dibromo-phenyl) phosphate	49690-63-3
39	Tris (tribromo-neopentyl) phosphate	19186-97-1
40	Pentabromo-toluene	87-83-2
41	Pentabromo-benzyl bromide	38521-51-6
42	Pentabromo-benzyl-acrylate, monomer	59447-55-1
43	Pentabromo-benzyl-acrylate, polymer	59447-57-3
44	TBBA-bisphenol A-phosgene polymer	32844-27-2
45	Brominated epoxy resin end-capped with tribromophenol	139638-58-7
46	Bis (methyl) tetrabromo-phtalate	55481-60-2
47	Bis (2-ethylhexyl) tetrabromo-phtalate	26040-51-7
48	TBPA, glycol-and propylene-oxide esters	75790-69-1
49	N, N'-Ethylene-bis-(tetrabromo-phthalimide)	32588-76-4
50	Ethylene-bis(5,6-dibromo-norbornane-2,3-dicarboximide)	52907-07-0
51	Chlorinated and brominated phosphate ester	125997-20-8
52	Tribromo-bisphenyl-maleinimide	59789-51-4
53	TBPA Na salt	25357-79-3
54	Decabromo-diphenyl-ethane	84852-53-9
55	Dibromo-styrene grafted PP	171091-06-8
56	Octabromo-1,1,3-trimethyl-1-phenylindane (FR-1808)	155613-93-7
57	Brominated epoxy resin end-capped with tribromophenol	135229-48-0
58	Other brominated flame retardants	-

Table Y: Chlorinated Flame Retardants (Excluding Short-chain chlorinated paraffins)

(Containing Avoidance)		CAS No.
1	Tetrakis(2-chloroethyl)dichloroisopentyldiphosphate	38051-10-4
2	Tris(2,3-dichloro-1-propyl)phosphate	66108-37-0
3	Other chlorinated flame retardants	-

Table Z: Perchlorates (Containing Avoidance)

		CAS No.
1	Lithium Perchlorate	7791-03-9
2	Ammonium perchlorate	7790-98-9
3	Barium perchlorate	13465-95-7
4	Lead perchlorate	13637-76-8
5	Magnesium Perchlorate	10034-81-8
6	Perchloric acid, cobalt (2+) salt	13455-31-7
7	Perchloric acid, mercury(2+) salt	7616-83-3
8	Perchloric acid, nickel(2+) salt, hexahydrate	13520-61-1
9	Nickel perchlorate	13637-71-3
10	Potassium Perchlorate	7778-74-7
11	Sodium Perchlorate	7601-89-0
12	Thallium(3+) perchlorate	15596-83-5
13	Other perchlorates	-

Table AA 4-Nonylphenol, branched and linear, ethoxylated (Containing Avoidance)

		CAS No.
1	Poly(oxy-1,2-ethanediyl), α -(4-nonylphenyl)- ω -hydroxy-	26027-38-3
2	Ethanol, 2-[2-[2-[2-(4-nonylphenoxy)ethoxy]ethoxy]ethoxy]-	7311-27-5
3	Ethanol, 2-[2-(4-nonylphenoxy)ethoxy]-	20427-84-3
4	3,6,9,12,15-Pentaoxaheptadecan-1-ol, 17-(4-nonylphenoxy)-	34166-38-6
5	3,6,9,12,15,18-Hexaoxaicosan-1-ol, 20-(4-nonylphenoxy)-	27942-27-4
6	3,6,9,12,15,18,21,24-Octaoxahexacosan-1-ol, 26-(4-nonylphenoxy)-	14409-72-4
7	Ethanol, 2-(4-nonylphenoxy)-	104-35-8
8	Isononylphenol ethoxylate	37205-87-1
9	Poly(oxy-1,2-ethanediyl), α -(4-nonylphenyl)- ω -hydroxy-, branched	127087-87-0
10	4-tert-Nonylphenol diethoxylate	156609-10-8
11	Other 4-Nonylphenol, branched and linear, ethoxylated	-

Table AB Perfluorohexane-1-sulphonic acid and its salts (Containing Avoidance)

		CAS No.
1	Perfluorohexane-1-sulphonic acid	355-46-4
2	Ammonium perfluorohexane-1-sulphonate	68259-08-5
3	Potassium perfluorohexane-1-sulphonate	3871-99-6
4	Sodium perfluorohexane-1-sulphonate	2923-26-4
5	Other perfluorohexane-1-sulphonic acid and its salts	-

Applicable Standards and Applications of Restricted Chemical Substances

		(A) Ozone Layer Protection Law	(B) Global Warming Prevention Law	(C) Volatile Organic Compounds	(D) EU Directives	
Use Prohibition Substances						End Use Applications
1	1,1,1-trichloroethane	UP			○	Detergents, solvents
2	CFC group	UP				Washing agents, coolants, forming agents
3	HBFC group	UP				Extinguishants
4	Halon group	UP				Extinguishants, washing agents
5	Bromochloromethane	UP				Solvents, Extinguishants
6	Tetrachloroethylene			○		Solvents
7	Benzene			○	○	Solvents, washing agents
8	Pentachloroethane				○	Solvents, washing agents
9	1,1,1,2-tetrachloroethane				○	Solvents
10	Hexachloroethylene				○	Solvents
11	Methyl bromide	○				Soil fumigants
12	Carbon tetrachloride	UP				Solvents, washing agents
13	1,1,2,2-tetrachloroethane				○	Solvents, washing agents
14	1,1,2-trichloroethane			○	○	Solvents
15	1,1-dichloroethylene			○	○	Solvents

		(A)	(B)	(C)	(D)	End Use Applications
Use Avoidance Substances						
1	1,2-dichloroethane			○		Solvents, washing agents
2	1,2-dichloroethylene			○		Solvents, washing agents
3	1,3-dichloropropene			○		Soil fumigants
4	HCFC group	○				Washing agents
5	HFC group		○			Washing agents, coolants
6	PFC group		○			Washing agents, coolants
7	Dichloromethane			○		Solvents, washing agents
8	Cis-1,2-dichloroethylene			○		Solvents, washing agents
9	Trichloroethylene			○	○	Washing agents
10	Nitrous oxide		○			Anaesthetics for medical treatments
11	Sulfur hexafluoride		○			Etching gas, insulated gas
12	Chloroform			○	○	Solvents, anaesthetics

- (A) Ozone Layer Protection Law UP: Relevant to II of Annexes A, B and C attached to the Montreal Protocol
 ○: Relevant to I of Annex C and I of Annex E attached to the Montreal Protocol
- (B) Global Warming Prevention Law ○: Appropriate substances
- (C) Volatile Organic Compounds ○: Relevant to volatile organic compounds which might cause soil pollution (SII Standards)
- (D) EU Regulations ○: Relevant to REACH Regulation or RoHS Directives

Supplementary Explanation

- Ozone Layer Protection Law:** Sets forth measures including production control, emission restraint and use rationalization of specified ozone depleting substances. Production of specific fluorine and halon is prohibited; HCFC will also be prohibited step by step.
- Global Warming Prevention Law:** Restricts emissions of greenhouse gases, such as CO₂ and PFC for global warming prevention.
- Occupational Safety and Health Law:** Sets forth measures for workers to ensure their safety and health and build up their comfortable working environment. It also lays down chemical substances whose manufacture should be prohibited or allowed and whose indication should be imposed.
- Chemical Substances Examination and Manufacture Restriction Law:** Prevents contamination of the environment by chemical substances that might damage health. Manufacture and import of new chemical substances should be examined for their decomposition level under this law and use restraint rules should be set forth in this law.
- Special Chemical Substances Regulations:** Rules defined in the Occupational Safety and Health Law to prevent workers' health disturbance, such as dermatitis and neuropathy. Confirmation of toxicity of substances to be used, measures for improvement of related facilities to minimize the term and the extent of exposure to chemical substances are set forth herein.
- Pollutant Release Transfer Registers (PRTR) Law:** Sets forth rules and regulations to confirm and report emissions of substances into the air and submit material safety data sheet information with the aim of promoting voluntary control of chemical substances and preventing environmental conservation-related issues.
- EU Regulations**
REACH Regulation This regulation pertains to the registration, evaluation, approval, and restriction of chemical substances. This regulation restricts the sale and use of chemical substances that are carcinogenic, mutagenic, or otherwise harmful, and the regulation also requires that information be submitted for any article containing more than 1,000 ppm of an SVHC (substance of very high concern).
- RoHS (2011/65/EU):** Specifies containing prohibition instructions of toxic substances in electric and electronic products. Specific hazardous chemical substances (lead, mercury, cadmium, hexavalent chromium, polybrominate biphenyls (PBB), and polybrominated diphenyl ethers (PBDE), DEHP, DBP, BBP, DIBP)

	(A) Occupational Safety and Health Law	(B) Chemical Substances Examination and Manufacture Regulations	(C) Special Chemical Substances Regulations	(D) PRTR Law	(E) EU Directives	End Use Applications
Containing Prohibition Substances						
1	4-nitrobiphenyl and its salt	MP		1		Synthetic intermediates
2	DDT		1			Antiseptics, fungicides, paints
3	Asbestos			2	S1	Adiabators, insulators, bulking agents
4	Aldrin (HCB)		1			Antiseptics, fungicides, paints
5	Endrin		1			Antiseptics, fungicides, paints
6	Chlordane		1			Adhesives, paints
7	Dieldrin		1			Antiseptics, fungicides, paints
8	Bis(chloromethyl) ether	MP				Insecticides
9	Tributyl tin oxide (TBTO)		1			Antiseptics, paints, pigments
10	Tri-substituted organostannic compounds (including Tributyl tin and Triphenyl tin)				○	Fungicides, antiseptics, paints, pigments
11	Hexachloro benzene (HCB)		1			Disinfectants, antirust
12	Polychlorinated naphthalene (1 or more chlorine)		1		○	Lubricants, paints
13	Polychlorobiphenyls (PCB)		1		○	Insulation oil, lubricants
14	Polychlorinated terphenyls (PCT)				○	Insulation oil, lubricants
15	Polybrominated diphenylethers group (PBDE)				○	Fire retardant
16	Polybrominated biphenyls group (PBB)				○	Fire retardant
17	Azo compounds					Pigments, dyes
18	2,4,6-Tri-tert-butylphenol		1			Antioxidants
19	N,N'-ditolyl-p-phenylenediamine N-toly-N'-xylyl-p-phenylenediamine N,N'-dixyl-p-phenylenediamine		1			Antioxidants, lubricants
20	Chlorinated paraffins (C10-13)		1		○	Plasticizer, fire retardant
21	Mirex		1			Fire retardant
22	Yellow phosphor	MP				Lucifer
23	Toxaphene		1			Insecticide
24	Monomethyl-dichloro-diphenyl methane (DBBT)				○	Insulation oil, lubricants
25	Di-u-oxo-di-n-butyl-stanniohydroxyborane (DBB)				○	Insulation oil, lubricants
26	Monomethyl-tetrahalorodiphenyl-methane				○	Insulation oil, lubricants
27	Monomethyl-dichloro-diphenyl-methane				○	Insulation oil, lubricants
28	Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylethyl)- (UV-320)		1			Ultraviolet rays inhibitor
29	Perfluorooctane sulfonates (PFOS)		1		○	surface-active agent, paints
30	Dimethyl fumarate (DMF)				○	Insecticide, fungicides
31	Cobalt dichloride				○	Water indicator in desiccants
32	Formaldehyde			1		Antiseptics,
33	Dibutyltin (DBT) compounds				○	PVC stabilizer and catalysts for curing silicone
34	Diocetyl tin (DOT) compounds				○	resins and polyurethane resins.
35	Tris(2,3-dibromopropyl)phosphate (TRIS)				○	Fire retardant
36	Tris (1-aziridinyl) phosphine oxide (TEPA)				○	Fire retardant
37	Hexabromocyclododecane (HBCDD)				○	Fire retardant
38	Polycyclic aromatic hydrocarbons (PAH)				○	Antiseptics, lubricants
39	Tris(2-chloroethyl)phosphate (TCEP) *1				○	Fire retardant, lubricants
40	Tris(1-chloro-2-propyl)phosphate (TCPP) *1					Fire retardant
41	Tris(1,3-dichloro-2-propyl)phosphate (TDCPP) *1					Fire retardant
42	PFOA, PFOA-salts, PFOA-esters				○	surface-active agent, paints
43	4,4'-isopropylidenediphenol (bisphenol A:BPA)			1	○	Epoxy resin curing agents, thermal paper
44	Pentachlorophenol and its salts and esters		1	2	1	Insecticide, pesticides
45	CMR substances in textile products				○	Preservatives, pigments, plasticizers

*1 United States, Vermont State, Act 85

- (A) Occupational Safety and Health Law
MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
○: Relevant to REACH Regulation or RoHS Directives

	(A) Occupational Safety and Health Law	(B) Examination Law	(C) Regulation Chemical Substance	(D) PRTR Law	(E) EU Directives	End Use Applications
1			2	S1	○	Pigments, stabilizers, contact materials
2				S1	○	Pigments, ink
3			2	1	○	Electrodes
4				1	○	Pigments, stabilizers, rubber stiffening agents
5				1	○	PVC plasticizer
6				1	○	Plasticizer
7				1	○	Plasticizer
8					○	Plasticizer
9						Cable coating, plastic resins

*3 Polyvinyl chloride is a substance that has been independently classified by SII into conditional containing prohibition.

	(A)	(B)	(C)	(D)	(E)	End Use Applications
1			2	S1	○	Semiconductors, catalysts, pigments
2	MA		1	S1		Ceramic materials, catalysts
3				1		Pigments, paints
4				1		Plasticizer, pigments, paints
5						Optical characteristic
6					○	Fire retardant
7						Fire retardant
8						Fire retardant
9						Lithium primary batteries
10				S1	○	Material of crude carbon black, insecticides, wood preservatives, pesticides, plant growth regulators
11					○	Epoxy resin curing agents, adhesive curing agents
12					○	Water indicator in desiccants, ammonia gas absorbent, gas masks
13					○	Dye, metallurgy, industrial special glass, wood preservatives
14					○	Glass and enamel bleaching, special glass cleaner and
15				S1	○	Used to produce chromium compounds (chromium sulfate) and inorganic chromium acid pigment
16					○	Fragrance
17				1	○	Pesticides, chemical weapons, wood preservatives
18					○	Pesticides, wood preservatives
19					○	Antiseptic, waterproof material. Used to produce other substances such as anthracene and carbon black
20					○	Antiseptic, waterproof material. Used to produce other substances such as anthracene and carbon black
21					○	Antiseptic, waterproof material. Used to produce other substances such as anthracene and carbon black
22					○	Antiseptic, waterproof material. Used to produce other substances such as anthracene and carbon black
23					○	Antiseptic, waterproof material. Used to produce other substances such as anthracene and carbon black
24					○	Electrode, molding material for carbon products, insulation filler, binder for briquette
25					○	Substitute materials of the asbestos such as insulation
26					○	Substitute materials of the asbestos such as insulation materials
27					○	Dye, used to produce toluene diisocyanate which is a raw material of plasticized polyurethane foamed material
28				1	○	Pigment, bleach
29				1	○	Additive plasticizers and viscosity regulator which provide flameproofness to acrylic resin, polyurethane, polyvinyl chloride and other polymer, lubricant additives
30				1	○	Raw material for synthetic resin paints, inks, rubber
31					○	Paper strengthening agents, fiber processing agents, processing agents for increasing adhesiveness, acrylamide thermosetting paint synthesis materials, coagulants, and soil improving agents
32					○	Metal part cleaning and removal, solvents in adhesives, etc.
33					○	Pesticides, personal care products, food additives, glass, ceramic, rubber, flame retardants, etc.
34					○	Glass, glass fiber, ceramic, detergents, cleaners, personal care
35					○	products, industrial fluids, adhesives, etc.

* Perchlorate is regulated by the California DTSC (Department of Toxic Substances Control).

- (A) Occupational Safety and Health Law
MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
○: Relevant to REACH Regulation or RoHS Directives

**Containing Avoidance Substances
(continued)**

	(A) Occupational Safety and Health Law	(B) Examination Law Substance Chemical	(C) Special Chemical Substance Regulation	(D) PRTR Law Special Chemical	(E) EU Directives	End Use Applications
36				S1	○	Laboratories (chemical reagents) and other chrome compound manufacturing
37				S1	○	Leather product tanning, metal processing and coating, pigment/ink manufacturing, etc.
38				S1	○	Leather product tanning, oxidants, photo sensitive screen (CRT) manufacturing, etc.
39				S1	○	Leather tanning, metal processing and coating, and
40					○	Surface treatment agents, anticorrosives, pigments
41					○	Surface treatment agents, catalysts
42					○	Adhesives, pigments
43					○	Surface treatment agents, dyes, rubber adhesion
44					○	Solvents, fuel additive
45					○	Solvents
46				S1	○	Metal surface treating agents, antiseptics
47				S1	○	Acids generated from chromium trioxide and their oligomers: • Chromic acid • Dichromic acid • Oligomers of chromic acid and dichromic acid Metal surface treating agents, antiseptics
48					○	Solvents
49					○	Anticorrosives
50					○	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) PVC plasticizers
51					○	Hydrazine Fire retardant,
52					○	1-methyl-2-pyrrolidone Solvents for paint dried at high temperature and washing agents
53					○	1,2,3-trichloropropane Intermediates for insecticides and intermediates for chlorinated solvents
54					○	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) PVC plasticizers, bulking agents, and ink plasticizers
55				S1	○	Dichromium tris(chromate) Metal surface treatment chemical
56				S1	○	Potassium hydroxy-octaoxidizincatedichromate Coating films and sealants
57				S1	○	Pentazinc chromate octahydroxide Coating films and paints
58					○	Formaldehyde, oligomeric reaction products with aniline (technical MDA) Epoxy resin curing agents
59					○	Bis(2-methoxyethyl) phthalate (DMEP) Plasticizers for paint and varnish
60					○	2-Methoxyaniline; o-Anisidine Colored paper and dye
61					○	4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol) Mainly used in the manufacture of polymer preparations and of ethoxylates.
62					○	1,2-Dichloroethane Solvents
63					○	Bis(2-methoxyethyl) ether Solvents for chemical reaction and battery electrolytes
64					○	Arsenic acid Fining agents to disperse air bubbles in glass
65					○	Calcium arsenate Chemical for separation of nickel from molten copper
66				1	○	Trilead diarsenate Product from refining and smelting of non-ferrous metals
67					○	N,N-dimethylacetamide (DMAC) Solvents, paints, and ink remover
68					○	4,4'-methylene-bis-(2-chloroaniline) Curing agents for polyurethane resins
69					○	Phenolphthalein Indicator in medical use and pH indicator
70				1	○	Lead azide Lead diazide Detonator
71				1	○	Lead styphnate Explosive and detonator
72				1	○	Lead dipicrate Detonator
73					○	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) Solvents and auxiliary agents in processing
74					○	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) Solvents and electrolytes for lithium ion battery
75					○	Diboron trioxide Glass, ceramics, and fire retardant
76					○	Formamide Solvents, reagents, and plasticizers
77				1	○	Lead(II) bis(methanesulfonate) Chemicals for plating of electronic parts
78					○	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) Resin curing agents and ink for printed-circuit board
79					○	β-TGIC (1,3,5-tris [(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) Resin curing agents and ink for printed-circuit board
80					○	4,4'-bis(dimethylamino) benzophenone (Michler's ketone) Dyes, pigments
81					○	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) Dyes
82					○	C.I., Basic Violet 3 Chemicals for dyeing of paper and ink for jet printing and ballpoint pen

- (A) Occupational Safety and Health Law
MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
○: Relevant to REACH Regulation or RoHS Directives

**Containing Avoidance Substances
(continued)**

	(A) Occupational Safety and Health Law	(B) Examination Law Substance Regulation	(C) Special Chemical Substance Regulation	(D) PRTR Law	(E) EU Directives	End Use Applications
83					○	Chemicals for dyeing of paper, packaging material, and fabric and coloring of resin
84					○	Dyes, inks
85					○	Dyes, inks
86					○	Production of the fluoric resin and additive,surfactant
87					○	Production of the fluoric resin and additive,surfactant
88					○	Production of the fluoric resin and additive,surfactant
89					○	Production of the fluoric resin and additive,surfactant
90					○	Water paint
91					○	Antioxidants,plasticizer,paints,printing ink
92					○	Synthetic resin rubber blowing agent, bleach catalysts, cement fillers, colorants, bleach photo
93					○	Plasticizer for the thermoplastic resin, curing agent for epoxy resins, insecticides, anticorrosives
94					○	Plasticizer for the thermoplastic resin, curing agent for epoxy resins, insecticides, anticorrosives
95					○	Synthetic intermediates,anticorrosives
96					○	Laboratories (chemical reagents)
97					○	PVC plasticizers,pesticides
98					○	Plasticizer
99					○	Paint solvent,inks
100					○	Solvents, washing agents
101					○	Rubber additive,pvc stabilizers
102				1	○	Anticorrosive pigment
103				1	○	Pigments, paints,pvc stabilizers
104				1	○	Battery electrode materials,phosphor
105				1	○	PVC stabilizers
106				1	○	PVC stabilizers
107				1	○	PVC stabilizers
108				1	○	Solder plating, alloy plating, electroplating electrolyte
109				1	○	Anticorrosive pigment
110				1	○	Pigments
111				1	○	PVC stabilizers,optical glass, pigments, paints, storage battery plates, vulcanization accelerator, pottery, enamel, glass general
112				1	○	Paints, optical glass, general glass, ceramics, enamel, battery, pigments, rubber, pharmaceutical, plastics, electronic materials
113				1	○	Electronic ceramic material
114				1	○	Electronic ceramic material,Piezoelectric devices,Piezoelectric buzzers
115				1	○	PVC stabilizers
116				1	○	Pigments
117					○	Lamp fluorescent material
118				1	○	Glass materials
119				1	○	PVC stabilizers
120				1	○	Gasoline additive
121				1	○	Battery electrode material, PVC stabilizer
122				1	○	PVC stabilizer

- (A) Occupational Safety and Health Law
MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
○: Relevant to REACH Regulation or RoHS Directives

**Containing Avoidance Substances
(continued)**

	(A) Occupational Safety and Health Law	(B) Examination Law Chemical Substance Regulation	(C) Special Chemical Substance Regulation	(D) PRTR Law	(E) EU Directives	End Use Applications
123					<input type="radio"/>	Solvent
124					<input type="radio"/>	Pigments, pharmaceuticals, fungicides
125					<input type="radio"/>	Dyes, pharmaceuticals, agrochemicals, fine chemicals
126					<input type="radio"/>	Manufacture of dyes and methylcellulose, stabilizer
127					<input type="radio"/>	-
128					<input type="radio"/>	Polymer material
129					<input type="radio"/>	Curing agent for epoxy resin and urethane resin
130					<input type="radio"/>	Polyimide, polyamide imide, polyamide material. Cross-linking agent and polymer stock epoxy, urethane
131					<input type="radio"/>	Dye, reagent
132					<input type="radio"/>	Polyurethane resin raw materials, dye intermediates
133					<input type="radio"/>	Dye intermediate
134					<input type="radio"/>	Dyes, pesticide intermediate
135					<input type="radio"/>	Dyes, pharmaceutical intermediates
136					<input type="radio"/>	Reagent, dye intermediate
137					<input type="radio"/>	Solvent, organic synthetic raw material
138					<input type="radio"/>	Pharmaceuticals, pesticide intermediates, cleaning solvent
139			2	S1	<input type="radio"/>	Ni-Cd batteries, pigments, plating, stabilizers, alloys
140			2	S1	<input type="radio"/>	Ni-Cd batteries, plating, alloys
141					<input type="radio"/>	Plasticizer
142					<input type="radio"/>	Paints, Emulsifier
143			2	S1	<input type="radio"/>	Pigments
144					<input type="radio"/>	Plasticizer
145					<input type="radio"/>	Dye for e.g. textile and paper
146					<input type="radio"/>	Dye leather, plastics, vegetable-ivory buttons and wood flour used as a resin filler; produce aqueous inks
147					<input type="radio"/>	Vulcanisation agent
148				1	<input type="radio"/>	Paints, waterproof material
149					<input type="radio"/>	Fire-resistant hydraulic oil material
150					<input type="radio"/>	Plasticizer, Jointing agents
151			2	S1	<input type="radio"/>	Electroplating, component for production of photovoltaic modules
152					<input type="radio"/>	Bleaching agent in laundry detergent and machine dishwashing products
153					<input type="radio"/>	
154					<input type="radio"/>	UV-stabilisers
155					<input type="radio"/>	Heat stabiliser in the production of rigid and to a minor extent of plasticised PVC.
156				S1	<input type="radio"/>	Electric brushes, high-temperature dry-film lubricant, optical applications, and as starting material for crystals for laser. Cadmium fluoride was used as an active component in fluxes for soldering of aluminium and its alloys.
157				S1	<input type="radio"/>	Intermediate for industrial production of inorganic cadmium compounds. Metal surface coating.
158					<input type="radio"/>	The production of PVC as heat stabiliser.

- (A) Occupational Safety and Health Law
MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
O: Relevant to REACH Regulation or RoHS Directives

**Containing Avoidance Substances
(continued)**

		(A) Occupational Safety and Health Law	(B) Examination Law Chemical Substance Regulation	(C) Special Chemical Substance Regulations	(D) PRTR Law	(E) EU Directives	End Use Applications
159	1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5, CAS No.84-75-3)					○	Adhesives, plasticizer, lubricants
160	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]					○	Fragrance ingredient
161	1,3-propanesultone					○	Solvents and electrolytes for lithium ion battery, raw material for synthetic resin and fiber, paint
162	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)					○	UV-protection agents in coatings, plastics, rubber, polyurethanes and cosmetics
163	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)					○	UV-protection agents in coatings, plastics, rubber, polyurethanes and cosmetics
164	Nitrobenzene				1	○	Production of chemicals and intermediate for further chemical processing
165	Perfluorononan-1-oic acid and its sodium and ammonium salts					○	a processing aid for fluoropolymer manufacture, and also as a lubricating oil additive, surfactant for fire extinguishers, cleaning agent, textile antifouling finishing agent, polishing surfactant, waterproofing agents and in liquid crystal display panels
166	Benzo[def]chrysene (Benzo[a]pyrene)					○	Formulation / end use of adhesives, paints, waterproofing materials
167	4,4'-isopropylidenediphenol (bisphenol A:BPA)				1	○	Antioxidant for processing PVC, epoxy resin hardeners, manufacture of polycarbonate, thermal paper
168	4-heptylphenol, branched and linear					○	Lubricant additives
169	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts					○	Plasticizers, lubricants, surfactants, wetting agents, preservatives
170	p-(1,1-dimethylpropyl)phenol					○	Adhesive, paints, varnishes
171	Perfluorohexane-1-sulphonic acid and its salts					○	Plasticizer, lubricant, surfactant, corrosion inhibitor
172	chrysene					○	Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.
173	benz[a]anthracene					○	Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.
174	cadmium nitrate			2	S1	○	Used for the manufacture of glass, porcelain and ceramic products and in laboratory chemicals.
175	cadmium hydroxide			2	S1	○	Used for the manufacture of electrical, electronic and optical equipment and in laboratory chemicals.
176	cadmium carbonate			2	S1	○	Used as a pH regulator and in water treatment products, laboratory chemicals, cosmetics and personal care products.
177	1,6,7,8,9,14,15,16,17,17,18,18Dodecachloropentacyclo[12.2.1.1.0.0]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof]					○	Used as a non-plasticising flame retardant, used in adhesives and sealants and in binding agents.
178	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear					○	Used as a lubricant additive in lubricants and greases.
179	Octamethylcyclotetrasiloxane (D4)					○	Used in washing and cleaning products, polishes and waxes and cosmetics and personal care products.
180	Decamethylcyclopentasiloxane (D5)					○	Used in washing and cleaning products, polishes and waxes, cosmetics and personal care products, textile treatment products and dyes.
181	Dodecamethylcyclohexasiloxane (D6)					○	Used in washing and cleaning products, polishes and waxes, cosmetics and personal care products.
182	Lead				1	○	Used in metals, welding and soldering products, metal surface treatment products, and polymers.

- (A) Occupational Safety and Health Law
MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
○: Relevant to REACH Regulation or RoHS Directives

Containing Avoidance Substances (continued)		(A) Occupational Safety and Health Law	(B) Examination Law Chemical Substance Regulation	(C) Special Chemical Substance Regulation	(D) PRTR Law	(E) EU Directives	End Use Applications
183	Disodium octaborate					<input type="radio"/>	Used in anti-freeze products, heat transfer fluids, lubricants and greases, and washing and cleaning products.
184	Benzo[ghi]perylene					<input type="radio"/>	Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.
185	Terphenyl hydrogenated				1	<input type="radio"/>	Used as a plastic additive, solvent, in coatings/inks, in adhesives and sealants, and heat transfer fluids.
186	Ethylenediamine (EDA)				1	<input type="radio"/>	Used in adhesives and sealants, coating products, fillers, putties, plasters, modelling clay, pH regulators and water treatment products.
187	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)					<input type="radio"/>	Used in the manufacture of esters and polymers.
188	Dicyclohexyl phthalate (DCHP)				2	<input type="radio"/>	Used in plastisol, PVC, rubber and plastic articles. A further use is also as a phlegmatizer and dispersing agent for formulations of organic peroxides.
189	2,2-bis(4'-hydroxyphenyl)-4-methylpentane					<input type="radio"/>	Surface coatings, inks, adhesives
190	Benzo[k]fluoranthene					<input type="radio"/>	Adhesives, cleaning agents
191	Fluoranthene					<input type="radio"/>	Adhesives, cleaning agents
192	Phenanthrene					<input type="radio"/>	Paints, release agents, lubricants, cleaning agents
193	Pyrene					<input type="radio"/>	Release agents, cleaning agents
194	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one					<input type="radio"/>	Sunscreens, cosmetics, UV-protective textiles
195	2-methoxyethyl acetate				1	<input type="radio"/>	Paints, solvent for adhesive, solvent for printing ink
196	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP)					<input type="radio"/>	Primarily used as an antioxidant to stabilise polymers.
197	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)					<input type="radio"/>	Processing aid in the production of fluorinated polymers.
198	4-tert-butylphenol				1	<input type="radio"/>	Used in coating products, polymers, adhesives, sealants and for the synthesis of other substances.

(A) Occupational Safety and Health Law

MP: Manufacture Prohibition Substances

MA: Manufacture Allowed Substances

(B) Chemical Substances Examination and Manufacture Regulations

1: Type I Special Chemical Substances

(C) Special Chemical Substances Regulations

1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3

N: Upon emissions or discharge of those substances, a disposal system is needed.

(D) PRTR Law

1: Classification 1-Designated Chemical Substances

S1: Special Classification 1-Designated Chemical Substances

2: Classification 2-Designated Chemical Substances

(E) EU Directives

O: Relevant to REACH Regulation or RoHS Directives

Form 1

ENVIRONMENTAL CONTROL SYSTEM QUESTIONNAIRE

Date of preparation: _____
 Company name: _____
 Name of the place of business: _____
 Department: _____
 Name and title of the person who completes this format: _____ (Signature)
 Contact: Phone: _____ Fax: _____

Please check "Yes" or "No" column.
 If not applicable, enter "N.A."

Inquiries about [Environmental Control System]

No.	Item	Question	Answer		
			Yes	No	Remarks
1	Certification of environmental ISO	Have you obtained certification under ISO-14001 or other equivalent programs? If Yes, date of certification: _____ If no, check either of the following: _____ a. Have a plan to obtain certification by (date) _____ b. Have no plan to obtain certification If you answer "Yes", proceed to No. 8.2. If you answer "no", proceed to No. 2.			
2	Environmental policy	Do you have any environmental policy on environmental preservation?			
3	Environmental goal	Do you have goals for environmental preservation?			
4	Action plan	Do you have an action plan to achieve the goals?			
5	Organization	Do you have a special organization to promote environmental control?			
6	Education & training	Do you provide employees with any educational or training program?			
7	Internal audit	Do you have a system to carry out an internal environmental audit?			
8.1	Control system	(1) Do you have a system to supervise legislative and voluntary control schemes?			
8.2		(2) Do you comply with all laws relating to environment? (Do you know and follow the applicable laws listed in Annex 1 (page 5)?)			
8.3		(3) Do you have a system to control energy consumption?			
8.4		(4) Do you take actions to reduce wastes?			
8.5		(5) Do you take actions to control and reduce chemical substances?			
8.6		(6) Do you introduce or try a product assessment scheme?			
8.7		(7) Do you have a system to collect and recycle used products and packaging materials?			
9	Information disclosure *1	Do you disclose information about environmental issues? (For example, by Internet, environmental pamphlet, report, etc.)			
10	Biodiversity *2	Are you actively involved in (or support) biodiversity conservation movement?			

*1: If you check "Yes" in the information disclosure column, and have an Internet home page, please enter your URL in the box below. If you publish environmental literature, please attach to this sheet.

*2: "10. Biodiversity" is not the subject for a survey of environmental management system, but we ask you how your organization is working on this issue.

Form 2

PRODUCTION GOODS PROCUREMENT QUESTIONNAIRE

Date of preparation: _____

Company name: _____

Name of the place of business: _____

Department: _____

Name and title of the person who completes this format: _____ (Signature)

Contact: Phone: _____ Fax: _____

Item name: _____

Model, Item No: _____

Weight (g): _____

Inquiries about [Goods being or to be procured for production] (Products, Parts, Packaging)

Please check "Yes" or "No" column. If not applicable, enter "N.A."

No.	Item	Question	Answer			
			Yes	No	Remarks	
1	Packaging materials	Containing of heavy metals	Does the packaging contain heavy metals, such as cadmium, hexivalent chrome, mercury and lead? If Yes, list them in Form 4 (page 33).			
2		Use of polyvinyl chloride	Do you use polyvinyl chloride in your exterior packaging and buffer materials (e.g., bags)?			
3		Resources saving (packaging material)	Do you take or consider measures to reduce excessive packaging or packaging volume? (Reduced packaging compared with similar products and parts)			
4		Indication of materials (packaging material)	Do you indicate materials used for plastic packaging materials?			
5		Reduction of foams	Do you minimize the use of styrene foam or replace foam with other materials?			
6.1	Products, parts, packaging	Use prohibition substances *1	Do you use prohibition substances in the manufacturing process of products and parts? (See Annex 2, page 5.) If Yes, list the substances in Form 3, page 32.			
6.2		Use avoidance substances *1	Do you use avoidance substances in the manufacturing process of products or parts? (See Annex 3, page 5.) If Yes, list the substances in Form 3, page 32.			
7.1		Containing prohibition substances *2	Do you use containing prohibition substances in products or parts? (See Annex 4, page 6) If Yes, list the substances in Form 4, page 33.			
7.2		Containing avoidance substances *2	Do you use containing avoidance substances in products or parts? (See Annex 6, page 8 to 12.) If Yes, list the substances in Form 4, page 33.			
7.3		Conditional containing prohibition substances *3	Do you use conditional containing prohibition substances in products or parts? (See Annex 5, page 7). If Yes, list the substances in Form 4, page 33. Note: Please check "Yes" even if exclusion clauses are included.			
8		Indication of materials (products, parts)	Do you indicate materials used for plastic products or parts? (Preferably, molded items weighing 25 grams or over.)			
9	Products	Compliance with laws	Does the product comply with applicable laws, including the Recycling Law and Energy Saving Law?			
10		Resources saving	Do you use recycled resources or parts, or do you miniaturize the product? (As compared with similar products) Do you intend to take the above-mentioned measures?			
11		Energy saving	Do you take measures to reduce power consumption in both operation and standby modes? (As compared with similar products). Do you intend to take the above-mentioned measures?			
12		Disposition	Do you take into account the separability and degradability to ensure proper disposition of the product?			

Note: If any of the above has changed, immediately contact the SII operating division that requested the survey. (Please note that changes of use prohibition substances, containing prohibition substances, and conditional containing prohibition substances are especially important.)
If "No" is checked in questions 1 and 6.1-7.3, it is not necessary to submit Forms 3 and 4.

*1: "Use" means "to use" for manufacturing, i.e. washing, products and parts that do not contain chemical substances.

*2: "Containing" means "to contain" chemical substances that have been intentionally added to products and parts to meet their functionality and performance. Reaction-type residue like non-reaction monomer and impurities are excluded.
If an impurity in a chemical substance for which a threshold level is specified exceeds an acceptable value, the chemical substance is judged to contain a prohibited substance.

*3: "Conditional Containing Prohibition Substances" are chemical materials that is basically prohibited to contain and include some exemptions according to applications.
Even if exemptions are included, please check "Yes" in 7.3 and write the name of chemical compounds present in Form 4.

