

SII GREEN PROCUREMENT STANDARDS

Version 12.1

March 2026

Seiko Instruments Inc.

Table of Contents

	Page
PREFACE	1
SII GREEN PROCUREMENT STANDARDS	1
[I] DEFINITIONS OF TERMS	2
[II] ENVIRONMENTAL CONTROL SYSTEM STANDARDS	3
[III] PRODUCTION GOODS PROCUREMENT STANDARDS	3
Annex 1 List of Environmental Laws	4
Annex 2 List of Use Prohibition Substances in the Manufacturing Process.	4
Annex 3 List of Use Avoidance Substances in the Manufacturing Process.	4
Annex 4 List of Containing Prohibition Substances in Goods	5
Annex 5 List of Conditional Containing Prohibition Substances in Goods	7
Annex 6 List of Containing Avoidance Substances in Goods	8
Tables: Compound Details (Main Examples)	14
Applicable Standards and Applications of Restricted Chemical Substances	24
 QUESTIONNAIRES AND RESULTS	
Form 1 ENVIRONMENTAL CONTROL SYSTEM QUESTIONNAIRE	33
Form 2 PRODUCTION GOODS PROCUREMENT QUESTIONNAIRE	34
Form 3 RESULTS OF RESEARCH ON CHEMICAL SUBSTANCES BEING USED IN THE MANUFACTURING PROCESS	35
Form 4 RESULTS OF RESEARCH ON CHEMICAL SUBSTANCES CONTAINED IN GOODS ..	36

PREFACE

Government regulations related to environmental activities began in Europe and social demands for protecting the environment are intensifying. Requirements for business activities, production, and material procurement (green procurement) that are eco-friendly, such as forming a recycling-oriented society in which energy and resources are recycled and protecting from environmental pollution by managing chemical substances are constantly growing. SII Group (SII) have been promoting our green procurement from production goods to office supplies with the cooperation of our suppliers.

SII also prioritizes procurement of eco-friendly materials from suppliers that proactively act to support environment conservation based on this standard.

SII will continue its eco-friendly production and business activities, so we will be grateful for our suppliers' cooperation based on their understanding the importance of activities for environment conservation.

SII GREEN PROCUREMENT STANDARDS

1. SII Green Procurement Standards

The SII Green Procurement Standards consist of two sections. Each section contains a description of the standards for that type of product or material. They also include a set of survey questions for each supplier except for suppliers that only supply office supplies.

- (1) Environmental Control System Standard
- (2) Production Goods Procurement Standard

2. Scope of Application

These standards apply to all items, both tangible and intangible, that SII procures.

- (1) Tangible goods including raw materials, parts (electrical components, finished goods, and other components), packaging materials, and production equipment.
- (2) Intangible goods including services and work

SII will provide a "Purchase Item List Subjected to Survey" (Note 1) for specific items that are subject to examination for use or inclusion of chemical materials. If SII does not submit such a list, suppliers need not survey materials for use or inclusion of chemical materials.

(Note 1) Purchase Item List Subjected to Survey
List of procurement items that SII requests suppliers to survey.

3. The following forms must be completed and submitted to SII, but what is instructed by the SII operating division that requested the survey, for specific requirements should be followed.

- (1) Form 1 (See page 33) Environmental Control System Questionnaire*1
- (2) Form 2 (See page 34) Production Goods Procurement Questionnaire*2
- (3) Form 3 (See page 35) Results of Research on Chemicals Substances Being Used in the Manufacturing Process*3
- (4) Form 4 (See page 36) Results of Research on Chemicals Substances Contained in Goods*4

- *1 "Environmental Control System Questionnaire"
SII requires this information to determine the indirect environmental impact of manufactured products.
- *2 "Production Goods Procurement Questionnaire"
SII requires this information to confirm that production goods to be procured are environmentally friendly.
- *3 "Results of Research on Chemical Substances Being Used in the Manufacturing Process"
SII requires this information if you use any item specified in the "Production Goods Procurement Questionnaire" in your production process (excluding coolants and extinguishants).
- *4 "Results of Research on Chemical Substances Contained in Goods"
SII requires this information if any item specified in the "Production Goods Procurement Questionnaire" is contained in products.

4. If necessary, you might be asked to submit materials (such as lists of components in in procured products, analysis data, or SDSs) other than survey sheets, or to submit them in chemSHERPA AI*1 format if SII's customer requests.
Please cooperate with the business units on the submission in response to their request.
*1 chemSHERPA AI :
Information Communication Sheet for disclosure and communication on information of chemical substances in articles, of which Ministry of Economy, Trade and Industry is promoting the development and dissemination.
5. When necessary, SII may conduct on-site audits. We appreciate your cooperation.
6. Chemical substances specified herein are independently selected and classified by SII taking into consideration existing legislation and future rules and regulations. These are subject to change without notice depending upon the social and legal environment.
7. The SII Green Procurement Standards are subject to revision without notice in the event of changes in the social or legal environment.

Note: Please contact the SII operating division that requested the examination of goods subject to survey.

[I] DEFINITIONS OF TERMS

Use: Use means to use chemical substances for cleaning products and parts. In other words, use means "to use" chemical substances during manufacturing such that they are not contained in products or parts.
Example) Cleaning parts, etc.

Containing: Containing means "to contain" chemical substances that have been intentionally added to products and parts to meet their functionality and performance. Reaction-type residue like non-reaction monomer and impurities are excluded.
If an impurity in a chemical substance for which a threshold level is specified exceeds an acceptable value, the chemical substance is judged to contain a prohibited substance.

Not-containing: This means that the parts and materials making up a product do not contain chemical substances, whether intentionally or otherwise.

Contents concentration: This is the chemical substance concentration and is calculated using the equation below.

Contents concentration = weight of the target chemical substance / weight of the part that contains the target chemical substance

The unit is ppm (parts per million), or wt% (weight percent).

Note that the definition of "weight of the part" used when calculating the contents concentration differs depending on the applicable laws, so see the threshold level column or remarks column for the target chemical substance.

Intentional addition: Intentional addition means intentionally making products or parts contain substances in order to suffice specific features, appearance, or quality. Intentional addition must be reported by filling Form 4 "Results of **Research on Chemical Substances Contained in Goods**" on page36, regardless of the contents concentration.

Impurity: This is a substance included in natural raw materials that cannot be completely removed during the process in which the materials are used as industrial materials for manufacturing.
This term also refers to by-products, catalyst residue, and other substances generated during the synthetic reaction processes of materials and drugs.

Examples) ·Lead impurities in lead-free solder

·Monomer components that cannot be completely removed from synthetic resin materials

Homogenous material: Material that cannot be mechanically resolved into different material.

Examples)

In the case of a power cable, the homogenous materials are external covering, internal covering, and core.

If a marking such as model name is printed on the external coating, the ink is also regarded as homogenous material.

Article: An object of which specific form, appearance or design given in production significantly determines the functions of final use, rather than the functions performed by the chemical composition.

Example) Substrates, capacitors, electric motors, gears and plastic cases are articles.

CAS No.: Unique Nos. of chemical substances designated by the Chemical Abstract Service, a division of the American Chemistry Society.

IEC62474: The international standard concerning disclosure procedure of contained chemical substances provided by IEC (International Electrotechnical Commission).

Candidate List: The list of SVHCs (Substances of Very High Concern) which are candidate substances for authorization under REACH Regulation.

[II] ENVIRONMENTAL CONTROL SYSTEM STANDARDS

No.	Items	Criteria	Applied Suppliers	
			Obtained ISO-14001, etc.	Not yet obtained ISO-14001, etc.
1	Certification of ISO14001	Obtained ISO14001 or other third-party standard certification (e.g., Eco Action 21, Eco Stage). If not yet obtained, it is desirable to be "under preparation" or "under contemplation" to obtain the certification.	↓	↓
2	Environmental policy	Have an environmental conservation/preservation policy.	—	○
3	Environmental goals	Have concrete goals for environmental conservation/preservation.	—	○
4	Action plan	Have an action plan to achieve the goals.	—	○
5	Organization	Establish an organization to promote environmental conservation/preservation.	—	○
6	Education & Training	Provide employees with an environment-related education and training program.	—	○
7	Internal audits	Internally conduct environmental audits.	—	○
8.1	Control system	Have a system to supervise legislative and voluntary regulations.	—	○
8.2		Be aware of and comply with applicable laws and regulations (See Annex 1 on page 5 for environmental laws).	○	○
8.3		Have a system to control and save energy (e.g., lighting and facilities energy-saving program).	○	○
8.4		Have a system to control and minimize wastes (e.g., separated disposal and zero-emissions).	○	○
8.5		Have a system to control chemical substances (e.g., to update information on chemical substances being used).	○	○
8.6		Introduce or try to introduce a product assessment scheme (e.g., check that environment consideration is taken in the design and production phases).	○	○
8.7		Have a system to collect and recycle used products and packaging materials.	○	○
9	Disclosure	Have a system and tools to disclose information (e.g., Internet, environmental pamphlets and reports).	○	○
10	Biodiversity	To be actively involved in (or support) biodiversity conservation.	○	○

[III] PRODUCTION GOODS PROCUREMENT STANDARDS

Products: Finished or semi-finished products, which provide their intended functionality and performance as they are.

Parts: Items that should be integrated or processed into or for SII products (units/parts, electronic parts, and outer cases).

No.	Items	Criteria	Goods covered by this standard		
			Packaging	Parts	Products
1	No harmful substances	No packaging materials (outer boxes, buffer materials, etc.) contain heavy metals (cadmium, hexivalent chrome, mercury and lead).	○		
2	Use prohibition of	No exterior packaging, buffer materials and bags use polyvinyl chloride.	○		
3	Resources saving	No excessive packaging. Measures are taken to reduce packaging volume (less packaging compared with similar products or parts).	○		
4	Indication of materials	Plastic packaging materials (mainly styrene foam used as cushions) bear indication of materials. Comply with ISO-11469, DIN-6120 or other appropriate standards. ISO11469-compliant marking example: >PS< Polystyrene	○		
5	Reduction of foams	The use of styrene foam is minimized or it is substituted with other materials: e.g., cardboard buffers, pulp molds	○		
6.1	Use of harmful substances	No material specified in Annex 2 (page 4) is used in any manufacturing process.	○	○	○
6.2		Use of materials specified in Annex 3 (page 4) is avoided in any manufacturing process.	○	○	○
7.1	Containing of harmful substances	No material shown in Annex 4 (page 5 to 6) is contained.	○	○	○
7.2		Containing of materials specified in Annex 6 (page 8 to 13) is avoided.	○	○	○
7.3		Conditional containing prohibition substances specified in Annex 5 (page 7) is not contained.	○	○	○
8	Indication of materials	ISO11469 or other standard is marked on plastic materials. Ex) Outer cases of products		○	○
9	Compliance with laws	The procurement goods comply with legislative controls under the Recycling Law, Energy Saving Law and other applicable laws. Ex) Rechargeable batteries, computers			○
10	Resources saving	Resources are efficiently used. (Use of recycled parts and resources, miniaturization of goods)			○
11	Energy saving	Power consumption is low in both operation and standby modes. Compliance with energy saving programs, such as Energy Star program.			○
12	Wastes	The separability and degradability at the time of disposal is taken into account to ensure proper disposition of goods.			○

Annex 1 List of Environmental Laws

No.	
1	Laws related to air pollution prevention
2	Laws related to water pollution prevention
3	Laws related to noise control
4	Laws related vibration control
5	Laws related to offensive odor prevention
6	Laws related to waste disposal
7	Laws related to ozone layer protection
8	Laws related to handling and storing of hazardous chemical substances
9	Laws related to recycling and reuse
10	Laws related to energy saving
11	Laws related to occupational safety and health
12	Other (Local regulations, etc.)

Annex 2 List of Use Prohibition Substances in the Manufacturing Process

More specifically, substances whose use should be prohibited in the manufacturing process (washing).

		CAS No. *	Remark	
Use Prohibition	1	1,1,1-trichloroethane	71-55-6	
	2	CFC group		
	3	HBFC group		
	4	Halon group		
	5	Bromochloromethane	74-97-5	
	6	Tetrachloroethylene	127-18-4	
	7	Benzene * ¹	71-43-2	When contained, see Table N on page 18.
	8	Pentachloroethane	76-01-7	
	9	1,1,1,2-tetrachloroethane	630-20-6	
	10	Hexachloroethylene	67-72-1	
	11	Methyl bromide	74-83-9	
	12	Carbon tetrachloride	56-23-5	
	13	1,1,2,2-tetrachloroethane	79-34-5	
	14	1,1,2-trichloroethane	79-00-5	
	15	1,1-dichloroethylene	75-35-4	

*1 Excluding fuel for cars

Annex 3 List of Use Avoidance Substances in the Manufacturing Process

More specifically, substances whose use should be avoided in the manufacturing process (washing).

		CAS No.	Remark	
Use avoidance	1	1,2-dichloroethane	107-06-2	When contained, see Annex 6 on page 9.
	2	1,2-dichloroethylene	540-59-0	
	3	1,3-dichloropropene	542-75-6	
	4	HCFC group		
	5	HFC group		
	6	PFC group		
	7	Dichloromethane	75-09-2	
	8	Cis-1,2-dichloroethylene	156-59-2	
	9	Trichloroethylene	79-01-6	When contained, see Annex 6 on page 8.
	10	Nitrous oxide	10024-97-2	
	11	Sulfur hexafluoride	2551-62-4	
	12	Chloroform	67-66-3	

Annex 4 List of Containing Prohibition Substances in Goods

(substances that must not contained in goods)

		CAS No.	Threshold Level *2	Remark	
Containing Prohibition (CP) Banning the Containing	1	4-nitrobiphenyl and its salt	92-93-3	Intentional addition	
	2	DDT	50-29-3	Not-containing	
	3	Asbestos	Page 14 Table A	Intentional addition	
	4	Aldrin	309-00-2	Not-containing	
	5	Endrin	72-20-8	Not-containing	
	6	Chlordane	57-74-9	Not-containing	
	7	Dieldrin	60-57-1	Not-containing	
	8	Bis(chloromethyl) ether	542-88-1	Intentional addition	
	9	Tributyl tin oxide (TBTO)	56-35-9	Not-containing	
	10	Tri-substituted organostannic compounds (including Tributyl tin and Triphenyl tin)	Page 14 Table B	Intentional addition	
	11	Hexachloro benzene (HCB)	118-74-1	Not-containing	
	12	Polychlorinated naphthalene (1 or more chlorine)	Page 14 Table C	Not-containing	
	13	Polychlorobiphenyls (PCB)	1336-36-3	Not-containing	
	14	Polychlorinated terphenyls (PCT)	61788-33-8	Intentional addition	
	15	Polybrominated diphenylethers (PBDE)	Page 16 Table D	1000 ppm	Contents concentration in homogenous material
	16	Polybrominated biphenyls (PBB)	Page 16 Table E	1000 ppm	
	17	Azo compounds	Page 16 Table F	Intentional addition	*1
	18	2,4,6-Tri-tert-butylphenol	732-26-3	Not-containing	
	19	N,N'-ditolyl-p-phenylenediamine N-tolyl-N'-xylyl-p-phenylenediamine N,N'-dixylyl-p-phenylenediamine	27417-40-9 70290-05-0 28726-30-9	Not-containing	
	20	Chlorinated paraffins (C10-13)	Page 16 Table G	Not-containing	
	21	Mirex	2385-85-5	Not-containing	
	22	Yellow phosphor	12185-10-3	Intentional addition	
	23	Toxaphene	8001-35-2	Not-containing	
	24	Monomethyl-dichloro-diphenyl methane (DBBT)	99688-47-8	Intentional addition	
	25	Di-u-oxo-di-n-butyl-stanniohydroxyborane (DBB)	75113-37-0	Intentional addition	
	26	Monomethyl-tetrachlorodiphenyl-methane	76253-60-6	Intentional addition	
	27	Monomethyl-dichloro-diphenyl-methane	81161-70-8	Intentional addition	
	28	Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylethyl)-(UV- 320)	3846-71-7	Not-containing	
	29	Perfluorooctane sulfonates (PFOS)	Page 17 Table H	Not-containing	*3
	30	Dimethyl fumarate (DMF)	624-49-7	Intentional addition	
	31	Cobalt dichloride	7646-79-9	*4	
	32	Formaldehyde	50-00-0	*5	
	33	Dibutyltin (DBT) compounds	Page 17 Table I	1000ppm *6	Contents concentration in the weight of the delivered product
	34	Diocetyl tin (DOT) compounds	Page 17 Table J	1000ppm *7	
	35	Tris(2,3-dibromopropyl)phosphate(TRIS)	126-72-7	Intentional addition	*1
	36	Tris (1-aziridinyl) phosphine oxide(TEPA)	545-55-1	Intentional addition	*1
	37	Hexabromocyclododecane(HBCDD)	Page 17 Table K	Not-containing	
	38	Polycyclic aromatic hydrocarbons(PAH)	Page 17 Table L	1ppm *8	*1,*10
	39	Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	1000ppm	Contents concentration in the weight of the delivered product
	40	Tris(1-chloro-2-propyl)phosphate (TCPP)	13674-84-5	1000ppm	
	41	Tris(1,3-dichloro-2-propyl)phosphate (TDCPP)	13674-87-8	1000ppm	
	42	PFOA, PFOA-salts, PFOA-esters	Page 17 Table M	Not-containing	
	43	4,4'-isopropylidenediphenol (bisphenol A:BPA)	80-05-7	*9	
	44	Pentachlorophenol and its salts and esters	87-86-5	Not-containing	
	45	CMR substances in textile products	Page 18 Table N	*10	

*1 Substances that may enter the mouth or directly contact human skin for a long time or short-term repetitive contact.

*2 Threshold level

In cases where the concentration of the material contained in the product or part (reaction-type residue like non-reaction monomer and impurities) exceeds this value, fill Form 4 "Results of Research on Chemicals Contained in Manufactured Goods" on page 35.

Note: The threshold level may be specified independently by the operational division upon customer's request, so please follow what the operational division instructed.

*3 Exceptional applications ·Semiconductor photoresist

·Business-use photographic film

*4 This applies to humidity indicating chemicals that are intentionally added and used for drying agents (such as silica gel).

*5 Intentionally adding this to composite materials (plywood or particle board) is prohibited, as is containing a concentration of 75 ppm or more of fiber or fabric.

In addition, effective August 6, 2026, the emission concentration shall be 0.062 mg/m³ or less for wood moldings and 0.080 mg/m³ or less (emission concentration) for other moldings.

*6 When the content concentration exceeds the threshold level. The content concentration used is based on tin concentration.

*7 This applies to fabric and leather products that might touch human skin .

When the content concentration exceeds the threshold value. The content concentration used is based on tin concentration.

*8 The upper limit of inclusion shall be 0.5 ppm for parts used in toys/nursery items.

*9 Content is prohibited if the concentration of thermal paper is 200 ppm or more.

*10 Textile products are subject when they contain CMR substances (carcinogenic, mutagenic, toxic for reproduction) at or above the threshold.

Annex 4 List of Containing Prohibition Substances in Goods(continued)

(substances that must not contained in goods)		CAS No.	Threshold Level *1	Remark	
Containing Prohibition (CP) Banning the Containing	46	Phenol, isopropylated phosphate (3:1)	68937-41-7	Not-containing	
	47	Pentachlorobenzenethiol(PTCP)	133-49-3	1000 ppm	
	48	Hexachlorobutadiene(HCBD)	87-68-3	Not-containing	
	49	Perfluorohexane sulfonic acid (PFHxS), its salts and PFHxS-related compounds	Page 18 Table O	Not-containing	
	50	Perfluorocarboxylic acids containing 9 to 14 carbon atoms in the chain (C9-C14 PFCAs), their salts and C9-C14 PFCA-related substances	Page 19 Table P	*2	
	51	Hydrocarbons saturated with mineral oil (MOSH) containing 16 to 35 carbon atoms		*3	*4
	52	Mineral oil aromatic hydrocarbons (MOAH) comprising from 1 to 7 aromatic rings		*5	*4
	53	1,6,7,8,9,14,15,16,17,17,18,18Dodecachloropentacyclo[12.2.1.1.0.0]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof]	13560-89-9 135821-74-8 135821-03-3	Not-containing	
	54	2-(2H-Benzotriazol-2-yl)-4,6-di-tert-pentylphenol (UV-328)	25973-55-1	Not-containing	*6
	55	Methoxychlor	72-43-5 30667-99-3 76733-77-2 255065-25-9 255065-26-0 59424-81-6 1348358-72-4	Not-containing	
	56	Medium-chain chlorinated paraffins (MCCP)	Page 19 Table Q	Not-containing	
	57	Chlorpyrifos	2921-88-2	Not-containing	*7
	58	Long-chain perfluorocarboxylic acids(C9-C21 PFCAs), their salts and C9-C21 PFCA related substances	Page 19 Table R	Not-containing	*7
	59	Undecafluorohexanoic acid (PFHxA), their salts and PFHxA-related substances	Page 19 Table S	*8	*9
60	Bisphenols	Page 19 Table T	*10	*11	
61	Per- and polyfluoroalkyl substances (PFAS)	*12	*13	*14	

*1 Threshold level

In cases where the concentration of the material contained in the product or part (reaction-type residue like non-reaction monomer and impurities) exceeds this value, fill Form 4 "Results of Research on Chemicals Contained in Manufactured Goods" on page 35.
Note: The threshold level may be specified independently by the operational division upon customer's request, so please follow what the operational division instructed.

*2 Concentration in the article or the mixture is below 25 ppb for the sum of C9-C14 PFCAs and their salts or 260 ppb for the sum of C9-C14 PFCA-related substances.

*3 It shall be 1000 ppm or less in packaging materials and ink in printed matter.

*4 This applies to printing on packaging materials and labels attached to packaging materials.
This applies to paper for printed materials.

*5 【Ink in packaging and printed matter】

1. Mineral oil aromatic hydrocarbons (MOAH) consisting of 1 to 2 aromatic rings shall not exceed 1000 ppm.
2. Mineral oil aromatic hydrocarbons (MOAH) consisting of 3 to 7 aromatic rings shall not exceed 1 ppm.

*6 【Exceptional applications】

1. Industrial coating applications for motor vehicles, engineering machines, rail transportation vehicles, and heavy-duty coatings for large steel structures
2. Photoarabic paper

*7 The inclusion of this substance shall be prohibited after June 2026.

*8 Concentration in the article or the mixture is below 25 ppb for the sum of PFHxA and their salts or 1000 ppb for the sum of PFHxA-related substances.

*9 In force from June 2026, only Textile and leather.

*10 【Exceptional applications】

1. Unintended addition
2. The sum of Bisphenols contained in thermal paper is below 200 ppm

*11 These apply to thermal paper.

*12 The definition of PFAS complies with California State Law AB1817.

*13 1. Intentional addition

2. 0.005 wt% (50ppm) of total organic fluorine in material

*14 These apply to textile articles.

Annex 5 List of Conditional Containing Prohibition Substances in Goods

(substances prohibited from being contained, with some exemptions)

		CAS No.	Threshold Level	Remark
1	Cadmium / cadmium compounds* ¹ , * ⁴	Refer to Table U on page 19.	100 ppm	Contents concentration in homogenous material
2	Hexavalent chromium compounds* ¹ , * ² , * ⁴	Refer to Table V on page 20.	1000 ppm	Contents concentration in homogenous material
3	Lead / lead compounds * ¹ , * ³ , * ⁴	Refer to Table W on page 20.	1000 ppm	Contents concentration in homogenous material
4	Mercury / mercury compounds* ¹	Refer to Table X on page 20.	1000 ppm	Contents concentration in homogenous material
5	Bis (2-ethylhexyl)phthalate (DEHP) * ⁵	117-81-7	1000 ppm	Contents concentration in homogenous material
6	Benzyl butyl phthalate (BBP) * ⁵	85-68-7	1000 ppm	Contents concentration in homogenous material
7	Dibutyl phthalate (DBP) * ⁵	84-74-2	1000 ppm	Contents concentration in homogenous material
8	Diisobutyl phthalate (DIBP) * ⁵	84-69-5	1000 ppm	Contents concentration in homogenous material
9	Polyvinyl chloride (PVC) * ⁶	9002-86-2	1000 ppm	Contents concentration in homogenous material

*1: The total amount of lead, cadmium, hexavalent chromium and mercury contained in packaging materials shall be less than 100 ppm at weight ratio.

*2: The amount of hexavalent chromium compounds contained in leather parts in contact with the skin shall be less than 3ppm at weight ratio.

*3: The amount of lead contained in PVC cable shall be less than 100 ppm at weight ratio.

*4: If it is contained in textile products (including textile parts), refer to the Table N on page 18.

*5: We request that management be performed so as to ensure non-containment for auxiliary materials (rubber for binding cables, strings for plastic materials, etc.) used in goods (products, parts, packaging materials, etc.) purchased for production by our company, while also ensuring that phthalic acid esters do not transition due to coming into contact with the soft resins or rubber materials (conductive mats, tape, string, film, belt conveyor mats, etc.) used in the manufacturing processes of suppliers.

*6: "Polyvinyl chloride(PVC)" includes its homopolymer and copolymer.

Cadmium / Cadmium Compounds

	No.	Use of Applications
Exemptions *7 (may be contained)	8(b)	Cadmium and its compounds in electrical contacts.
	13(b)	Cadmium in filter glasses and glasses used for reflectance standards.

Hexavalent Chromium Compounds

	No.	Use of Applications
Exemptions *7 (may be contained)	9	Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0,75 % by weight in the cooling solution.

Lead / Lead Compounds

	No.	Use of Applications
Exemptions *7 (may be contained)	5(b)	Lead in glass of fluorescent tubes not exceeding 0,2 % by weight
	6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0,35% lead by weight and in batch hot dip galvanised steel components containing up to 0,2% lead by weight.
	6(b)-II	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight.
	6(c)	Copper alloy containing up to 4% lead by weight.
	7(a)	Lead in high melting temperature type solders (i.e. lead based alloys containing 85% by weight or more lead).
	7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.
	7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher.
	13(a)	Lead in white glasses used for optical applications.

Polyvinyl Chloride (PVC)

	No.	Use of Applications
Exemptions (may be contained)	PV1	PVC is required due to a safety standard or for quality retention.
	PV2	There is no substitutable item because of special application or the like.
	PV3	Material is specified based on the customer's requirement.
	PV4	Those which do not contain phthalate compounds.

*7: Exemptions (cadmium, hexavalent chromium, mercury, lead) shall comply with the Exemptions of the RoHS directives (2011/65/EU). If a new exception other than those described above is specified, it will be regarded as an exception. Exemptions relating to batteries shall conform to the EU batteries regulation (EU) 2023/1542.

Annex 6 List of Containing Avoidance Substances in Goods

(Substances for which containing in goods is to be avoided)

		CAS No.	Threshold Level	Remark	
Containing Avoidance	1	Arsenic / arsenic compounds *4	Refer to Table Y on page 21.	1000 ppm or intentional addition	Contents concentration in homogenous material
	2	Beryllium / beryllium compounds*1	Refer to Table Z on page 21.	1000 ppm or intentional addition	Contents concentration in homogenous material
	3	Nickel / Nickel compounds *2	Refer to Table AA on page 21.	1000 ppm or intentional addition	Contents concentration in homogenous material
	4	Phthalates(except DEHP,BBP,DBP,DIBP)*1	Refer to Table AB on page 21.	1000 ppm or intentional addition	Contents concentration in homogenous material
	5	Radioactive substances	Refer to Table AC on page 21.	intentional addition	Contents concentration in plasticized material
	6	Brominated flame retardants (except PBB,PBDE and HBCDD)	Refer to Table AD on page 21-22.	1000 ppm or intentional addition	Contents concentration in homogenous material
	7	Chlorinated flame retardants	Refer to Table AE on page 22.	In case of (1) or (2) in the remark column.	(1)1000 ppm total chlorine content by weight in the plastic material (2)900 ppm total chlorine content by weight in the laminate
	8	Red phosphorus *1	7723-14-0	Intentional addition	Except for red phosphorus in the metal
	9	Perchlorate	Refer to Table AF on page 22.	Intentional addition	
	10	Anthracene	120-12-7		
	11	4,4'-methylenedianiline	101-77-9		This is prohibited from being contained in items that might be in direct contact with human skin or the mouth for a long period of time or short-term repetitive contact.
	12	Cobalt dichloride	7646-79-9		This is prohibited from being contained in drying agents (such as silica gel).
	13	Diarsenic pentaoxide*1	1303-28-2		*4
	14	Diarsenic trioxide*1	1327-53-3		*4
	15	Sodium dichromate	7789-12-0 10588-01-9		*3 , *4
	16	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2		
	17	Lead hydrogen arsenate	7784-40-9		*3 , *4
	18	Triethyl arsenate	15606-95-8		
	19	Anthracene oil	90640-80-5		
	20	Anthracene oil, anthracene paste,distn. lights	91995-17-4		
	21	Anthracene oil, anthracene paste,anthracene fraction	91995-15-2	In the cases where concentration of contained substance exceeds 1000 ppm, using weight of each article composing supplies as denominator	
	22	Anthracene oil,anthracene-low	90640-82-7		
	23	Anthracene oil, anthracenepaste	90640-81-6		
	24	Coal tar pitch, high temperature	65996-93-2		
	25	Aluminosilicate, Refractory Ceramic Fibres	-		
	26	Zirconia Aluminosilicate, Refractory Ceramic Fibres	-		
	27	2,4-Dinitrotoluene	121-14-2		
	28	Lead chromate	7758-97-6		*3 , *4
	29	Lead chromate molybdate sulfate red (C.I. Pigment Red 104)	12656-85-8		*3 , *4
	30	C.I. Pigment Yellow 34	1344-37-2		*3 , *4
	31	Acrylamide	79-06-1		
	32	Trichloroethylene	79-01-6		
	33	Boric acid	10043-35-3 11113-50-1		
	34	Disodium tetraborate, anhydrous	1330-43-4 12179-04-3 1303-96-4		
	35	Tetraboron disodium heptaoxide, hydrate	12267-73-1		

*1. This may be specified as containing prohibition substance, by each business unit of SII upon request from an SII customer. Please follow the instructions made by each business unit.

*2. Except for alloys (such as stainless steel) .However, make sure that parts and materials (including alloys) that can potentially be in contact with skin for long periods of time have properties of 0.5 µg/cm2/week or less (elution amount).

*3. This only applies to the exemptions for Lead /Lead Compounds and Hexavalent Chromium Compounds shown under Annex 5 on page 7. For other applications, the requirements under Cadmium/Cadmium Compounds and Lead/Lead Compounds and Hexavalent Chromium Compounds on Annex 5 must be satisfied.

*4. If it is contained in textile products (including textile parts), refer to the Table N on page 18.

Annex 6 List of Containing Avoidance Substances in Goods (continued)

(Substances for which containing in goods is to be avoided)

	CAS No.	Threshold Level	Remark
36	Sodium chromate 7775-11-3		*3, *4
37	Potassium chromate 7789-00-6		*3, *4
38	Ammonium dichromate 7789-09-5		*3, *4
39	Potassium dichromate 7778-50-9		*3, *4
40	Cobalt(II) sulphate 10124-43-3		
41	Cobalt(II) dinitrate 10141-05-6		
42	Cobalt(II) carbonate 513-79-1		
43	Cobalt(II) diacetate 71-48-7		
44	2-Methoxyethanol 109-86-4		
45	2-Ethoxyethanol 110-80-5		
46	Chromium trioxide 1333-82-0		*3, *4
47	Acids generated from chromium trioxide and their oligomers: • Chromic acid • Dichromic acid • Oligomers of chromic acid and dichromic acid 7738-94-5 13530-68-2		*3, *4
48	2-ethoxyethyl acetate 111-15-9		
49	strontium chromate 7789-06-2		*3, *4
50	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNU)*1 68515-42-4		
51	Hydrazine 7803-57-8 302-01-2		
52	1-methyl-2-pyrrolidone 872-50-4		*4
53	1,2,3-trichloropropane 96-18-4		
54	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DHP)*1 71888-89-6		*4
55	Dichromium tris(chromate) 24613-89-6		*3, *4
56	Potassium hydroxy-octaoxidizincatedichromate 11103-86-9		*3, *4
57	Pentazinc chromate octahydroxide 49663-84-5		*3, *4
58	Formaldehyde, oligomeric reaction products with aniline (technical MDA) 25214-70-4		
59	Bis(2-methoxyethyl) phthalate (DMEP)*1 117-82-8		*4
60	2-Methoxyaniline; o-Anisidine 90-04-0	In the cases where concentration of contained substance exceeds 1000 ppm, using weight of each article composing supplies as denominator	This is prohibited from being contained in items that might be in direct contact with human skin or the mouth for a long period of time or short-term repetitive contact.
61	4-(1,1,3,3-tetramethylbutyl)phenol, 140-66-9		
62	1,2-Dichloroethane 107-06-2		
63	Bis(2-methoxyethyl) ether 111-96-6		
64	Arsenic acid 7778-39-4		
65	Calcium arsenate 7778-44-1		
66	Trilead diarsenate 3687-31-8		*3, *4
67	N,N-dimethylacetamide (DMAC) 127-19-5		*4
68	4,4'-methylene-bis-(2-chloroaniline) 101-14-4		This is prohibited from being contained in items that might be in direct contact with human skin or the mouth for a long period of time or short-term repetitive contact.
69	Phenolphthalein 77-09-8		
70	Lead azide 13424-46-9		*3, *4
71	Lead styphnate 15245-44-0		*3, *4
72	Lead dipicrate 6477-64-1		*3, *4
73	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) 112-49-2		
74	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) 110-71-4		
75	Diboron trioxide 1303-86-2		
76	Formamide 75-12-7		
77	Lead(II) bis(methanesulfonate) 17570-76-2		*3, *4
78	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) 2451-62-9		
79	β-TGIC (1,3,5-tris [(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) 59653-74-6		
80	4,4'-bis(dimethylamino) benzophenone (Michler's ketone) 90-94-8		
81	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) 101-61-1		
82	C.I. Basic Violet 3 (Hexamethylpararosaniline chloride) 548-62-9		*4
83	[4-[[4-anilino-1-naphthyl][4-(dimethylamino) phenyl]methylene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Blue 26) 2580-56-5		
84	α,α-Bis[4-(dimethylamino) phenyl]-4 (phenylamino) naphthalene-1- methanol (C.I. Solvent Blue 4) 6786-83-0		
85	4,4'-bis(dimethylamino)- 4''-(methylamino)trityl alcohol 561-41-1		

*1. This may be specified as containing prohibition substance, by each business unit of SII upon request from an SII customer. Please follow the instructions made by each business unit.

*3. This only applies to the exemptions for Lead/Lead Compounds and Hexavalent Chromium Compounds shown under Annex 5 on page 7. For other applications, the requirements under Lead/Lead Compounds and Hexavalent Chromium Compounds on Annex 5 must be satisfied.

*4. If it is contained in textile products (including textile parts), refer to the Table N on page 18.

Annex 6 List of Containing Avoidance Substances in Goods (continued)

(Substances for which containing in goods is to be avoided)

		CAS No.	Threshold Level	Remark	
Containing Avoidance	86	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated - covering well-defined substances and UVCB substances, polymers and homologues	-		
	87	4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	Refer to Table AG on page 23.	CAS No. is not stated in the Candidate List, but stated in IEC62474.	
	88	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3		
	89	Cyclohexane-1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)	85-42-7		
	90	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	25550-51-0 19438-60-9 48122-14-1 57110-29-9		
	91	Methoxy acetic acid	625-45-6		
	92	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear *1	84777-06-0		
	93	Diisopentylphthalate (DIPP) *1	605-50-5	*4	
	94	N-pentyl-isopentylphthalate *1	776297-69-9		
	95	1,2-Diethoxyethane	629-14-1		
	96	N,N-dimethylformamide; dimethyl formamide	68-12-2	*4	
	97	Dibutyltin dichloride (DBT)	683-18-1		For the fabric and leather product that might have contact with human skin, the content concentration exceeding 1000 ppm in tin component is prohibited.
	98	Acetic acid, lead salt, basic	51404-69-4	In the cases where concentration of contained substance exceeds 1000 ppm, using weight of each article composing supplies as denominator	*3, *4
	99	Lead (II) carbonate basic	1319-46-6		
	100	Lead oxide sulfate (basic lead sulfate)	12036-76-9		
	101	[Phthalato(2-)]dioxotrilead (dibasic lead phthalate)	69011-06-9		
	102	Dioxobis(stearato)trilead	12578-12-0		
	103	Fatty acids, C16-18, lead salts	91031-62-8		
	104	Lead bis(tetrafluoroborate)	13814-96-5		
	105	Lead cyanamidate	20837-86-9		
	106	Lead dinitrate	10099-74-8		
	107	Lead oxide (lead monoxide)	1317-36-8		
	108	Lead tetroxide (orange lead)	1314-41-6		
	109	Lead titanium trioxide	12060-00-3		
	110	Lead Titanium Zirconium Oxide	12626-81-2		
	111	Pentalead tetraoxide sulphate	12065-90-6		
	112	C.I. Pigment Yellow 41	8012-00-8		
	113	Silicic acid, barium salt, lead-doped	68784-75-8	*3, *4	
	114	Silicic acid, lead salt	11120-22-2		
	115	Sulfurous acid, lead salt, dibasic	62229-08-7		
	116	Tetraethyllead	78-00-2		
	117	Tetralead trioxide sulphate	12202-17-4		
	118	Trilead dioxide phosphonate	12141-20-7		
	119	Furan	110-00-9		
	120	Propylene oxide; 1,2-epoxypropane; methyloxirane	75-56-9		
121	Diethyl sulphate	64-67-5			
122	Dimethyl sulphate	77-78-1			
123	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2			
124	Dinoseb	88-85-7			
125	4,4'-methylenedi-o-toluidine	838-88-0			
126	4,4'-oxydianiline and its salts	101-80-4			
127	4-Aminoazobenzene; 4-Phenylazoaniline	60-09-3	This is prohibited from being contained in items that might be in direct contact with human skin or the mouth for a long period of time or short-term repetitive contact.		
128	4-methyl-m-phenylenediamine (2,4-toluene-diamine)	95-80-7			
129	6-methoxy-m-toluidine (p-cresidine)	120-71-8			
130	Biphenyl-4-ylamine	92-67-1			
131	o-aminoazotoluene	97-56-3			
132	o-Toluidine; 2-Aminotoluene	95-53-4			
133	N-methylacetamide	79-16-3			
134	1-bromopropane; n-propyl bromide	106-94-5			
135	Cadmium	7440-43-9		*3, *4	

*1. This may be specified as containing prohibition substance, by each business unit of SII upon request from an SII customer. Please follow the instructions made by each business unit.

*3. This only applies to the exemptions for Lead/Lead Compounds and Hexavalent Chromium Compounds shown under Annex 5 on page 7. For other applications, the requirements under Lead/Lead Compounds and Hexavalent Chromium Compounds on Annex 5 must be satisfied.

*4. If it is contained in textile products (including textile parts), refer to the Table N on page 18.

Annex 6 List of Containing Avoidance Substances in Goods (continued)

(Substances for which containing in goods is to be avoided)

		CAS No.	Threshold Level	Remark	
Containing Avoidance	136	Cadmium oxide	1306-19-0	*3 , *4	
	137	Dipentyl phthalate(DPP)	131-18-0	*1 , *4	
	138	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations	-		It is prohibited to place in market textile products or components made of textiles which contain this substance at the concentration of 100 ppm or more and assumed to be water-washed in ordinary conditions of use.
	139	Cadmium sulphide	1306-23-6	*3 , *4	
	140	Dihexyl phthalat (DnHP)	84-75-3	*1 , *4	
	141	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0		
	142	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7		
	143	Imidazolidine-2-thione; 2-imidazoline-2-thiol	96-45-7		
	144	Lead di(acetate)	301-04-2	*3 , *4	
	145	Trixylyl phosphate	25155-23-1		
	146	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear (DIHP) *1	68515-50-4		
	147	Cadmium chloride	10108-64-2	*3 , *4	
	148	Sodium perborate; perboric acid, sodium salt	(15120-21-5) (11138-47-9)		
	149	Sodium peroxometaborate	7632-04-4		
	150	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	*6	
	151	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	*5	
	152	Cadmium fluoride	7790-79-6	*3 , *4	
	153	Cadmium sulphate	10124-36-4 31119-53-6	*3 , *4	
	154	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	-		*5
	155	1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5, CAS No.84-75-3)	68515-51-5 68648-93-1		
	156	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	-		
	157	1,3-propanesultone	1120-71-4		
	158	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1		
	159	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3		
	160	Nitrobenzene	98-95-3		
	161	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8		Use is prohibited in the cases where it falls under the scope of application of polycyclic aromatic hydrocarbon (PAH).
162	4,4'-isopropylidenediphenol (bisphenol A:BPA)	80-05-7		Inclusion of 200 ppm or higher concentration in thermal paper will be prohibited.	
163	4-heptylphenol, branched and linear	-			
164	p-(1,1-dimethylpropyl)phenol	80-46-6			

In the cases where concentration of contained substance exceeds 1000 ppm, using weight of each article composing supplies as denominator

*1. This may be specified as containing prohibition substance, by each business unit of SII upon request from an SII customer. Please follow the instructions made by each business unit.

*3. This only applies to the exemptions for Lead /Lead Compounds and Hexavalent Chromium Compounds shown under Annex 5 on page 7. For other applications, the requirements under Cadmium/Cadmium Compounds and Lead/Lead Compounds and Hexavalent Chromium Compounds on Annex 5 must be satisfied.

*4. If it is contained in textile products (including textile parts), refer to the Table N on page 18.

*5. This is prohibited from being contained in fabric and leather products that might touch human skin .

*6. Only the following applications shall be avoided

- Industrial coating applications for motor vehicles, engineering machines, rail transportation vehicles, and heavy-duty coatings for large steel structures
- Photographic paper

Annex 6 List of Containing Avoidance Substances in Goods (continued)

(Substances for which containing in goods is to be avoided)

		CAS No.	Threshold Level	Remark	
Containing Avoidance	165	chrysene	218-01-9	*4, *7	
	166	benz[a]anthracene	56-55-3	*4, *7	
	167	cadmium nitrate	10325-94-7	*3, *4	
	168	cadmium hydroxide	21041-95-2	*3, *4	
	169	cadmium carbonate	513-78-0	*3, *4	
	170	1,6,7,8,9,14,15,16,17,17,18,18Dodecachloropentacyclo [12.2.1.1.0.0]octadeca-7,15-diene ("Dechlorane Plus" TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	13560-89-9 135821-74-8 135821-03-3		CAS No. is not stated in the Candidate List, but stated in IEC62474.
	171	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear	-		
	172	Octamethylcyclotetrasiloxane (D4)	556-67-2		
	173	Decamethylcyclopentasiloxane (D5)	541-02-6		
	174	Dodecamethylcyclohexasiloxane (D6)	540-97-6		
	175	Lead	7439-92-1		*3, *4
	176	Disodium octaborate	12008-41-2		
	177	Benzo[ghi]perylene	191-24-2		
	178	Terphenyl hydrogenated	61788-32-7		
	179	Ethylenediamine (EDA)	107-15-3		
	180	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)	552-30-7		
	181	Dicyclohexyl phthalate (DCHP)	84-61-7		*1
	182	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6		
	183	Benzo[k]fluoranthene	207-08-9		*4, *7
	184	Fluoranthene	206-44-0		
	185	Phenanthrene	85-01-8		
	186	Pyrene	129-00-0		
	187	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one	15087-24-8		
	188	2-methoxyethyl acetate	110-49-6		
	189	Tris(4-nonylphenyl, branched and linear) phosphite	-		
	190	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	-		
	191	4-tert-butylphenol	98-54-4		
	192	Perfluorobutane sulfonic acid (PFBS) and its salts	25628-08-4 34454-97-2 375-73-5 375-72-4		
	193	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5		
	194	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1		
	195	Diisohexyl phthalate	71850-09-4		
	196	Butyl 4-hydroxybenzoate	94-26-8		
197	Dibutylbis(pentane-2,4-dionato-O,O')tin	22673-19-4			
198	1-vinylimidazole	1072-63-5			
199	2-methylimidazole	693-98-1			
200	Bis(2-(2-methoxyethoxy)ethyl)ether	143-24-8			
201	Diocetyl tin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	-			
202	Orthoboric acid, sodium salt	13840-56-7			
203	Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	-			
204	4,4'-(1-methylpropylidene)bisphenol	77-40-7			
205	2,2-bis(bromomethyl)propane-1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0 36483-57-5 1522-92-5 96-13-9			
206	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	-			
207	1,4-dioxane	123-91-1			

In the cases where concentration of contained substance exceeds 1000 ppm, using weight of each article composing supplies as denominator

- *1. This may be specified as containing prohibition substance, by each business unit of SII upon request from an SII customer. Please follow the instructions made by each business unit.
- *3. This only applies to the exemptions for Lead /Lead Compounds and Hexavalent Chromium Compounds shown under Annex 5 on page 7. For other applications, the requirements under Cadmium/Cadmium Compounds and Lead/Lead Compounds and Hexavalent Chromium Compounds on Annex 5 must be satisfied.
- *4. If it is contained in textile products (including textile parts), refer to the Table N on page 18.
- *7. Substances that can potentially be in direct contact and frequently in short-term or long-term contact with human skin or oral cavities are prohibited.

Annex 6 List of Containing Avoidance Substances in Goods (continued)

(Substances for which containing in goods is to be avoided)

		CAS No.	Threshold Level	Remark	
Containing Avoidance	208	glutaral	111-30-8		
	209	S-(tricyclo(5.2.1.0 ² .2,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8		
	210	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1		
	211	tris(2-methoxyethoxy)vinylsilane	1067-53-4		
	212	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	-		
	213	N-(hydroxymethyl)acrylamide	924-42-5		
	214	Isobutyl 4-hydroxybenzoate	4247-02-3		
	215	1,1'-[ethane-1,2-diylbis(oxy)]bis[2,4,6-tribromobenzene]	37853-59-1		
	216	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7	In the cases where concentration of contained substance exceeds 1000 ppm, using weight of each article composing supplies as denominator	
	217	4,4'-sulphonyldiphenol	80-09-1		
	218	Barium diboron tetraoxide	13701-59-2		
	219	bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	26040-51-7		
	220	Melamine	108-78-1		
	221	Perfluoroheptanoic acid and its salts	375-85-9 20109-59-5 6130-43-4 21049-36-5		
	222	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	1093615-61-2		
	223	bis(4-chlorophenyl) sulphone	80-07-9		
	224	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8		
	225	Per- and polyfluoroalkyl substances (PFAS)*1	-		Intentional addition
	226	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl) phenol	3147-75-9	In the cases where concentration of contained substance exceeds 1000 ppm, using weight of each article composing supplies as denominator	
	227	2-(dimethylamino)-2-[(4-methylphenyl) methyl]-1-[4-(morpholin-4-yl) phenyl]butan-1-one	119344-86-4		
	228	Bumetizole(UV-326)	3896-11-5		
	229	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	-		
	230	Bis(α,α-dimethylbenzyl) peroxide	80-43-3		
	231	Triphenyl Phosphate	115-86-6		
232	6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid	2156592-54-8			
233	O,O,O-triphenyl phosphorothioate	597-82-0			
234	Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	192268-65-8			
235	Octamethyltrisiloxane	107-51-7			
236	Perfluamine	338-83-0			
237	1,1,1,3,5,5,5-heptamethyl-3-[[trimethylsilyl]oxy]trisiloxane	17928-28-8			
238	Decamethyltetrasiloxane	141-62-8			
239	tetra(sodium/potassium) 7-[(E)- {2-acetamido-4-[(E)-(4-{[4-chloro-6-({2-[(4-fluoro-6-[[4-(vinylsulfonyl)phenyl]amino)-1,3,5-triazine-2-yl]amino]propyl]amino)-1,3,5-triazine-2-yl]amino}-5-sulfonato-1-naphthyl)diazenyl]- 5-methoxyphenyl]diazenyl]- 1,3,6-naphthalenetrisulfonate: Reactive Brown 51	-			
240	n-hexane	110-54-3			
241	4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and its salts	-		*9	

*1. This may be specified as containing prohibition substance, by each business unit of SII upon request from an SII customer. Please follow the instructions made by each business unit.

*8. Excluding PFOS, PFOA, PFHxS, and PFCAs (C9-C14) listed in Annex 4 on P5-6. For inclusion in textile articles, please refer to Annex 4 on P6.

*9. Except when contained in textile articles.

Tables: Compound Details (Main Examples)

Table A: Asbestos (Containing Prohibition)		CAS No.
1	Asbestos	1332-21-4
2	Amosite	12172-73-5
3	Crocidolite	12001-28-4
4	Actinolite	77536-66-4
5	Anthophyllite	77536-67-5
6	Chrysotile	12001-29-5
7	Tremolite	77536-68-6

Table B: Tri-substituted organostannic compounds (including Tributyl tin and Triphenyl tin) (Containing Prohibition)		CAS No.
1	Triphenyltin N, N'-dimethyldithiocarbamate	1803-12-9
2	Triphenyltin fluoride	379-52-2
3	Triphenyltin acetate	900-95-8
4	Triphenyltin chloride	639-58-7
5	Triphenyltin hydroxide	76-87-9
6	Triphenyltin fatty acid salts (C=9-11)	18380-71-7 18380-72-8 47672-31-1 94850-90-5
7	Triphenyltin chloroacetate	7094-94-2
8	Tributyltin methacrylate	2155-70-6
9	Bis (tributyltin) fumarate	6454-35-9
10	Tributyltin fluoride	1983-10-4 7304-48-5
11	Bis (tributyltin) 2, 3-dibromosuccinate	31732-71-5 56323-17-2
12	Tributyltin acetate	56-36-0
13	Tributyltin laurate	3090-36-6
14	Bis (tributyltin) phthalate	4782-29-0
15	Copolymer of alkyl(c=8) acrylate, methyl methacrylate and tributyltin methacrylate	67772-01-4
16	Tributyltin sulfamate	6517-25-5
17	Bis (tributyltin) maleate	14275-57-1
18	Tributyltin chloride	1461-22-9 7342-38-3
19	Tributyltin cyclopentane carbonate = mixture	85409-17-2
20	Tributyltin-1,2,3,4,4a,4b,5,6,10,10a-decahydro-7-isopropyl-1,4a-dimethyl-1-phenanthrenecarboxylatemix	26239-64-5
21	Tributyltin bromide	1461-23-0
22	Bis(tributan-1-ylstannyl) but-2-enedioate	24291-45-0

Table C: Polychlorinated naphthalene (1 or more chlorine) (Containing Prohibition)		CAS No.
1	Naphthalene, chloro derivatives	70776-03-3
2	1-Chloronaphthalene	90-13-1
3	2-Chloronaphthalene	91-58-7
4	1,5-Dichloronaphthalene	1825-30-5
5	1,4-Dichloronaphthalene	1825-31-6
6	1,2-Dichloronaphthalene	2050-69-3
7	1,6-Dichloronaphthalene	2050-72-8
8	1,7-Dichloronaphthalene	2050-73-9
9	1,8-Dichloronaphthalene	2050-74-0
10	2,3-Dichloronaphthalene	2050-75-1
11	2,6-Dichloronaphthalene	2065-70-5
12	1,3-Dichloronaphthalene	2198-75-6
13	2,7-Dichloronaphthalene	2198-77-8
14	Chloronaphthalene	25586-43-0
15	Dichloronaphthalene	28699-88-9
16	Pentachloronaphthalene	1321-64-8
17	Trichloronaphthalene	1321-65-9
18	Hexachloronaphthalene	1335-87-1
19	Tetrachloronaphthalene	1335-88-2
20	1,2,3,4,5,6,7,8-Octachloronaphthalene	2234-13-1

Table C: Polychlorinated naphthalene (1 or more chlorine) (Containing Prohibition)

(continued)		CAS No.
21	1,4,6-Trichloronaphthalene	2437-54-9
22	1,4,5-Trichloronaphthalene	2437-55-0
23	1,4,5,8-Tetrachloronaphthalene	3432-57-3
24	1,2,4,8-Tetrachloronaphthalene	6529-87-9
25	1,2,4,5-Tetrachloronaphthalene	6733-54-6
26	1,2,3,6,7,8-Hexachloronaphthalene	17062-87-2
27	1,2,3,4-Tetrachloronaphthalene	20020-02-4
28	1,3,5,8-Tetrachloronaphthalene	31604-28-1
29	Heptachloronaphthalene	32241-08-0
30	2,3,6,7-Tetrachloronaphthalene	34588-40-4
31	1,2,4-Trichloronaphthalene	50402-51-2
32	1,2,3-Trichloronaphthalene	50402-52-3
33	1,3,5-Trichloronaphthalene	51570-43-5
34	1,2,6-Trichloronaphthalene	51570-44-6
35	1,2,4,6-Tetrachloronaphthalene	51570-45-7
36	1,2,3,5-Tetrachloronaphthalene	53555-63-8
37	1,3,5,7-Tetrachloronaphthalene	53555-64-9
38	1,2,3,5,7-Pentachloronaphthalene	53555-65-0
39	1,2,5-Trichloronaphthalene	55720-33-7
40	1,2,7-Trichloronaphthalene	55720-34-8
41	1,2,8-Trichloronaphthalene	55720-35-9
42	1,3,6-Trichloronaphthalene	55720-36-0
43	1,3,7-Trichloronaphthalene	55720-37-1
44	1,3,8-Trichloronaphthalene	55720-38-2
45	1,6,7-Trichloronaphthalene	55720-39-3
46	2,3,6-Trichloronaphthalene	55720-40-6
47	1,2,3,7-Tetrachloronaphthalene	55720-41-7
48	1,3,6,7-Tetrachloronaphthalene	55720-42-8
49	1,4,6,7-Tetrachloronaphthalene	55720-43-9
50	1,2,3,4,5,6,7-Heptachloronaphthalene	58863-14-2
51	1,2,3,4,5,6,8-Heptachloronaphthalene	58863-15-3
52	1,2,3,4,5,6-Hexachloronaphthalene	58877-88-6
53	1,2,4,7-Tetrachloronaphthalene	67922-21-8
54	1,2,5,6-Tetrachloronaphthalene	67922-22-9
55	1,2,5,7-Tetrachloronaphthalene	67922-23-0
56	1,2,6,8-Tetrachloronaphthalene	67922-24-1
57	1,2,3,4,5-Pentachloronaphthalene	67922-25-2
58	1,2,3,4,5,7-Hexachloronaphthalene	67922-27-4
59	1,2,4,5,6,8-Hexachloronaphthalene	90948-28-0
60	1,2,4,5,7,8-Hexachloronaphthalene	103426-92-2
61	1,2,3,4,5,8-Hexachloronaphthalene	103426-93-3
62	1,2,3,5,7,8-Hexachloronaphthalene	103426-94-4
63	1,2,3,5,6,8-Hexachloronaphthalene	103426-95-5
64	1,2,3,4,6,7-Hexachloronaphthalene	103426-96-6
65	1,2,3,5,6,7-Hexachloronaphthalene	103426-97-7
66	1,2,3,6-Tetrachloronaphthalene	149864-78-8
67	1,2,6,7-Tetrachloronaphthalene	149864-79-9
68	1,2,5,8-Tetrachloronaphthalene	149864-80-2
69	1,2,3,8-Tetrachloronaphthalene	149864-81-3
70	1,2,7,8-Tetrachloronaphthalene	149864-82-4
71	1,2,3,7,8-Pentachloronaphthalene	150205-21-3
72	1,3,6,8-Tetrachloronaphthalene	150224-15-0
73	1,2,3,6,7-Pentachloronaphthalene	150224-16-1
74	1,2,4,6,7-Pentachloronaphthalene	150224-17-2
75	1,2,3,5,6-Pentachloronaphthalene	150224-18-3
76	1,2,4,5,7-Pentachloronaphthalene	150224-19-4
77	1,2,4,5,6-Pentachloronaphthalene	150224-20-7
78	1,2,4,7,8-Pentachloronaphthalene	150224-21-8
79	1,2,4,6,8-Pentachloronaphthalene	150224-22-9
80	1,2,3,6,8-Pentachloronaphthalene	150224-23-0
81	1,2,3,5,8-Pentachloronaphthalene	150224-24-1
82	1,2,4,5,8-Pentachloronaphthalene	150224-25-2
83	Other polychlorinated naphthalenes	-

Table D: Polybromodiphenyl ethers (PBDE) (Containing Prohibition)

		CAS No.
1	Bromodiphenyl ether	101-55-3
2	Dibromodiphenyl ether	2050-47-7
3	Tribromodiphenyl ether	49690-94-0
4	Tetrabromodiphenyl ether	40088-47-9
5	Pentabromodiphenyl ether	32534-81-9
6	Hexabromodiphenyl ether	36483-60-0
7	Heptabromodiphenyl ether	68928-80-3
8	Octabromodiphenyl ether	32536-52-0
9	Nonabromodiphenyl ether	63936-56-1
10	Decabromodiphenyl ether	1163-19-5

Table E: Polybrominated biphenyls (PBB)(Containing Prohibition)

		CAS No.
1	Polybrominated Biphenyls	59536-65-1
2	DibromobiphenylX	92-86-4
3	2-Bromobiphenyl	2052-07-5
4	3-Bromobiphenyl	2113-57-7
5	4-Bromobiphenyl	92-66-0
6	Tribromobiphenyl	59080-34-1
7	Tetrabromobiphenyl	40088-45-7
8	Pentabromobiphenyl	56307-79-0
9	Hexabromobiphenyl	59080-40-9
10	Hexabromo-1,1-biphenyl	36355-01-8
11	Firemaster FF-1	67774-32-7
12	Heptabromobiphenyl	35194-78-6
13	Octabromobiphenyl	61288-13-9
14	Nonabromobiphenyl	27753-52-2
15	Decabromobiphenyl	13654-09-6

Table F: Azo Compounds(Containing Prohibition)

Amines from which azo compounds should not be generated due to chemical dissolution

		CAS No.
1	<i>o</i> -anisidine	90-04-0
2	2-naphthylamine	91-59-8
3	3,3'-dichlorobenzidine	91-94-1
4	Biphenyl-4-ylamine	92-67-1
5	Benzidine	92-87-5
6	<i>o</i> -toluidine	95-53-4
7	4-chloro- <i>o</i> -toluidine	95-69-2
8	2,4-toluenediamine	95-80-7
9	<i>o</i> -aminoazotoluene	97-56-3
10	5-nitro- <i>o</i> -toluidine	99-55-8
11	4,4'-methylene-bis-(2-chloroaniline)	101-14-4
12	4,4'-methylenedianiline	101-77-9
13	4,4'-oxydianiline	101-80-4
14	<i>p</i> -chloroaniline	106-47-8
15	3,3'-dimethoxybenzidine	119-90-4
16	3,3'-dimethylbenzidine	119-93-7
17	2-methoxy-5-methylaniline	120-71-8
18	2,4,5-trimethylaniline	137-17-7
19	4,4'-thiodianiline	139-65-1
20	4-methoxy- <i>m</i> -phenylenediamine	615-05-4
21	4,4'-methylenedi- <i>o</i> -toluidine	838-88-0
22	4-amino azobenzene	60-09-3

Amine: Hydrogen atom of ammonia was substituted with hydrocarbon group.

Azo compounds: Has an atomic group of "-N=N-." The term "azo" means nitrogen.

Table G: Chlorinated paraffins (C10-13) (Containing Prohibition)

		CAS No.
1	Alkanes, C10-13, chloro	85535-84-8
2	Alkanes, C10-12, chloro	108171-26-2
3	Alkanes, C12-13, chloro	71011-12-6
4	Alkanes, chloro	61788-76-9
5	Other chlorinated paraffins	-

Table H: Perfluorooctane sulfonates (PFOS) (Containing Prohibition)		CAS No.
1	Perfluorooctane sulfonic acid	1763-23-1
2	Lithium perfluorooctane sulfonic acid	29457-72-5
3	Potassium perfluorooctane sulfonic acid	2795-39-3
4	Ammonium perfluorooctane sulfonic acid	29081-56-9
5	Tetraethyl ammonium perfluorooctane sulfonic acid	56773-42-3
6	Didecyldimethyl ammonium perfluorooctane sulfonic acid	251099-16-8
7	Diethanol ammonium perfluorooctane sulfonic acid	70225-14-8
8	Perfluorooctane sulfonyl fluoride	307-35-7
9	N-Methylperfluorooctane sulfonamide	31506-32-8
10	N-Ethylperfluorooctane sulfonamide	4151-50-2
11	N-(2-Hydroxyethyl)-N-methylperfluorooctane sulfonamide	24448-09-7
12	N-Ethyl-N-(2-hydroxyethyl)perfluorooctane sulfonamide	1691-99-2
13	Other perfluorooctane sulfonates	-

Table I: Dibutyltin Compounds (DBT) (Containing Prohibition)		CAS No.
1	Dibutyltin oxide	818-08-6
2	Dibutyltin diacetate	1067-33-0
3	Dibutyltin dilaurate	77-58-7
4	Dibutyltin maleate	78-04-6
5	Dibutyltin dichloride	683-18-1
6	Other dibutyltin compounds	-

Table J: Dioctyltin Compounds (DOT) (Containing Prohibition)		CAS No.
1	Dioctyltin Oxide	870-08-6
2	Dioctyltin dilaurate	3648-18-8
3	Dioctyltin dichloride	3542-36-7
4	Dioctyltin maleate	16091-18-2
5	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1
6	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	-
7	Other dioctyltin compounds	-

Table K: Hexabromocyclododecane(HBCDD) (Containing Prohibition)		CAS No.
1	Hexabromocyclododecane	25637-99-4
2	1,2,5,6,9,10-Hexabromocyclododecane	3194-55-6
3	rel-(1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane	134237-50-6
4	rel-(1R,2S,5R,6R,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane	134237-51-7
5	rel-(1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane	134237-52-8
6	rel-(1R,2S,5R,6S,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane	4736-49-6
7	rel-(1R,2S,5R,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane	65701-47-5
8	(1R,2R,5R,6S,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane	138257-17-7
9	(1R,2R,5R,6S,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane	138257-18-8
10	(1R,2S,5S,6R,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane	138257-19-9
11	(1R,2S,5S,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane	169102-57-2
12	(1R,2R,5S,6R,9R,10S)-1,2,5,6,9,10-Hexabromocyclododecane	678970-15-5
13	(1R,2S,5R,6S,9S,10S)-1,2,5,6,9,10-Hexabromocyclododecane	678970-16-6
14	(1R,2R,5R,6S,9S,10R)-1,2,5,6,9,10-Hexabromocyclododecane	678970-17-7

Table L: Polycyclic aromatic hydrocarbons(PAH) (Containing Prohibition)		CAS No.
1	Benzo[a]pyrene (BaP)	50-32-8
2	Benzo[e]pyrene (BeP)	192-97-2
3	Benzo[a]anthracene (BaA)	56-55-3
4	Chrysen (CHR)	218-01-9
5	Benzo[b]fluoranthene (BbFA)	205-99-2
6	Benzo[j]fluoranthene (BjFA)	205-82-3
7	Benzo[k]fluoranthene (BkFA)	207-08-9
8	Dibenzo[a,h]anthracene(DBA _h A)	53-70-3

Table M: PFOA, PFOA-salts, PFOA-esters (Containing Prohibition)		CAS No.
1	Perfluorooctanoic acid	335-67-1
2	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
3	Sodium salt of Perfluorooctanoic acid	335-95-5
4	Potassium salt of Perfluorooctanoic acid	2395-00-8
5	Silver(1+) salt of Perfluorooctanoic acid	335-93-3
6	Perfluorooctanoyl fluoride	335-66-0
7	Methyl perfluorooctanoate	376-27-2
8	Ethyl perfluorooctanoate	3108-24-5

Table N CMR substances in textile products (Containing Prohibition)

		CAS No.	Threshold Level(Contents concentration in homogenous material)	Remark
1	Cadmium and its compounds (Listed under entries 28-30 to Appendices 1-6 in Annex XVII of REACH)	-	1 mg/kg (1ppm) (expressed as Cd metal that can be extracted from the material)	Heavy Metals
2	Chromium VI compounds (Listed under entries 28-30 to Appendices 1-6 in Annex XVII of REACH)	-	1 mg/kg (1ppm) (expressed as Cr VI that can be extracted from the material)	
3	Arsenic compounds (Listed under entries 28-30 to Appendices 1-6 in Annex XVII of REACH)	-	1 mg/kg (1ppm) (expressed as As metal that can be extracted from the material)	
4	Lead and its compounds (Listed under entries 28-30 to Appendices 1-6 in Annex XVII of REACH)	-	1 mg/kg (1ppm) (expressed as Pb metal that can be extracted from the material)	
5	Benzene	71-43-2	5 mg/kg(5ppm)	Benzene
6	Benz[a]anthracene	56-55-3	1 mg/kg (1ppm)	Polycyclic aromatic hydrocarbons(PAHs)
7	Benz[e]acephenanthrylene	205-99-2	1 mg/kg (1ppm)	
8	benzo[a]pyrene	50-32-8	1 mg/kg (1ppm)	
9	Benzo[e]pyrene	192-97-2	1 mg/kg (1ppm)	
10	Benzo[j]fluoranthene	205-82-3	1 mg/kg (1ppm)	
11	Benzo[k]fluoranthene	207-08-9	1 mg/kg (1ppm)	
12	Chrysene	218-01-9	1 mg/kg (1ppm)	
13	Dibenz[a,h]anthracene	53-70-3	1 mg/kg (1ppm)	
14	$\alpha, \alpha, \alpha, 4$ -tetrachlorotoluene; p -chlorobenzotrchloride	5216-25-1	1 mg/kg (1ppm)	
15	α, α, α -trichlorotoluene; benzotrchloride	98-07-7	1 mg/kg (1ppm)	
16	α -chlorotoluene; benzyl chloride	100-44-7	1 mg/kg (1ppm)	
17	Formaldehyde	50-00-0	75 mg/kg (75ppm)	
18	1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, C 7-rich(DIHP)	71888-89-6	1000 mg/kg (1000ppm) (individually or in combination with other phthalates in this entry)	Phthalates
19	Bis(2-methoxyethyl) phthalate(DMEP)	117-82-8		
20	Diisopentylphthalate(DIPP)	605-50-5		
21	Di-n-pentyl phthalate (DPP)	131-18-0		
22	Di-n-hexyl phthalate (DnHP)	84-75-3		
23	N-methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone (NMP)	872-50-4	3000 mg/kg (3000ppm)	Solvents
24	N,N-dimethylacetamide (DMAC)	127-19-5	3000 mg/kg (3000ppm)	
25	N,N-dimethylformamide; dimethyl formamide (DMF)	68-12-2	3000 mg/kg (3000ppm)	
26	1,4,5,8-tetraaminoanthraquinone; C.I. Disperse Blue 1	2475-45-8	50 mg/kg (50ppm)	Dyestuff
27	Benzenamine, 4,4' -(4-iminocyclohexa- 2,5-dienylidenemethylene)dianiline hydrochloride; C.I. Basic Red 9	569-61-9	50 mg/kg (50ppm)	
28	[4-[4,4' -bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride; C.I. Basic Violet 3	548-62-9	50 mg/kg (50ppm)	
29	4-chloro-o-toluidinium chloride	3165-93-3	30 mg/kg (30ppm)	Others
30	2-Naphthylammoniumacetate	553-00-4	30 mg/kg (30ppm)	
31	4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	39156-41-7	30 mg/kg (30ppm)	
32	2,4,5-trimethylaniline hydrochloride	21436-97-5	30 mg/kg (30ppm)	
33	Quinoline	91-22-5	50 mg/kg (50ppm)	

Table O Perfluorohexane-1-sulphonic acid and its salts(Containing Prohibition)

		CAS No.
1	Perfluorohexane-1-sulphonic acid	355-46-4
2	Ammonium perfluorohexane-1-sulphonate	68259-08-5
3	Potassium perfluorohexane-1-sulphonate	3871-99-6
4	Tridecafluorohexane-1-sulfonyl fluoride	423-50-7
5	Perfluorohexanesulfonamide	41997-13-1
6	Other perfluorohexane-1-sulphonic acid and its salts	-

Table P: Perfluorocarboxylic acids containing 9 to 14 carbon atoms in the chain(C9-C14 PFCAs),their salts and C9-C14 PFCA-related substances(Containing Prohibition)		CAS No.
1	Perfluorononan-1-oic acid(PFNA)	375-95-1
2	Perfluorononan-1-oic acid ammonium salt	4149-60-4
3	Perfluorononan-1-oic acid sodium salt	21049-39-8
4	Nonadecafluorodecanoic acid(PFDA)	335-76-2
5	Nonadecafluorodecanoic acid ammonium salt	3108-42-7
6	Nonadecafluorodecanoic acid sodium salt	3830-45-3
7	Pentacosafuorotridecanoic acid(PFTrDA)	72629-94-8
8	Tricosafuorododecanoic acid(PFDoDA)	307-55-1
9	Henicosafuoroundecanoic acid(PFUnDA)	2058-94-8
10	Heptacosafuorotetradecanoic acid(PFTDA)	376-06-7
11	Dodecane, 1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12-pentacosafuoro-12-iodo-	307-60-8
12	2-Propenoic acid, 2-methyl-,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-henicosafuorododecyl ester	2144-54-9
13	Other C9-C14 linear and/or branched perfluorocarboxylic acids (C9-C14 PFCAs), their salts and C9-C14 PFCAs-related substances	-

Table Q: Medium-chain chlorinated paraffins (MCCP) (Containing Prohibition)		CAS No.
1	Alkanes, C14-16, chloro	1372804-76-6
2	Alkanes, C14-17, chloro	85535-85-9
3	Tetradecane, chloro derivs.	198840-65-2
4	Other medium-chain chlorinated paraffins (MCCP)	-

Table R: Long-chain perfluorocarboxylic acids(C9-C21 PFCAs), their salts and C9-C21 PFCA related substances (Containing Prohibition)		CAS No.
1	Substances listed in Table P	-
2	Perfluoropentadecanoic acid	141074-63-7
3	Perfluorohexadecanoic acid	67905-19-5
4	Perfluoroheptadecanoic acid	57475-95-3
5	Perfluorooctadecanoic acid	16517-11-6
6	Perfluorononadecanoic acid	133921-38-7
7	Perfluoroeicosanoic acid	68310-12-3
8	Othe C9-C21 PFCAs, their salts and C9-C21 PFCAs related substances	-

Table S: Undecafluorohexanoic acid (PFHxA), their salts and PFHxA-related substances (Containing Prohibition)		CAS No.
1	Undecafluorohexanoic acid	307-24-4
2	Undecafluorohexanoic acid, sodium salt	2923-26-4
3	Undecafluorohexanoic acid, ammonium salt	21615-47-4
4	Other PFHxA, their salt and PFHxA-related substances	-

Table T: Bisphenols (Containing Prohibition)		CAS No.
1	Bisphenol S	80-09-1
2	Bisphenol A	77-40-7
3	2,2'-methylenediphenol (Bisphenol F)	2467-02-9
4	4,4'-methylenediphenol (Bisphenol F)	620-92-8
5	4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene] bisphenol	1478-61-1
6	Tetrabromobisphenol A(TBBPA)	79-94-7
7	Tetrabromobisphenol S	39635-79-5
8	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6
9	4,4'-Methylenebis(2,6-dimethylphenol)	5384-21-4
10	Other bisphenols	-

Table U: Cadmium / Cadmium Compounds (Conditional Containing Prohibition)		CAS No.
1	Cadmium	7440-43-9
2	Cadmium oxide	1306-19-0
3	Cadmium sulfide	1306-23-6
4	Cadmium chloride	10108-64-2
5	Cadmium sulphate	10124-36-4
6	Cadmium nitrate	31119-53-6
7	Cadmium nitrate tetrahydrate	10325-94-7
8	Cadmium nitrate tetrahydrate	10022-68-1
9	Cadmium stearate (cadmium soap)	2223-93-0
10	Cadmium fluoride	7790-79-6
10	Other cadmium compounds	-

Table V: Hexavalent Chromium Compounds (Conditional Containing Prohibition)		CAS No.
1	Sodium dichromate	10588-01-9
2	Potassium dichromate	7778-50-9
3	Chromium trioxide	1333-82-0
4	Lead (II) chromate	7758-97-6
5	Potassium chromate	7789-00-6
6	Calcium chromate	13765-19-0
7	Barium chromate	10294-40-3
8	Strontium chromate	7789-06-2
9	Zinc chromate	13530-65-9
10	Sodium chromate	7775-11-3
11	Lead chromate molybdate sulfate red (C.I. Pigment Red 104)	12656-85-8
12	C.I. Pigment Yellow 34	1344-37-2
13	Ammonium dichromate	7789-09-5
14	Pentazinc chromate octahydroxide	49663-84-5
15	Potassium zinc chromate hydroxide	11103-86-9
16	Dichromium tris(chromate)	24613-89-6
17	Acids generated from chromium trioxide and their oligomers: · Chromic acid · Dichromic acid · Oligomers of chromic acid and dichromic acid	7738-94-5 13530-68-2
18	Potassium chlorochromate	16037-50-6
19	Ammonium chromate	7788-98-9
20	Copper chromate	13548-42-0
21	Magnesium chromate	13423-61-5
22	Calcium dichromate	14307-33-6
23	Other hexavalent chromium compounds	-

Table W: Lead/Lead Compounds (Conditional Containing Prohibition)		CAS No.
1	Lead	7439-92-1
2	Lead (II) carbonate	598-63-0
3	Lead (IV) oxide	1309-60-0
4	Lead (II,IV) oxide	1314-41-6
5	Lead (II) sulfide	1314-87-0
6	Lead (II) oxide	1317-36-8
7	Lead (II) carbonate basic	1319-46-6
8	Lead hydroxidcarbonate	1344-36-1
9	Lead (II) sulfate	7446-14-2
10	Lead (II) phosphate	7446-27-7
11	Lead (II) chromate	7758-97-6
12	Lead titanium trioxide	12060-00-3
13	Lead sulfate, sulphuric acid, lead salt	15739-80-7
14	Lead difluoride	7783-46-2
15	Lead dichloride	7758-95-4
16	Lead(II) acetate	301-04-2
17	Lead (II) acetate, trihydrate	6080-56-4
18	Lead selenide	12069-00-0
19	Lead sulphate, tribasic	12202-17-4
20	Lead stearate	1072-35-1
21	Lead hydrogen arsenate	7784-40-9
22	Lead chromate molybdate sulfate red (C.I. Pigment Red 104)	12656-85-8
23	C.I. Pigment Yellow 34	1344-37-2
24	Trilead diarsenate	3687-31-8
25	Lead diazide	13424-46-9
26	Lead 2,4,6-trinitro-m-phenylene dioxide	15245-44-0
27	Lead dipicrate	6477-64-1
28	Lead(II) dimethanesulfonate	17570-76-2
29	Other lead compounds	-

Table X: Mercury/Mercury Compounds (Conditional Containing Prohibition)		CAS No.
1	Mercury	7439-97-6
2	Mercury(II) chloride	7487-94-7
3	Mercury(II) oxide	21908-53-2
4	Diethylmercury	627-44-1
5	Phenylmercury chloride	100-56-1
6	Mercuric sulfate	7783-35-9
7	Mercuric nitrate	10045-94-0
8	Mercuric sulfide	1344-48-5
9	Mercuric chloride	33631-63-9
10	Dimercury sulphate	7783-36-0
11	Mercury difulminate	628-86-4
12	Mercury diacetate	1600-27-7
13	Other mercury compounds	-

Table Y: Arsenic / Arsenic Compounds (Containing Avoidance)		CAS No.
1	Arsenic	7440-38-2
2	Gallium arsenide	1303-00-0
3	Calcium arsenite	27152-57-4
4	Potassium arsenite	10124-50-2
5	Potassium arsenate	7784-41-0
6	Other arsenate compounds	-

Table Z: Beryllium /Beryllium Compounds (Containing Avoidance)		CAS No.
1	Beryllium	7440-41-7
2	Beryllium-aluminum alloy	12770-50-2
3	Beryllium chloride	7787-47-5
4	Beryllium fluoride	7787-49-7
5	Beryllium hydroxide	13327-32-7
6	Beryllium oxide	1304-56-9
7	Beryllium phosphate	13598-15-7
8	Beryllium sulfate	13510-49-1
9	Beryllium sulfate tetrahydrate	7787-56-6
10	Beryl ore	1302-52-9
11	Beryllium copper	11108-64-8
12	Other beryllium compounds	-

Table AA: Nickel / Nickel Compounds (Containing Avoidance)		CAS No.
1	Nickel	7440-02-0
2	Nickel carbonyl	13463-39-3
3	Nickel oxide	1313-99-1
4	Nickelous carbonate	3333-67-3
5	Nickel sulfate	7786-81-4
6	Nickel sulfide	12035-72-2
7	Nickel (II) chloride	7718-54-9
8	Nickel (II) chloride, hexahydrate	7791-20-0
9	Nickel(II) sulfate, hexahydrate	10101-97-0
10	Nickel(II) sulfate, heptahydrate	10101-98-1
11	Antimony nickel titanium oxide yellow (C.I. Pigment Yellow 53)	8007-18-9
12	Nickel niobium titanium yellow rutile (C.I. Pigment Yellow 161)	68611-43-8
13	Cobalt titanate green spinel (C.I. Pigment Green 50)	68186-85-6
14	Other nickel compounds	-

Table AB: Phthalates (Containing Avoidance)		CAS No.
1	Diisononyl phthalate (DINP)	28553-12-0 68515-48-0
2	1,2-Benzenedicarboxylic acid diisodecyl ester (DIDP)	26761-40-0 68515-49-1
3	Di-n-octyl phthalate (DNOP)	117-84-0
4	Diisooctyl phthalate(DIOP)	27554-26-3

Table AC: Radioactive substances (Containing Avoidance)		CAS No.
1	Uranium-238	7440-61-1
2	Radon	10043-92-2
3	Americium-241	14596-10-2
4	Thorium-232	7440-29-1
5	Cesium-137	10045-97-3
6	Strontium-90	10098-97-2

Table AD: Brominated flame retardants (except PBB,PBDE and HBCDD) (Containing Avoidance)		CAS No.
1	Poly (2, 6-dibromo-phenylene oxide)	69882-11-7
2	Tetra-decabromo-diphenoxy-benzene	58965-66-5
3	1, 2-Bis (2, 4, 6-tribromo-phenoxy) ethane	37853-59-1
4	3, 5, 3', 5'-Tetrabromo-bisphenol A (TBBA)	79-94-7
5	TBBA, unspecified	30496-13-0
6	TBBA-epichlorhydrin oligomer	40039-93-8
7	TBBA-TBBA-diglycidyl-ether oligomer	70682-74-5
8	TBBA carbonate oligomer	28906-13-0
9	TBBA carbonate oligomer, phenoxy end capped	94334-64-2
10	TBBA carbonate oligomer, 2, 4, 6-tribromo-phenol terminated	71342-77-3
11	TBBA-(2, 3-dibromo-propyl-ether)	21850-44-2
12	TBBA bis-(2-hydroxy-ethyl-ether)	4162-45-2
13	TBBA-bis-(allyl-ether)	25327-89-3

Table AD: Brominated flame retardants (except PBB, PBDE and HBCDD)
(Containing Avoidance)(continued)

		CAS No.
14	TBBA-dimethyl-ether	37853-61-5
15	Tetrabromo-bisphenol S	39635-79-5
16	TBBS-bis-(2, 3-dibromo-propyl-ether)	42757-55-1
17	2, 4-Dibromo-phenol	615-58-7
18	2, 4, 6-tribromo-phenol	118-79-6
19	Pentabromo-phenol	608-71-9
20	2, 4, 6-Tribromo-phenyl-allyl-ether	3278-89-5
21	Tribromo-phenyl-allyl-ether, unspecified	26762-91-4
22	Tetrabromo-chyclo-octane	31454-48-5
23	1, 2-Dibromo-4-(1, 2 dibromo-ethyl)-cyclo-hexane	3322-93-8
24	Tetrabromo phthalic-anhydride	632-79-1
25	1, 3-Butadiene homopolymer, brominated	68441-46-3
26	2-Hydroxy-propyl-2-(2-hydroxy-ethoxy)-ethyl-TBP	20566-35-2
27	2, 3-Dibromo-2-butene-1, 4-diol	3234-02-4
28	Dibromo-neopentyl-glycol	3296-90-0
29	Dibromo-propanol	96-13-9
30	Tribromo-neopentyl-alcohol	36483-57-5
31	Poly tribromo-styrene	57137-10-7
32	Tibromo-styrene	61368-34-1
33	Poly-dibromo-styrene	31780-26-4
34	Bromo-/Chloro-paraffins	68955-41-9
35	Bromo-/Chloro-alpha-olefin	82600-56-4
36	Vinylbromide	593-60-2
37	Tris-(2, 3-dibromo-propyl)-isocyanurate	52434-90-9
38	Tris (2, 4-Dibromo-phenyl) phosphate	49690-63-3
39	Tris (tribromo-neopentyl) phosphate	19186-97-1
40	Pentabromo-toluene	87-83-2
41	Pentabromo-benzyl bromide	38521-51-6
42	Pentabromo-benzyl-acrylate, monomer	59447-55-1
43	Pentabromo-benzyl-acrylate, polymer	59447-57-3
44	TBBA-bisphenol A-phosgene polymer	32844-27-2
45	Brominated epoxy resin end-capped with tribromophenol	139638-58-7
46	Bis (methyl) tetrabromo-phtalate	55481-60-2
47	Bis (2-ethylhexyl) tetrabromo-phtalate	26040-51-7
48	TBPA, glycol-and propylene-oxide esters	75790-69-1
49	N, N'-Ethylene-bis-(tetrabromo-phthalimide)	32588-76-4
50	Ethylene-bis(5,6-dibromo-norbornane-2,3-dicarboximide)	52907-07-0
51	Chlorinated and brominated phosphate ester	125997-20-8
52	Tribromo-bisphenyl-maleinimide	59789-51-4
53	TBPA Na salt	25357-79-3
54	Decabromo-diphenyl-ethane	84852-53-9
55	Dibromo-styrene grafted PP	171091-06-8
56	Octabromo-1,1,3-trimethyl-1-phenylindane (FR-1808)	155613-93-7
57	Brominated epoxy resin end-capped with tribromophenol	135229-48-0
58	Other brominated flame retardants	-

Table AE: Chlorinated Flame Retardants (Excluding Short-chain chlorinated paraffins)
(Containing Avoidance)

		CAS No.
1	Tetrakis(2-chloroethyl)dichloroisopentylidiphosphate	38051-10-4
2	Tris(2,3-dichloro-1-propyl)phosphate	66108-37-0
3	Other chlorinated flame retardants	-

Table AF: Perchlorates (Containing Avoidance)

		CAS No.
1	Lithium Perchlorate	7791-03-9
2	Ammonium perchlorate	7790-98-9
3	Barium perchlorate	13465-95-7
4	Lead perchlorate	13637-76-8
5	Magnesium Perchlorate	10034-81-8
6	Perchloric acid, cobalt (2+) salt	13455-31-7
7	Perchloric acid, mercury(2+) salt	7616-83-3
8	Perchloric acid, nickel(2+) salt, hexahydrate	13520-61-1
9	Nickel perchlorate	13637-71-3
10	Potassium Perchlorate	7778-74-7
11	Sodium Perchlorate	7601-89-0
12	Thallium(3+) perchlorate	15596-83-5
13	Other perchlorates	-

Table AG: 4-Nonylphenol, branched and linear, ethoxylated (Containing Avoidance)

		CAS No.
1	Poly(oxy-1,2-ethanediyl), α -(4-nonylphenyl)- ω -hydroxy-	26027-38-3
2	Ethanol, 2-[2-[2-[2-(4-nonylphenoxy)ethoxy]ethoxy]ethoxy]-	7311-27-5
3	Ethanol, 2-[2-(4-nonylphenoxy)ethoxy]-	20427-84-3
4	3,6,9,12,15-Pentaoxaheptadecan-1-ol, 17-(4-nonylphenoxy)-	34166-38-6
5	3,6,9,12,15,18-Hexaoxaeicosan-1-ol, 20-(4-nonylphenoxy)-	27942-27-4
6	3,6,9,12,15,18,21,24-Octaoxahexacosan-1-ol, 26-(4-nonylphenoxy)-	14409-72-4
7	Ethanol, 2-(4-nonylphenoxy)-	104-35-8
8	Isononylphenol ethoxylate	37205-87-1
9	Poly(oxy-1,2-ethanediyl), α -(4-nonylphenyl)- ω -hydroxy-, branched	127087-87-0
10	4-tert-Nonylphenol diethoxylate	156609-10-8
11	Other 4-Nonylphenol, branched and linear, ethoxylated	-

	(A) Occupational Safety and Health Law	(B) Chemical Substances Examination Law	(C) Special Chemical Substance Regulation	(D) PRTR Law	(E) EU Directives	End Use Applications	
Containing Prohibition Substances							
1	4-nitrobiphenyl and its salt	MP		1		Synthetic intermediates	
2	DDT		1			Antiseptics, fungicides, paints	
3	Asbestos			2	S1	Adiabators, insulators, bulking agents	
4	Aldrin (HCB)		1			Antiseptics, fungicides, paints	
5	Endrin		1			Antiseptics, fungicides, paints	
6	Chlordane		1			Adhesives, paints	
7	Dieldrin		1			Antiseptics, fungicides, paints	
8	Bis(chloromethyl) ether	MP				Insecticides	
9	Tributyl tin oxide (TBTO)		1			Antiseptics, paints, pigments	
10	Tri-substituted organostannic compounds (including Tributyl tin and Triphenyl tin)				○	Fungicides, antiseptics, paints, pigments	
11	Hexachloro benzene (HCB)		1			Disinfectants, antirust	
12	Polychlorinated naphthalene (1 or more chlorine)		1		○	Lubricants, paints	
13	Polychlorobiphenyls (PCB)		1	1	○	Insulation oil, lubricants	
14	Polychlorinated terphenyls (PCT)				○	Insulation oil, lubricants	
15	Polybrominated diphenylethers group (PBDE)				○	Fire retardant	
16	Polybrominated biphenyls group (PBB)				○	Fire retardant	
17	Azo compounds					Pigments, dyes	
18	2,4,6-Tri-tert-butylphenol		1			Antioxidants	
19	N,N'-ditolyl-p-phenylenediamine N-toly-N'-xylyl-p-phenylenediamine N,N'-dixylyl-p-phenylenediamine		1			Antioxidants, lubricants	
20	Chlorinated paraffins (C10-13)		1		○	Plasticizer, fire retardant	
21	Mirex		1			Fire retardant	
22	Yellow phosphor	MP				Lucifer	
23	Toxaphene		1			Insecticide	
24	Monomethyl-dichloro-diphenyl methane (DBBT)				○	Insulation oil, lubricants	
25	Di-u-oxo-di-n-butyl-stanniohydroxyborane (DBB)				○	Insulation oil, lubricants	
26	Monomethyl-tetrahalorodiphenyl-methane				○	Insulation oil, lubricants	
27	Monomethyl-dichloro-diphenyl-methane				○	Insulation oil, lubricants	
28	Phenol,2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dim ethylethyl)- (UV-320)		1			Ultraviolet rays inhibitor	
29	Perfluorooctane sulfonates (PFOS)		1			surface-active agent, paints	
30	Dimethyl fumarate (DMF)				○	Insecticide, fungicides	
31	Cobalt dichloride				○	Water indicator in desiccants	
32	Formaldehyde			1		Antiseptics,	
33	Dibutyltin (DBT) compounds				○	PVC stabilizer and catalysts for curing silicone	
34	Diocetyl tin (DOT) compounds				○	resins and polyurethane resins.	
35	Tris(2,3-dibromopropyl)phosphate (TRIS)				○	Fire retardant	
36	Tris (1-aziridinyl) phosphine oxide (TEPA)				○	Fire retardant	
37	Hexabromocyclododecane (HBCDD)				○	Fire retardant	
38	Polycyclic aromatic hydrocarbons (PAH)				○	Antiseptics, lubricants	
39	Tris(2-chloroethyl)phosphate (TCEP) *1				○	Fire retardant, lubricants	
40	Tris(1-chloro-2-propyl)phosphate (TCPP) *1					Fire retardant	
41	Tris(1,3-dichloro-2-propyl)phosphate (TDCPP) *1					Fire retardant	
42	PFOA, PFOA-salts, PFOA-esters		1			surface-active agent, paints	
43	4,4'-isopropylidenediphenol (bisphenol A:BPA)			1	○	Epoxy resin curing agents, thermal paper	
44	Pentachlorophenol and its salts and esters		1	2	1	○	Insecticide, pesticides
45	CMR substances in textile products				○	Preservatives, pigments, plasticizers	
46	Phenol, isopropylated, phosphate (3:1)*2					Fire retardant	
47	Pentachlorobenzenethiol*2					Organic rubbers	
48	Hexachlorobutadiene (HCBd)*2		1			Agrochemicals, solvents	
49	Perfluorohexane sulfonic acid (PFHxS), its salts and PFHxS-related compounds		1			Surface treatment agents, surfactant	
50	Perfluorocarboxylic acids containing 9 to 14 carbon atoms in the chain (C9-C14 PFCAs), their salts and C9-C14 PFCa-related substances				○	Water repellent, Extinguishants	

*1 United States, Vermont State, Act 85

*2: United States, Toxic Substances Control Act

- (A) Occupational Safety and Health Law MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
○: Relevant to REACH Regulation or RoHS Directives

	(A) Occupational Safety and Health Law	(B) Chemical Substances Examination Law	(C) Special Chemical Substances Regulation	(D) PRTR Law	(E) EU Directives	End Use Applications
Containing Prohibition Substances						
51						In the printing Ink of packaging materials and printed matter
52						In the printing Ink of packaging materials and printed matter
53		1				Fire retardant
54		1				Ultraviolet rays inhibitor
55		1				Insecticide
56		1				Fire retardant, plasticizer
57		1				Pesticides
58		1				Processing aid in the production of fluorinated polymers, surfactant
59					○	Water repellents, surface treatment agents, fire extinguishing agents
60						Thermal paper, epoxy resin curing agents
61						Water repellents, surface treatment agents, fire extinguishing agents

*3: French law *4: United States, Washington State. Safer Products Restrictions and Reporting *5: United States, California State. AB1817

	(A)	(B)	(C)	(D)	(E)	End Use Applications
Conditional containing Prohibition Substances						
1			2	S1	○	Pigments, stabilizers, contact materials
2				S1	○	Pigments, ink
3			2	1	○	Electrodes
4				1	○	Pigments, stabilizers, rubber stiffening agents
5				1	○	PVC plasticizer
6				1	○	Plasticizer
7				1	○	Plasticizer
8					○	Plasticizer
9						Cable coating, plastic resins

*6 : Polyvinyl chloride is a substance that has been independently classified by SII into conditional containing prohibition.

	(A)	(B)	(C)	(D)	(E)	End Use Applications
Containing Avoidance Substances						
1			2	S1	○	Semiconductors, catalysts, pigments
2	MA		1	S1		Ceramic materials, catalysts
3				1	○	Pigments, paints
4				1	○	Plasticizer, pigments, paints
5						Optical characteristic
6					○	Fire retardant
7						Fire retardant
8						Fire retardant
9						Lithium primary batteries
10					○	Material of crude carbon black, insecticides, wood preservatives, pesticides, plant growth regulators
11					○	Epoxy resin curing agents, adhesive curing agents
12					○	Water indicator in desiccants, ammonia gas absorbent, gas masks
13					○	Dye, metallurgy, industrial special glass, wood preservatives
14					○	Glass and enamel bleaching, special glass cleaner and oxidizer
15				S1	○	Used to produce chromium compounds (chromium sulfate) and inorganic chromium acid pigment
16					○	Fragrance
17				1	○	Pesticides, chemical weapons, wood preservatives
18					○	Pesticides, wood preservatives
19					○	
20					○	
21					○	Antiseptic, waterproof material. Used to produce other substances such as anthracene and carbon black
22					○	
23					○	
24					○	Electrode, molding material for carbon products, insulation filler, binder for briquette
25					○	Substitute materials of the asbestos such as insulation materials
26					○	Substitute materials of the asbestos such as insulation materials
27					○	Dye, used to produce toluene diisocyanate which is a raw material of plasticized polyurethane foamed material

*7: Perchlorate is regulated by the California DTSC (Department of Toxic Substances Control).

- (A) Occupational Safety and Health Law MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2: Classification II Substances 3: Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
○: Relevant to REACH Regulation or RoHS Directives

**Containing Avoidance Substances
(continued)**

	(A) Occupational Safety and Health Law	(B) Chemical Substances Examination Law	(C) Special Chemical Substance Regulation	(D) PRTR Law	(E) EU Directives	End Use Applications
28				1	○	Pigment, bleach
29				1	○	Additive plasticizers and viscosity regulator which provide flameproofness to acrylic resin, polyurethane, polyvinyl chloride and other polymer, lubricant additives
30				1	○	Raw material for synthetic resin paints, inks, rubber
31					○	Paper strengthening agents, fiber processing agents, processing agents for increasing adhesiveness, acrylamide thermosetting paint synthesis materials, coagulants, and soil improving agents
32					○	Metal part cleaning and removal, solvents in adhesives, etc.
33					○	Pesticides, personal care products, food additives, glass, ceramic, rubber, flame retardants, etc.
34					○	Glass, glass fiber, ceramic, detergents, cleaners, personal care products, industrial fluids, adhesives, etc.
35					○	products, industrial fluids, adhesives, etc.
36				S1	○	Laboratories (chemical reagents) and other chrome compound manufacturing
37				S1	○	Leather product tanning, metal processing and coating, pigment/ink manufacturing, etc.
38				S1	○	Leather product tanning, oxidants, photo sensitive screen (CRT) manufacturing, etc.
39				S1	○	Leather tanning, metal processing and coating, and photolithography
40					○	Surface treatment agents, anticorrosives, pigments
41					○	Surface treatment agents, catalysts
42					○	Adhesives, pigments
43					○	Surface treatment agents, dyes, rubber adhesion
44					○	Solvents, fuel additive
45					○	Solvents
46				S1	○	Metal surface treating agents, antiseptics
47				S1	○	Acids generated from chromium trioxide and their oligomers: •Chromic acid •Dichromic acid •Oligomers of chromic acid and dichromic acid Metal surface treating agents, antiseptics
48					○	Solvents
49					○	Anticorrosives
50					○	PVC plasticizers
51					○	Fire retardant,
52					○	Solvents for paint dried at high temperature and washing agents
53					○	Intermediates for insecticides and intermediates for chlorinated solvents
54					○	PVC plasticizers, bulking agents, and ink plasticizers
55				S1	○	Metal surface treatment chemical
56				S1	○	Coating films and sealants
57				S1	○	Coating films and paints
58					○	Epoxy resin curing agents
59					○	Plasticizers for paint and varnish
60					○	Colored paper and dye
61					○	Mainly used in the manufacture of polymer preparations and of ethoxylates.
62					○	Solvents
63					○	Solvents for chemical reaction and battery electrolytes
64					○	Fining agents to disperse air bubbles in glass
65					○	Chemical for separation of nickel from molten copper
66				1	○	Product from refining and smelting of non-ferrous metals
67					○	Solvents, paints, and ink remover
68					○	Curing agents for polyurethane resins
69					○	Indicator in medical use and pH indicator
70				1	○	Detonator
71				1	○	Explosive and detonator
72				1	○	Detonator
73					○	Solvents and auxiliary agents in processing
74					○	Solvents and electrolytes for lithium ion battery
75					○	Glass, ceramics, and fire retardant

- (A) Occupational Safety and Health Law MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
○: Relevant to REACH Regulation or RoHS Directives

**Containing Avoidance Substances
(continued)**

	(A) Occupational Safety and Health Law	(B) Chemical Substance Examination Law	(C) Special Chemical Substance Regulation	(D) PRTR Law	(E) EU Directives	End Use Applications
76	Formamide				○	Solvents, reagents, and plasticizers
77	Lead(II) bis(methanesulfonate)			1	○	Chemicals for plating of electronic parts
78	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)				○	Resin curing agents and ink for printed-circuit board
79	β-TGIC (1,3,5-tris [(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)				○	Resin curing agents and ink for printed-circuit board
80	4,4'-bis(dimethylamino) benzophenone (Michler's ketone)				○	Dyes, pigments
81	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)				○	Dyes
82	C.I. Basic Violet 3				○	Chemicals for dyeing of paper and ink for jet printing and ballpoint pen
83	[4-[[4-anilino-1-naphthyl][4-(dimethylamino) phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I.Basic Blue 26)				○	Chemicals for dyeing of paper, packaging material, and fabric and coloring of resin
84	α,α-Bis[4-(dimethylamino) phenyl]-4 (phenylamino) naphthalene-1- methanol (C.I.Solvent Blue 4)				○	Dyes, inks
85	4,4'-bis(dimethylamino)- 4''-(methylamino)trityl alcohol				○	Dyes, inks
86	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated - covering well-defined substances and UVCB substances, polymers and homologues				○	Water paint
87	4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof				○	Antioxidants,plasticizer,paints,printing ink
88	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))				○	Synthetic resin rubber blowing agent, bleach catalysts, cement fillers, colorants, bleach photo
89	Cyclohexane-1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)				○	Plasticizer for the thermoplastic resin, curing agent for epoxy resins, insecticides, anticorrosives
90	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride				○	Plasticizer for the thermoplastic resin, curing agent for epoxy resins, insecticides, anticorrosives
91	Methoxy acetic acid				○	Synthetic intermediates,anticorrosives
92	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear				○	Laboratories (chemical reagents)
93	Diisopentylphthalate (DIPP)				○	PVC plasticizers,pesticides
94	N-pentyl-isopentylphthalate				○	Plasticizer
95	1,2-Diethoxyethane				○	Paint solvent,inks
96	N,N-dimethylformamide; dimethyl formamide				○	Solvents, washing agents
97	Dibutyltin dichloride (DBT)				○	Rubber additive,pvc stabilizers
98	Acetic acid, lead salt, basic			1	○	Anticorrosive pigment
99	Lead (II) carbonate basic			1	○	Pigments, paints,pvc stabilizers
100	Lead oxide sulfate (basic lead sulfate)			1	○	Battery electrode materials,phosphor
101	[Phthalato(2-)]dioxotrilead (dibasic lead phthalate)			1	○	PVC stabilizers
102	Dioxobis(stearato)trilead			1	○	PVC stabilizers
103	Fatty acids, C16-18, lead salts			1	○	PVC stabilizers
104	Lead bis(tetrafluoroborate)			1	○	Solder plating, alloy plating, electroplating electrolyte
105	Lead cyanidate			1	○	Anticorrosive pigment
106	Lead dinitrate			1	○	Pigments
107	Lead oxide (lead monoxide)			1	○	PVC stabilizers,optical glass, pigments, paints, storage battery plates, vulcanization accelerator, pottery, enamel, glass general
108	Lead tetroxide (orange lead)			1	○	Paints, optical glass, general glass, ceramics, enamel, battery, pigments, rubber, pharmaceutical, plastics, electronic materials
109	Lead titanium trioxide			1	○	Electronic ceramic material
110	Lead Titanium Zirconium Oxide			1	○	Electronic ceramic material,Piezoelectric devices,Piezoelectric buzzers
111	Pentalead tetraoxide sulphate			1	○	PVC stabilizers
112	C.I. Pigment Yellow 41			1	○	Pigments
113	Silicic acid, barium salt, lead-doped				○	Lamp fluorescent material
114	Silicic acid, lead salt			1	○	Glass materials
115	Sulfurous acid, lead salt, dibasic			1	○	PVC stabilizers

- (A) Occupational Safety and Health Law MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1 :Classification 1-Designated Chemical Substances
S1 : Special Classification 1-Designated Chemical Substances
2 :Classification 2-Designated Chemical Substances
- (E) EU Directives
○ :Relevant to REACH Regulation or RoHS Directives

**Containing Avoidance Substances
(continued)**

	(A) Occupational Safety and Health Law	(B) Chemical Substances Examination Law	(C) Special Chemical Substances Regulation	(D) PRTR Law	(E) EU Directives	End Use Applications
116				1	○	Gasoline additive
117				1	○	Battery electrode material, PVC stabilizer
118				1	○	PVC stabilizer
119					○	Solvent
120					○	Pigments, pharmaceuticals, fungicides
121					○	Dyes, pharmaceuticals, agrochemicals, fine chemicals
122					○	Manufacture of dyes and methylcellulose, stabilizer
123					○	-
124					○	Polymer material
125					○	Curing agent for epoxy resin and urethane resin
126					○	Polyimide, polyamide imide, polyamide material. Cross-linking agent and polymer stock epoxy, urethane
127					○	Dye, reagent
128					○	Polyurethane resin raw materials, dye intermediates
129					○	Dye intermediate
130					○	Dyes, pesticide intermediate
131					○	Dyes, pharmaceutical intermediates
132					○	Reagent, dye intermediate
133					○	Solvent, organic synthetic raw material
134					○	Pharmaceuticals, pesticide intermediates, cleaning solvent
135			2	S1	○	Ni-Cd batteries, pigments, plating, stabilizers, alloys
136			2	S1	○	Ni-Cd batteries, plating, alloys
137					○	Plasticizer
138					○	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations] Paints, Emulsifier
139			2	S1	○	Pigments
140					○	Plasticizer
141					○	Dye for e.g. textile and paper
142					○	Dye leather, plastics, vegetable-ivory buttons and wood flour used as a resin filler; produce aqueous inks
143					○	Vulcanisation agent
144				1	○	Paints, waterproof material
145					○	Fire-resistant hydraulic oil material, as flame retardant in the production of plastics
146					○	Plasticizer, Jointing agents
147			2	S1	○	Electroplating, component for production of photovoltaic modules
148					○	Bleaching agent in laundry detergent and machine dishwashing products
149					○	
150		1			○	UV-stabilisers
151					○	Heat stabiliser in the production of rigid and to a minor extent of plasticised PVC.
152				S1	○	Electric brushes, high-temperature dry-film lubricant, optical applications, and as starting material for crystals for laser. Cadmium fluoride was used as an active component in fluxes for soldering of aluminium and its alloys.
153				S1	○	Intermediate for industrial production of inorganic cadmium compounds. Metal surface coating.
154					○	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) The production of PVC as heat stabiliser.

- (A) Occupational Safety and Health Law MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
○: Relevant to REACH Regulation or RoHS Directives

**Containing Avoidance Substances
(continued)**

	(A) Occupational Safety and Health Law	(B) Chemical Substances Examination Law	(C) Special Chemical Substance Regulation	(D) PRTR Law	(E) EU Directives	End Use Applications
155					○	Adhesives, plasticizer, lubricants
156					○	Fragrance ingredient
157					○	Solvents and electrolytes for lithium ion battery, law material for synthetic resin and fiber, paint
158					○	UV-protection agents in coatings, plastics, rubber, polyurethanes and cosmetics
159					○	UV-protection agents in coatings, plastics, rubber, polyurethanes and cosmetics
160				1	○	Production of chemicals and intermediate for further chemical processing
161					○	Formulation / end use of adhesives, paints, waterproof materia
162				1	○	Antioxidant for processing PVC, epoxy resin hardeners, manufacture of polycarbonate, thermal paper
163					○	Lubricant additives
164					○	Adhesive, paints, varnishes
165					○	Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.
166					○	Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.
167			2	S1	○	Used for the manufacture of glass, porcelain and ceramic products and in laboratory chemicals.
168			2	S1	○	Used for the manufacture of electrical, electronic and optical equipment and in laboratory chemicals.
169			2	S1	○	Used as a pH regulator and in water treatment products, laboratory chemicals, cosmetics and personal care products.
170					○	Used as a non-plasticising flame retardant, used in adhesives and sealants and in binding agents.
171					○	Used as a lubricant additive in lubricants and greases.
172					○	Used in washing and cleaning products, polishes and waxes and cosmetics and personal care products.
173					○	Used in washing and cleaning products, polishes and waxes, cosmetics and personal care products, textile treatment products and dyes.
174					○	Used in washing and cleaning products, polishes and waxes, cosmetics and personal care products.
175				1	○	Used in metals, welding and soldering products, metal surface treatment products, and polymers.
176					○	Used in anti-freeze products, heat transfer fluids, lubricants and greases, and washing and cleaning products.
177					○	Normally not produced intentionally but rather occurs as a constituent or impurity in other substances.
178				1	○	Used as a plastic additive, solvent, in coatings/inks, in adhesives and sealants, and heat transfer fluids.
179				1	○	Used in adhesives and sealants, coating products, fillers, putties, plasters, modelling clay, pH regulators and water treatment products.
180					○	Used in the manufacture of esters and polymers.
181				2	○	Used in plastisol, PVC, rubber and plastic articles. A further use is also as a phlegmatizer and dispersing agent for formulations of organic peroxides.

- (A) Occupational Safety and Health Law MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1 : Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2 : Classification 2-Designated Chemical Substances
- (E) EU Directives
○ : Relevant to REACH Regulation or RoHS Directives

**Containing Avoidance Substances
(continued)**

		(A) Occupational Safety and Health Law	(B) Chemical Substances Examination Law	(C) Special Chemical Substance Regulation	(D) PRTR Law	(E) EU Directives	End Use Applications
182	2,2-bis(4'-hydroxyphenyl)-4-methylpentane					○	Surface coatings, inks, adhesives
183	Benzo[k]fluoranthene					○	Adhesives, cleaning agents
184	Fluoranthene					○	Adhesives, cleaning agents
185	Phenanthrene					○	Paints, release agents, lubricants, cleaning agents
186	Pyrene					○	Release agents, cleaning agents
187	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one					○	Sunscreens, cosmetics, UV-protective textiles
188	2-methoxyethyl acetate				1	○	Paints, solvent for adhesive, solvent for printing ink
189	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)					○	Primarily used as an antioxidant to stabilise polymers.
190	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)					○	Processing aid in the production of fluorinated polymers.
191	4-tert-butylphenol				1	○	Used in coating products, polymers, adhesives, sealants and for the synthesis of other substances.
192	Perfluorobutane sulfonic acid (PFBS) and its salts					○	Used as a catalyst/ additive/reactant in polymer manufacture and in chemical synthesis. It is also used as a flame retardant in polycarbonate (for electronic equipment).
193	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one					○	Polymer production
194	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone					○	Polymer production
195	Diisohexyl phthalate					○	Plasticizer
196	Butyl 4-hydroxybenzoate					○	Cosmetics, personal care products, pharmaceuticals
197	Dibutylbis(pentane-2,4-dionato-O,O')tin					○	Catalyst and additive applications in the manufacture of plastic products.
198	1-vinylimidazole					○	In preparations and monomer applications in polymer production.
199	2-methylimidazole					○	Catalytic applications in the manufacture of coated products.
200	Bis(2-(2-methoxyethoxy)ethyl)ether					○	Solvent or extractant in inks and toners
201	Diocetyl tin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety					○	Additive in the production of plastics and rubber tyres
202	Orthoboric acid, sodium salt				1	○	Solvents and corrosion inhibitors
203	Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)					○	Preparation of lubricant additive materials and of fuel system cleaners
204	4,4'-(1-methylpropylidene)bisphenol					○	Manufacture of phenolic and polycarbonate resin
205	2,2-bis(bromomethyl)propane-1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)					○	BMP: manufacture of polymer resins and in one component foam (OCPF) application. TBNPA: polymer production manufacture of plastics products, including compounding and conversion and as an intermediate. DBPA: registered as an intermediate.
206	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers					○	Cleaning agents, cosmetics, in scented articles, polishes and wax blends
207	1,4-dioxane			2		○	Solvent
208	Glutaral					○	Biocides, leather tanning, x-ray film processing, cosmetics
209	S-(tricyclo(5.2.1.0'2,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate					○	Lubricants, grease

- (A) Occupational Safety and Health Law MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
- 1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
- 1: Classification I Substances 2; Classification II Substances 3; Classification III Substances 3
- N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
- 1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
- : Relevant to REACH Regulation or RoHS Directives

**Containing Avoidance Substances
(continued)**

	(A) Occupational Safety and Health Law	(B) Chemical Substances Examination Law	(C) Special Chemical Substance Regulation	(D) PRTR Law	(E) EU Directives	End Use Applications
210					○	Rubbers, lubricants, adhesives, inks, fuels
211					○	Rubbers, plastics, sealants
212					○	Cosmetics
213					○	As a monomer for polymerisation, as a fluoroalkyl acrylate copolymer, and in paints and coatings.
214					○	Anti-mold agent for cosmetics, pharmaceuticals, foods, etc. Preservatives
215					○	Fire retardant
216					○	Fire retardant
217					○	In the manufacture of: pulp, paper and paper products, textile, leather or fur and chemicals
218				1	○	Anti-mold agent, anti-corrosion paint, flame retardant
219					○	Fire retardant, PVC plasticizer
220					○	In polymers and resins, coating products, adhesives and sealants, leather treatment products, laboratory chemicals.
221					○	Water repellent, raw material for stain-repellent agent for paper and cloth
222					○	Food, drug, pesticide or biocidal product use
223					○	Manufacture of chemicals, plastic products and rubber products
224					○	Inks and toners, coating products, photo-chemicals, polymers, adhesives and sealants and fillers, putties, plasters, modelling clay.
225						Water repellents, surface treatment agents, fire extinguishing agents.
226					○	Adhesives, coating products, lubricants, grease
227					○	Flame retardant
228					○	Adhesives, coating products, printing ink
229					○	Coating products, adhesives, ink
230				2	○	Flame retardant
231				1	○	Adhesives, flame retardant, plasticizer
232					○	Lubricants, grease, release agents
233					○	Lubricants, grease
234					○	Lubricants, grease
235					○	Cosmetics, cleaning agents, adhesives
236					○	Manufacture of electrical, electronic and optical equipment and machinery and vehicles
237					○	Cosmetics, personal care products, lubricants, grease
238					○	Cosmetics, personal care products, fragrance
239					○	Textile treatment products, dye
240					○	Polymers, coating products, cleaning agents
241					○	Process adjuster, crosslinking agent

*8: United States. Toxic Substances Control Act

- (A) Occupational Safety and Health Law MP: Manufacture Prohibition Substances
MA: Manufacture Allowed Substances
- (B) Chemical Substances Examination and Manufacture Regulations
1: Type I Special Chemical Substances
- (C) Special Chemical Substances Regulations
1: Classification I Substances 2: Classification II Substances 3: Classification III Substances 3
N: Upon emissions or discharge of those substances, a disposal system is needed.
- (D) PRTR Law
1: Classification 1-Designated Chemical Substances
S1: Special Classification 1-Designated Chemical Substances
2: Classification 2-Designated Chemical Substances
- (E) EU Directives
○: Relevant to REACH Regulation or RoHS Directives

Form 1

ENVIRONMENTAL CONTROL SYSTEM QUESTIONNAIRE

Date of preparation: _____

Company name: _____

Name of the place of business: _____

Department: _____

Name and title of the person who completes this format: _____

(Signature)

Contact: _____

Phone: _____

Fax: _____

Please check "Yes" or "No" column.

If not applicable, enter "N.A."

Inquiries about [Environmental Control System]

No.	Item	Question	Answer		
			Yes	No	Remarks
1	Certification of environmental ISO	Have you obtained certification under ISO-14001 or other equivalent programs? If Yes, date of certification: _____ If no, check either of the following: _____ a. Have a plan to obtain certification by (date) _____ b. Have no plan to obtain certification ----- If you answer "Yes", proceed to No. 8.2. If you answer "no", proceed to No. 2.			
2	Environmental policy	Do you have any environmental policy on environmental preservation?			
3	Environmental goal	Do you have goals for environmental preservation?			
4	Action plan	Do you have an action plan to achieve the goals?			
5	Organization	Do you have a special organization to promote environmental control?			
6	Education & training	Do you provide employees with any educational or training program?			
7	Internal audit	Do you have a system to carry out an internal environmental audit?			
8.1	Control system	(1) Do you have a system to supervise legislative and voluntary control schemes?			
8.2		(2) Do you comply with all laws relating to environment? (Do you know and follow the applicable laws listed in Annex 1 (page 4)?)			
8.3		(3) Do you have a system to control energy consumption?			
8.4		(4) Do you take actions to reduce wastes?			
8.5		(5) Do you take actions to control and reduce chemical substances?			
8.6		(6) Do you introduce or try a product assessment scheme?			
8.7		(7) Do you have a system to collect and recycle used products and packaging materials?			
9	Information disclosure *1	Do you disclose information about environmental issues? (For example, by Internet, environmental pamphlet, report, etc.)			
10	Biodiversity *2	Are you actively involved in (or support) biodiversity conservation movement?			

*1: If you check "Yes" in the information disclosure column, and have an Internet home page, please enter your URL in the box below. If you publish environmental literature, please attach to this sheet.

*2: "10. Biodiversity" is not the subject for a survey of environmental management system, but we ask you how your organization is working on this issue.

Form 2

PRODUCTION GOODS PROCUREMENT QUESTIONNAIRE

Date of preparation: _____

Company name: _____

Name of the place of business: _____

Department: _____

Name and title of the person who completes this format: _____ (Signature)

Contact: Phone: _____ Fax: _____

Item name: _____

Model, Item No: _____

Weight (g): _____

Inquiries about [Goods being or to be procured for production] (Products, Parts, Packaging)]

Please check "Yes" or "No" column. If not applicable, enter "N.A."

No.	Item	Question	Answer			
			Yes	No	Remarks	
1	Packaging materials	Containing of heavy metals	Does the packaging contain heavy metals, such as cadmium, hexivalent chrome, mercury and lead? If Yes, list them in Form 4 (page 36).			
2		Use of polyvinyl chloride	Do you use polyvinyl chloride in your exterior packaging and buffer materials (e.g., bags)?			
3		Resources saving (packaging material)	Do you take or consider measures to reduce excessive packaging or packaging volume? (Reduced packaging compared with similar products and parts)			
4		Indication of materials (packaging material)	Do you indicate materials used for plastic packaging materials?			
5		Reduction of foams	Do you minimize the use of styrene foam or replace foam with other materials?			
6.1	Products, parts, packaging	Use prohibition substances *1	Do you use prohibition substances in the manufacturing process of products and parts? (See Annex 2, page 4.) If Yes, list the substances in Form 3, page 35.			
6.2		Use avoidance substances *1	Do you use avoidance substances in the manufacturing process of products or parts? (See Annex 3, page 4.) If Yes, list the substances in Form 3, page 35.			
7.1		Containing prohibition substances *2	Do you use containing prohibition substances in products or parts? (See Annex 4, page 5-6) If Yes, list the substances in Form 4, page 36.			
7.2		Containing avoidance substances *2	Do you use containing avoidance substances in products or parts? (See Annex 6, page 8 to 13.) If Yes, list the substances in Form 4, page 36.			
7.3		Conditional containing prohibition substances *3	Do you use conditional containing prohibition substances in products or parts? (See Annex 5, page 7). If Yes, list the substances in Form 4, page 36. Note: Please check "Yes" even if exclusion clauses are included.			
8		Indication of materials (products, parts)	Do you indicate materials used for plastic products or parts? (Preferably, molded items weighing 25 grams or over.)			
9	Products	Compliance with laws	Does the product comply with applicable laws, including the Recycling Law and Energy Saving Law?			
10		Resources saving	Do you use recycled resources or parts, or do you miniaturize the product? (As compared with similar products) Do you intend to take the above-mentioned measures?			
11		Energy saving	Do you take measures to reduce power consumption in both operation and standby modes? (As compared with similar products). Do you intend to take the above-mentioned measures?			
12		Disposition	Do you take into account the separability and degradability to ensure proper disposition of the product?			

Note: If any of the above has changed, immediately contact the SII operating division that requested the survey. (Please note that changes of use prohibition substances, containing prohibition substances, and conditional containing prohibition substances are especially important.)

If "No" is checked in questions 1 and 6.1-7.3, it is not necessary to submit Forms 3 and 4.

*1: "Use" means "to use" for manufacturing, i.e. washing, products and parts that do not contain chemical substances.

*2: "Containing" means "to contain" chemical substances that have been intentionally added to products and parts to meet their functionality and performance. Reaction-type residue like non-reaction monomer and impurities are excluded.
If an impurity in a chemical substance for which a threshold level is specified exceeds an acceptable value, the chemical substance is judged to contain a prohibited substance.

*3: "Conditional Containing Prohibition Substances" are chemical materials that is basically prohibited to contain and include some exemptions according to applications.
Even if exemptions are included, please check "Yes" in 7.3 and write the name of chemical compounds present in Form 4.

